

Version 9.30.27 LSR FORM

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBLITY OF SUCH DAMAGES.


 $\hbox{@\,}2023$ Frontier Communications Parent, Inc. All rights reserved.

Effective: 02/25/2024

Revised Date: 11/20/2023


Contents

Section ADMINISTRATIVE	5
CCNA - Customer Carrier Name Abbreviation	5
PON – Purchase Order Number	5
VER – Version	6
LOCQTY – Location Quantity	6
HTQTY – Hunt Group Quantity	6
AN – Account Number	7
ATN – Account Telephone Number	7
D/TSENT – Date/ time sent	8
DSPTCH – Dispatch Required	ç
DDD – Desired Due Date	ç
APPTIME – Appointment Time - DDD	10
DDDO- Desired Due Date Out	10
NOR – Number of Requests	11
APPTIME- Appointment Time - DDDO	11
DFDT – Desired Frame Due Time	12
PROJECT – Project Identification	13
PROJINDR - Project Indicator	13
CHC-Coordinated Hot Cut	13
REQTYP – Request Type	14
P – Product Arrangement	15
SLI –Sub Loop Indicator	15
ACT – Activity	15
ADET – Activity Detail	17
SUP – Supplement Type	
EXP – Expedite	21
APPTRESID – Appointment Response Identifier	21
CC - Company Code	22
PID - Personal Identifier	22
NNSP – New Network Service Provider Identification	22
ONSP – Old Network Service Provider	23
AENG – Additional Engineering	
SCA – special Construction Authorization	
AGAUTH - Agency Authorization Status	24
ACTL – Access Customer Terminal Location	24
SACTL – Secondary Access Customer Terminal Location	25



Effective: 02/25/2024

LST – Local service termination	
LSO – Local Service Office	26
TOS – Type of Service	26
AC- Account Structure Change	31
SPEC- Service and Product Enhancement Code	31
NC- Network Channel Code	31
NCI – Network Channel Interface Code	33
SECNCI – Secondary Network Channel Interface Code	34
RPON – Related PON	34
RPVER – Related PON Version	34
RORD – Related Order Number	35
LSP AUTH – Local Service Provider Authorization	35
LSP AUTH DATE – Local Service Provider Authorization date	35
LSP AUTH NAME – Local Service Provider Authorization Name	36
LSPAN – Local Service Provider Authorization Number	36
CUST – Customer Name	36
NPDI – Number Portability Direction	37
BILL Section	38
BI1 –Billing Account Identifier 1	38
BAN1 – Billing Account Number 1	40
BI2 – Billing Account Number Identifier 2	40
BAN2 – Billing Account Number 2	41
ACNA – Access Customer Name Abbreviation	42
EBD – Effective Billing Date	43
NRI	43
BILLNM - Billing Name	43
SBILLNM – Secondary Billing Name	43
TE -Tax Exempt	43
STREET- Street Bill Address	44
FLOOR – Bill Floor	44
ROOM/MAIL STOP- Bill Room/Mail stop	44
CITY-Bill City	44
STATE – Bill State	44
ZIP – Bill ZIP/Postal Code	
BILLCON – Billing Contact	45
TEL NO – Bill Contact Telephone Number	45
Contact Section	45



Effective: 02/25/2024

	INIT – Initiator Identification	45
	TEL NO – Initiator Telephone Number	45
	EMAIL – Electronic Mail	46
	FAX NO – Facsimile Number	46
	IMPCON – Implementation Contact	
	TEL NO – Implementation Contact Telephone Number	47
	PAGER – Implementation Contact Pager Number	47
	ALT IMPCON – Alternate Implementation Contact	48
	TEL NO – Alternate Implementation Contact Telephone Number	48
	PAGER – Alternate Implementation Contact Pager Number	48
RE	MARKS Section	49
	REMARKS - Remarks	
ΑF	PENDIX A: ERROR MESSAGE TABLE	49
ΑF	PENDIX B – CHANGE CONTROL LOG	63



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
Section	on ADMINISTRA	ATIVE					
001	CCNA - Customer Carrier Name Abbreviation	Identifies the COMMON LANGUAGE IAC code for the customer	A	3-3		1. If not populated, then return error: FTRLSR001 CUSTOMER CARRIER NAME ABBREVIATION REQUIRED 2. If populated and vv = CUS and CC is not populated, then return error: FTRLSR002 CCNA OF 'CUS' REQUIRES AN ENTRY IN CC 3. If populated and dl not = 3 characters, then return error: FTRLSR003 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS 4. If populated and dc not = alpha, then return error: FTRLSR004 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC 5. If populated and vv = CUS and position 2 of TOS = F, P, then return error: FTRLSR319 VALUE OF CUS PROHIBITED WITH TOS SELECTED 6. If populated and vv = CUS and position 2 of PS.LTOS = P, then return error: FTRLSR033 CCNA VALID VALUE = CUS IS PROHIBITED Note: 1. The format and structure of this field is defined by ATIS in document 0300251, Codes for Identification of Service Providers for Information Exchange or by COMMON LANGUAGE in BR 751-100-112. 2. For an occasional customer who has not and probably will not obtain a CCNA, enter 'CUS' in this field 3. Valid IAC codes are outlined maintained by Telcordia Technologies	
002	PON – Purchase Order Number	Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.	AN	4-16		1. If populated and (dl < 4 or > 16), then return error: FTRLSR006 PURCHASE ORDER NUMBER MUST BE 4 TO16 CHARACTERS 2. If not populated, then return error: FTRLSR007 PURCHASE ORDER NUMBER IS REQUIRED 3. If populated and special character not = hyphen, then return error: FTRLSR008 ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN 4. If populated and vv contains lower case alpha characters, return error FTRLSR213 PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS	R
003	BOPI					FRONTIER DOES NOT SUPPORT	Р



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
004	VER – Version	Identifies the customer's version number.	N	2-2	00-99	1. If not populated and SUP is populated, then return error: FTRLSR009 VERSION REQUIRED WITH SUP 2. If populated and dl not = 2 characters, then return error: FTRLSR010 VERSION DATA LENGTH MUST BE 2 CHARACTERS 3. If populated and dc does not = numeric, return error FTRLSR180 VER MUST BE NUMERIC 4. If VER is populated and SUP is populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED, 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR454 VER MUST BE INCREMENTED ON SUP ORDERS 5. If not populated, return error FTRLSR037 VERSION REQUIRED Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number.	R
005	LOCQTY – Location Quantity HTQTY – Hunt Group Quantity	Identifies the number of service locations for the service requested. Identifies the quantity of hunt telephone	N	1-3		1.If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: FTRLSR011 LOCATION QUANTITY IS REQUIRED 2. If populated and dc not = numeric, then return error: FTRLSR012 LOCATION QUANTITY MUST BE NUMERIC CHARACTERS 3. If populated and dl > 3, then return error: FTRLSR338 LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS 1.If populated and REQTYP does not = DB, EB, NB, PB, QB and ACT does not = C, M, N, T, V, then return error: FTRLSR013 HTQTY IS PROHIBITED FOR REQTYP/ACT	О
		numbers associated with this service request.				 2. If not populated and HGI form is present, then return error: FTRLSR053 HTQTY IS REQUIRED 3. If populated and HGI form is not present, then return error: FTRLSR055 HTQTY IS PROHIBITED 	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
Iddi			Cital	Length	Kange of Values	4. If populated and PS.SDP = C, D, E, F, G, then return error: FTRLSR066 HTQTY IS PROHIBITED 5. If populated and (dl > 2 or dc not = numeric), then return error:	
						FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC	
007	AN – Account Number	Identifies the main account number assigned by	N	10		1.If populated and REQTYP does not = CB and ACT does not = V, return error FTRLSR483 AN PROHIBITED	0
		the NSP.				2.If populated and dl does not = 10 or dc is not numeric, return error FTRLSR484 AN VALID VALUE = 10 DIGIT NUMERIC	
						3.If not populated and REQTYP = CB and ACT = V, return error FTRNP532 AN REQUIRED	
						Note: The CSR ATN should be populated in the AN field when REQTYP=CB and ACT=V.	
800	ATN – Account Telephone Number	Identifies the account telephone	AN	1 or 10	N, XXXXXXXXX	1.If populated and REQTYP = AB, BB, CB, JB, then return error: FTRLSR014 ATN NOT ALLOWED FOR REQTYP	0
		number assigned by the NSP.	ssigned by			2. If not populated and REQTYP = DB and ACT = V and PS.RL is populated and EU.EATN is not populated, then return error: FTRLSR108 ATN IS REQUIRED	
						3. If not populated and REQTYP = DB,EB and ACT = N, then return error: FTRLSR109 ATN IS REQUIRED	
						4. If not populated and REQTYP = DB,EB and ACT = T or (ACT = C and PS.LNA or RS.LNA = T), then return error: FTRLSR112 ATN IS REQUIRED	
						5. If populated and vv = N and (PS.TNS or RS.TNS not = N on any occurrence), then return error: FTRLSR118 ATN VALID VALUE = N IS PROHIBITED	
						6. If populated and vv not = DL.LTN and AC = A, then return error: FTRLSR120 ATN MUST EQUAL LTN WHEN AC = A	
						7. If not populated and AC = A, then return error: FTRLSR121 ATN IS REQUIRED	
						8. If populated and vv not = N and (dl not = 10 or dc not = numeric), then return error: FTRLSR131 ATN VALID VALUE = N OR 10 NUMERIC	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
		Char	Length	Range of Values	Rules/Edits	
AAN						Р
NATN					FRONTIER DOES NOT SUPPORT	Р
NAN					FRONTIER DOES NOT SUPPORT	Р
SC					FRONTIER DOES NOT SUPPORT	Р
					FRONTIER DOES NOT SUPPORT	Р
RESID					FRONTIER DOES NOT SUPPORT	Р
D/TSENT – Date/ time sent	Identifies the date and time the transaction is sent.	VFO / LSR- UOM N EDI AN	VFO / LSR- UOM 16-16 EDI 14-14	VFO/LSR-UOM Format: Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit hour (00-23) : (colon) Two Digit Minute (00-59) : (colon) Two Digit Second (00-59) EDI Format Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit Hour (01-12) Two Digit Minute (00-59) AM or PM	1.Required if REQTYP does not=CB or ACT does not=V. Otherwise if not populated return error FTRLSR206 DATE/TIME SENT IS REQUIRED ** Note: Optional when the first position of the REQTYP field is "C" and the order is for a simple port, otherwise required. 2. If populated and dc contains: (colon) and dl not = 16, then return error: FTRLSR445 DATE/TIME SENT MUST BE 16 CHARACTERS 3. If populated and dc contains: (colon) and positions 5, 6 (MM) not = 01-12, then return error: FTRLSR446 DATE/TIME SENT MONTH MUST BE 01-12 4. If populated and dc contains: (colon) and positions 7, 8 not = 01-31, then return error: FTRLSR447 DATE/TIME SENT DAY MUST BE 01 – 31 5. If populated and dc contains: (colon) and positions 9,10 not = 00-23, then return error: FTRLSR448DATE/TIME SENT HOUR MUST BE 00-23 6. If populated and dc contains: (colon) and positions 12, 13 not = 00-59, then return error: FTRLSR449 DATE/TIME SENT MINUTES MUST BE 00-59 7. If populated and dc contains: (colon) and positions 15, 16 not = 00-59, then return error: FTRLSR435 DATE/TIME SENT SECONDS MUST BE 00-59 8. If populated and dc doesn't contain: (colon) and dl not = 14, then return error: FTRLSR207 DATE/TIME SENT MUST BE 14 CHARACTERS 9. If populated and dc doesn't contain: (colon) and positions 5, 6 (MM) not = 01-12, then return error: FTRLSR208 DATE/TIME SENT MONTH MUST BE 01-12	R
	AAN NATN NAN SC PG_OF_ RESID D/TSENT -	AAN NATN NAN SC PG_OF_ RESID D/TSENT — Date/ time sent Identifies the date and time the transaction is	AAN NATN NAN SC PG_OF_ RESID D/TSENT - Date/ time sent Identifies the date and time the transaction is sent. VFO / LSR-UOM N EDI	AAN NATN NAN SC PG_OF_ RESID D/TSENT - Date/ time sent Date/ time sent D/TSENT - Date/ time sent	AAN NATN NAN SC PG_OF_ RESID D/TSENT - Date/ time sent Date / time sent Date	AAN NATN NATN NATN SC Date/ time sent Heart. Date/ time sent EDI AN EDI EDI AN AN EDI EDI AN AN EDI EDI AN AN EDI EDI AN AN EDI EDI EDI AN EDI EDI AN EDI EDI EDI EDI AN EDI EDI EDI AN EDI EDI EDI EDI AN EDI EDI EDI EDI EDI AN EDI EDI EDI EDI EDI AN EDI



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
INDI			Cilai	Length	Kange of Values	10. If populated and dc doesn't contain : (colon) and positions 7, 8 not = 01-31, then return error: FTRLSR209 DATE/TIME SENT DAY MUST BE 01 – 31	
						11. If populated and dc doesn't contain : (colon) and positions 9,10 not = 01-12, then return error: FTRLSR210 DATE/TIME SENT HOUR MUST BE 01-12	
						12. If populated and dc doesn't contain : (colon) and positions 11, 12 not = 00-59, then return error: FTRLSR211 DATE/TIME SENT MINUTES MUST BE 00-59	
						13. If populated and dc doesn't contain : (colon) and dc not = numeric in positions 1 through 12, then return error: FTRLSR212 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12	
						14. If populated and dc doesn't contain : (colon) and position 13 and 14 not = to AM or PM, then return error: FTRLSR219 AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT	
						15. If populated and dc contains: (colon) and dc not = numeric in positions 1 through 8, then return error: FTRLSR295 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8	
016	DSPTCH – Dispatch Required	Indicates a dispatch is required.	A	1	Υ	1.If populated and vv does not = Y, return error FTRLSR473 DSPTCH VALID VALUE = Y	0
						2.If populated and REQTYP does not = AB or BB and TNT field not populated, return error FTRLSR326 DSPTCH PROHIBITED	
017	DDD – Desired Due Date	Identifies the customer's desired due date.	N	8-8	CCYYMMDD CC - 00-99 YY - 00-99 MM - 01-12	1. If populated and SUP not = 1 and DDD is not > or equal to current date (characters 1-8 of D/TSENT), then return error: FTRLSR015 DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE	R
					DD – 01-31	2. If populated and dl not = 8 characters, then return error: FTRLSR016 DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS	
						3. If populated and dc not = numeric, then return error: FTRLSR017 DESIRED DUE DATE DATA MUST BE NUMERIC	
						4. If populated and positions 5-6 (MM) are not 01-12, then return error: FTRLSR018 DESIRED DUE DATE MONTH MUST BE 01 - 12	
						5. If populated and positions 7-8 (DD) are not 01-31, then return error: FTRLSR019 DESIRED DUE DATE DAY MUST BE 01 TO 31	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
NDI			Char	Length	Kange of Values	6. If not populated, then return error: FTRLSR020 DESIRED DUE DATE IS REQUIRED Note: 1) DDD cannot exceed 60 calendar days 2) DDD is not guaranteed. CDD will be provided when FOC is returned.	
018	APPTIME – Appointment Time - DDD	Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises.	AN -:	17-17	Format 08:00:00-12:00:00; 13:00:00-17:00:00;	1. If populated and dc contains: (colon) and vv not = 08:00:00-12:00:00, 13:00:00-17:00:00, then return error: FTRLSR436 APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00	0
019	DDDO- Desired Due Date Out	Identifies the customer's desired due date for suspension or disconnection of service.	N	8-8	CCYYMMDD CC - 00-99 YY - 00-99 MM - 01-12 DD - 01-31	1. If populated and SUP is not populated and DDDO is not > or equal to current date (characters 1-8 of D/TSENT), then return error: FTRLSR005 DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE 2. If populated and vv is not in format CCYYMMDD, then return error: FTRLSR022 DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED 3. If populated and dl not = 8 characters, then return error: FTRLSR023 DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS 4. If populated and dc not = numeric, then return error: FTRLSR024 DESIRED DUE DATE OUT DATA MUST BE NUMERIC 5. If populated and positions 5-6 (MM) not = 01-12, then return error: FTRLSR025 DESIRED DUE DATE OUT MONTH MUST BE 01 - 12 6. If populated and positions 7-8 (DD) not = 01-31, then return error: FTRLSR026 DESIRED DUE DATE OUT DAY MUST BE 01 - 31 7. If populated and REQTYP = AB, BB, CB or JB, then return error: FTRLSR320 DDDO NOT ALLOWED FOR REQTYP 8. If populated and (PS.LNA or RS. LNA = T) and DDDO > DDD and EU.STATE not = CT, then return error: FTRLSR159 DDDO MUST BE LESS THAN OR EQUAL TO DDD	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
1421			Onai	Longui	rungo or vuidoo	9. If populated and position 1 of REQTYP = D, E and ACT = T and position 4 of TOS = F and DDDO > DDD, then return error: FTRLSR162 DDDO MUST BE LESS THAN OR EQUAL TO DDD	
						10. If populated and (position 1 of REQTYP not = D, E, N, P, Q or ACT not = T) and (ACT not = C or (PS.LNA or RS.LNA not = T)), then return error: FTRLSR168 DDDO IS PROHIBITED	
						11. If populated and position 1 of REQTYP = N, Q or (position 1 of REQTYP = P and EU.STATE not = CT) and ACT = T and vv > DDD, then return error: FTRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD	
020	NOR – Number of Requests	Identifies this LSR and the total quantity of Local Service	N	4-4	Positions 1,2 – 01-99 Positions 3, 4 – 02-99	1. If populated and positions 3 and 4 are not = to or > than positions 1 and 2, then return error: FTRLSR027 NOR INVALID DATA IN LAST 2 POSITIONS	0
		Requests within a related group of orders				2. If populated and RPON is not populated, then return error: FTRLSR028 NOR PROHIBITED WHEN RPON IS NOT PRESENT	
		being submitted.				3. If not populated and RPON is populated, then return error: FTRLSR029 NOR IS REQUIRED WHEN RPON IS PRESENT	
						4. If populated and dl not = 4 characters, then return error: FTRLSR030 NOR LENGTH MUST BE 4 CHARACTERS	
						5. If populated and vv positions 1 and 2 not = 01-99 or vv position 3 and 4 not = 02-99, then return error: FTRLSR324 NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99	
021	APPTIME- Appointment Time - DDDO	Identifies the time period during which	AN -:	17-17	Format 08:00:00-12:00:00	1. If populated and REQTYP = AB, BB, CB or JB, then return error: FTRLSR330 APPTIME DDDO NOT ALLOWED FOR REQTYP	0
	Time bbbo	the end user's service will be established and/or a			08:00:00-11:00:00	2. If populated and SLI = B, then return error: FTRLSR176 APPTIME DDDO IS PROHIBITED WHEN SLI = B	
		technician is scheduled to visit the end user's			13:00:00-17:00:00 15:00:00-19:00:00	3. If populated and DDDO is not populated, then return error: FTRLSR249 APPTIME DDDO IS PROHIBITED	
		premises.				4. If populated and dc contain: (colon) and vv not = 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00,), then return error: FTRLSR437 APPOINTMENT TIME MAY ONLY BE 08:00:00-	
						12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr 022	DFDT – Desired Frame Due Time	Identifies desired frame cutover time.	AN	Length 6-6	Range of Values HHMMAM or PM HH = 01-12 MM = 00-59 AM PM	1. If not populated, and NOT (REQTYP = C and ACT = V) and CHC=Y, A or B, then return error: FTRLSR032 DFDT IS REQUIRED WHEN CHC IS Y, A or B 2. If populated and REQTYP = AB and CHC is not populated and LS.CI not = E and NPA NXX is not Frontier 13, then return error: FTRLSR289 DFDT PROHIBITED 3. If not populated and REQTYP = AB and (LS.CI = E) and NPA NXX is not Frontier 13, then return error: FTRLSR349 DFDT IS REQUIRED WHEN CI IS E 4. If populated and REQTYP = BB and CHC is not populated and (LSNP.NPT not = D or SLI = B) and NPA NXX is not Frontier 13, then return error: FTRLSR322 DFDT PROHIBITED 5. If populated and dI not = 6 characters, then return error: FTRLSR021 DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS 6. If populated and vv is not in format HHMMAM or HHMMPM, then return error: FTRLSR031 DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM 7. If populated and positions 1-2 (HH) not = 01-12, then return error: FTRLSR036 DESIRED FRAME DUE TIME HOUR MUST BE 01 - 12 8. If populated and positions 3-4 not = 00-59, then return error: FTRLSR043 DESIRED FRAME DUE TIME MINUTE MUST BE 00 - 59 9. If populated and positions 5-6 not = AM or PM, then return error: FTRLSR043 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA 10. If populated and CHC = Y and (vv < 0700AM or > 0700PM) and EU.STATE not = CT, then return error: FTRLSR186 DFDT MUST BE BETWEEN 0700AM AND 0700PM 11. If populated and vv not = 1100PM and REQTYP = AB, BB and CHC = A, then return error: FTRLSR132 DFDT MUST BE 1100PM 12. If populated and vv not = 1145PM and REQTYP = AB, BB and CHC = B, then return error: FTRLSR140 DFDT MUST BE 1145PM	O



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits 13. If populated and CHC = Y and (vv < 0800AM or > 0500PM) and EU.STATE = CT, then return error: FTRLSR244 DFDT MUST BE BETWEEN 0800AM AND 0500PM	
023	DFDTO					Note: 1)DFDT for Connecticut requests must be between 0800AM and 0500PM 2)Out-of-hours requests must be negotiated with a Frontier Account Manager. FRONTIER DOES NOT SUPPORT	P
024	PROJECT – Project Identification	Identifies the project to which the request is to be associated.	AN *&' @:,\$ -#() %.+";	1-16		 If populated and dl > 16 characters, then return error: FTRLSR041 PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS If populated and special characters not = asterisk ampersand, apostrophe, At Sign, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, then return error: FTRLSR042 INVALID SPECIAL CHARACTER(S) IN PROJECT If not populated and NP.PORTEDNBR or TNS field of associated service specific form populated with > 10 characters, and CHC does not = A, return error FTRLSR475 PROJECT REQUIRED If not populated and EU.AAI=NEW ADDR, return error FTRLSR260 PROJECT REQUIRED WHEN EU.AAI = NEW ADDR 	0
025	PROJINDR – Project Indicator	Identifies that the project is either a customer or provider project.	A	1	C – Customer V – Provider	Note: Project ID is alphanumeric created by the CLEC 1. If not populated and PROJECT is populated, then return error: FTRLSR039 PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT 2. If populated and vv not = C, V, then return error: FTRLSR040 PROJECT INDICATOR MAY ONLY BE C OR V 3. If populated and PROJECT is not populated, then return error: FTRLSR189 PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT	0
026	LSCP					FRONTIER DOES NOT SUPPORT	Р
027	CHC- Coordinated Hot Cut	Identifies that the customer is requesting near seamless cutover activity.	A	1	Y=Yes A=Large Job B=Batch Hot Cut	 If populated and vv not = Y, A, B, then return error: FTRLSR045 DATA MAY ONLY BE Y OR A OR B If populated and vv = A, B and ((REQTYP not = AB, BB) or (position 2 and 3 of TOS not = 1-) or (SLI not = S)) and NPA NXX is not Frontier 13 or EU.STATE not = CT, then return error: FTRLSR223 CHC VALUE OF A OR B INVALID 	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						3. If populated and vv = A and REQTYP = AB, BB, ACT=V and DFDT does not = 1100PM, then return error: FTRLSR328 CHC VALUE REQUIRES DFDT OF 1100PM	
						4. If populated and vv = B and REQTYP = AB, BB, ACT=V and DFDT does not = 1145PM, then return error: FTRLSR329 CHC VALUE REQUIRES DFDT OF 1145PM	
						5. If not populated and position 1 of REQTYP = D and PS.RL = Y and NPA NXX is Acquired WV, then return error: FTRLSR252 CHC IS REQUIRED	
						6. If populated and position 1 of REQTYP = D and PS.RL not = Y, then return error: FTRLSR253 CHC IS PROHIBITED	
						7. If not populated and position 1 of REQTYP = F and ACT = V, then return error: FTRLSR392 CHC IS REQUIRED FOR REQTYP/ACT	
						8. If populated and position 1 of REQTYP = F and ACT not = V, then return error: FTRLSR393 CHC IS PROHIBITED FOR REQTYP/ACT	
						9.If not populated and EU.STATE=CT and the DFDT is populated, return error FTRLSR232 CHC REQUIRED	
028	REQTYP – Request Type	Identifies the type of service being	A	2-2	AB=Loop BB=Loop w/LNP CB=LNP	1.If populated and vv does not = AB, BB, CB, DB, EB, JB, FB, KB, LB, NB, PB, QB, return error: FTRLSR046 REQTYP IS PROHIBITED	R
		requested			DB= Wholesale Platform / Wholesale VoIP EB=Resale FB= Unbundled local	2. If not populated, then return error: FTRLSR214 REQTYP IS A REQUIRED FIELD	
					switching (Port) JB= Directory Listing KB= Resale private line LB= Resale frame relay including Resale	3. If populated and vv = EB and (position 2 of TOS = H, K, E) or (position 2 of TOS = J and NPA NXX is not Frontier 13), return error: FTRLSR254 REQTYP EB PROHIBITED FOR TOS	
					Asynchronous transfer mode (ATM) NB= DID/DOD/PBX PB= CENTREX Resale QB= ISDN	4.If populated and vv = FB and NPANXX is Legacy Frontier service territory, return error FTRLSR034 REQTYP INVALID FOR SERVICE TERRITORY	
						5.If populated and vv does not = AB,BB and CHC=A,B, return error FTRLSR035 REQTYP MUST = AB, BB	
						6. If populated and vv = DB and position 2 of TOS = H, J, K, return error FTRLSR228 REQTYP DB PROHIBITED FOR TOS	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						7. If REQTYP is DB and the ACT is not D or C w/LNA =D and the 2nd character of the TOS =E, C, T, then error FTRLSR327 ACTIVITY PROHIBITED	
029	P – Product Arrangement	Identifies the arrangement for the product ordered.	A	1-1	A=Resale B=Unbundled port	1.If populated and REQTYP not = NB, QB, then return error: FTRLSR187 PRODUCT ARRANGEMENT NOT VALID FOR REQTYP	0
					C= Combined loop and unbundled local switching (port)	2. If not populated and position 1 of REQTYP = N, Q, return error: FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP	
					D=Platform	3. If populated and vv not = A, B, C, D, then return error: FTRLSR288 PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D	
						4.If populated and vv does not = A and NPA NXX is Legacy, return error FTRLSR290 PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY	
030	SLI –Sub Loop Indicator	Identifies the type of sub-loop the customer is	A	1	A= F(1) Sub-loop (Feeder) B= F(2) Sub-loop (Distribution)	1.If populated and REQTYP not = AB, BB, DB, then return error: FTRLSR047 SUB LOOP INDICATOR IS PROHIBITED	0
		requesting.			C= F(2) Sub-loop with virtual circuit	2.If not populated and REQTYP=AB, BB, return error FTRLSR048 SUB LOOP INDICATOR IS REQUIRED	
					H= House & Riser Cable S= Standard	3. If populated and vv not = B, C, H, V, S, then return error: FTRLSR049 SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S	
					V= F(2) Sub-loop with virtual circuit and voice	4. If populated and vv not = S and position 1 of REQTYP = D, then return error: FTRLSR255 SLI VALID VALUE = S WHEN REQTYP = D	
						5. If not populated and position 1 of REQTYP = D and PS.SDP = A and Position 3 LSR.TOS does not = B, P and Position 4 LSR.TOS does not = S, L, then return error: FTRLSR256 SLI IS REQUIRED	
						6. If populated and position 1 of REQTYP = D and PS.SDP not = A and NPA NXX is Acquired WV, then return error: FTRLSR257 SLI IS PROHIBITED	
						7.If populated and vv does not = S and CHC=A,B, return error FTRLSR058 SLI MUST BE S	
						8.If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX is Frontier 13 and position 3 LSR.TOS does not = B, P or position 4 LSR.TOS does not = S, L, V, return error FTRLSR221 SLI IS REQUIRED	
031	ACT – Activity	Identifies the activity involved in	Α	1	N= New installation and/or account	1.If populated and REQTYP = AB and ACT not = N,V,C,D,T,R,M, return error: FTRLSR050 ACT MAY ONLY BE N, V, C, D, T, R, M	R



Version: 9.30.27

LSR FORM Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
		this service request			C= Change an existing account, e.g., rearrangement, partial disconnect or addition (Physical Change) D=Disconnection	2. If populated and REQTYP = CB and NP.NPT = D and ACT does not = V, then return error: FTRLSR051 ACT MAY ONLY BE V 3. If populated and REQTYP = BB and ACT not = V, then return error:	
					(Physical Change)		
						return error FTRLSR480 ACT J PROHIBITED FOR REQTYP	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						15.If populated and vv does not = N,D,C,V, and REQTYP = JB, return error FTRLSR481 INVALID ACT FOR REQTYP	
						16.If populated and vv = Y and REQTYP = DB, return error FTRLSR533 ACT PROHIBITED WITH REQTYP	
						17. If populated and vv = B, Y, S and REQTYP = FB, QB, LB, KB, NB, PB, return error FTRLSR524 ACT PROHIBITED WITH REQTYP	
						18. If populated and vv = W and REQTYP = DB, return error FTRLSR468 ACT PROHIBITED FOR REQTYP IN SERVICE TERRITORY	
						19.If populated and vv = S, position 1 of LSR.TOS does not = 2, REQTYP does not = DB, and EU.STATE = CA and NPA NXX is Frontier 13, return error FTRLSR261 SUSPEND ACTIVITY PROHIBITED	
						20.If populated and vv = S, REQTYP does not = DB, and EU.STATE = NV, SC, return error FTRLSR262 SUSPEND ACTIVITY PROHIBITED	
						21. If REQTYP=QB and the 2nd Character of the TOS =H and ((the ACT is not equal to D) or (ACT = C and LNA=D)), return error: FTRLSR265 ACTIVITY PROHIBITED	
						22. 23. If REQTYP=LB and ((the ACT is not equal to D) or (ACT = C and LNA=D)), then error FTRLSR311 ACTIVITY PROHIBITED	
						23. If Populated and the vv = S and the POS 1 of TOS =1 and the Reqtyp = EB, return error FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP	
032	ADET – Activity Detail	Identifies the activity detail that will occur for a specific	A	1-1	A= End User Service Address Correction (e911)	1.If populated and vv not = A, then return error: FTRLSR294 ADET VALID VALUE = A	0
		request.				2.If populated and REQTYP=CB,JB, return error FTRLSR485 ADET PROHIBITED FOR REQTYP	
033	MI					FRONTIER DOES NOT SUPPORT	Р
034	SUP – Supplement Type	A supplement is any new iteration of a local service	N	1	1= Cancel – A Sup 1 should be used to cancel a pending request.	1.If populated and SUP = 4, 5 and REQTYP not = AB, BB and (SLI not = S or is not populated), then return error: FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S	0
		request. The entry in the SUP field identifies the reason the			2= New Desired Due Date – Indicates that a pending order requires only a change of desired due date which	2. If populated and vv not = 1, 2, 3, 4, 5, 6, 7, then return error: FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7.	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
		supplement is being issued. The LSR will			was confirmed on a previous LR.	3. If populated and vv = 6 and REQTYP = CB, EB, JB, FB, KB, LB, NB, PB, QB, return error: FTRLSR227 SUP 6 PROHIBITED FOR REQTYP	
		have the same PON number as the original submission, with			3= Other – Any other change to the request not defined by a SUP code 2, 4, 5, 6 or 7. (Excludes REQTYP and CCNA Changes)	4. If populated and vv = 6 and position 1 of REQTYP = D and (ACT not = C, N, T, V or PS.LNA not = N, T), then return error: FTRLSR297 SUP VALID VALUE = 6 IS PROHIBITED	
		incremental version.			4= CLEC Facility Modification – A change to the Cable/Pair or Slot/Shelf values	5. If populated and vv = 6, 7 and PS.SDP = C, E, F, G, M, then return error: FTRLSR301 SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M	
					5= Change to NC/NCI 6= Engineering query	6. If sup is not populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', '	
					requested	'TRANSMISSION_SUSPENDED' and message category = '850' or 'LSR REQUEST' then return error FTRLSR452 RESEND NOT SUPPORTED	
					7= Network Modification Charges Accepted	7. If sup is not populated PON/CCNA already exists in database (this means order already exist) and current VER not = VER of last received order in the database and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR453 SUP IS REQUIRED	
						8. If sup is populated and there already exists an 865 in Database with Definition=LSRBCM, LSRPCM, 865-Billing Completion or 865-Provisioning Completion (this means BCN/PCN order already exists) and current status = 'SAVE', 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '865' or 'LSR RESPONSE then return error FTRLSR460 SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.	
						9. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:REQTYP not equals LSR:REQTYP of last received order and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category =	



Version: 9.30.27

LSR FORM Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
NOI			Cilai	Length	Natige of Values	'850' or '860' or 'LSR REQUEST' then return error FTRLSR461 REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS 10. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:ACT not equals LSR:ACT of last received order and current status = 'TRANSMITTED',	
						'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR462 ACT CANNOT CHANGE ON SUPPLEMENT ORDERS	
						11. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:SUP vv = 1 of last received order and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION FAILED_NOT NOTIFIED' and message category =	
						'850' or '860' or 'LSR REQUEST' then return error FTRLSR463 SUP IS PROHIBITED ON CANCEL ORDERS 12.If populated and vv =3 and REMARKS is not populated, return error	
						FTRLSR486 SUP 3 REQUIRES REMARKS	
						13.If populated and vv = 4 and REQTYP does not = AB,BB, return error FTRLSR487 SUP = 4 PROHIBITED	
						14.If populated and vv = 5 and REQTYP does not = AB,BB,KB,LB, return error FTRLSR488 SUP = 5 PROHIBITED	
						15.If populated an vv=6,7 and REQTYP does not = AB,BB,DB, return error FTRLSR491 SUP INVALID FOR REQTYP	
						16.If populated and vv does not = 1,2,3 and REQTYP=CB, return error FTRLSR492 SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB	
						17. If populated and vv = 6, 7 and EU.STATE=CT, return error FTRLSR233 SUP INVALID	
						Note: SUP 1 Cancel – Indicates that the pending order is to be canceled in its entirety.;;;;;A SUP 1 may be sent at any time prior to completion of the order.; Submitting the SUP1 request will retire the original request, no further action will be required.	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Range of Values Range of Values 2. SUP 2 - New destined due date - Indicates that the pending order requires only a change of desired due date.) A request for a change in desired due date in conjunction with other changes to a pending order and the submitting of the state of the	N. 11	Name Definition	Data	Field	Valid Values	Conditional Business	R/O/P
of desired due date. A request for a change in desired due date in conjunction with other changes to a periodic est south the submitted with a "3" in the SUP field When exhausting a supplement to a request, a full reflexe hid the original LSR is required. Full original indicates the supplement to a request, a full reflexe hid force and the supplement of the supplement is the supplement of the supplement supplement supplement supplement supplement supplements that are a result of provider changes. The supplement along supplement suppleme	Nbr		Char	Length	Range of Values	Rules/Edits	
13. SUP 6 – Engineering query requested Indicates the customer is requesting the provider to furnish an estimate of the cost associated with the routine network modifications required to alleviate a no facilities condition. An engineering query may be requested when the	Nbr		Char	Length	Range of Values	2. SUP 2 – New desired due date – Indicates that the pending order requires only a change of desired due date; A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field. When submitting a supplement to a request, a full refresh of the original LSR is required. Full refresh indicates that all unchanged information on the original request is included on the supplement along with a due date change; A SUP 2 may be sent only after a Local Response (error or FOC) is received.; If a LR (Local Response) was sent on the preceding PON and VER, and the order has not been provisioned, then the SUP 2 is a valid request. If the order has been completed, the SUP 2 request will be rejected/errored back to the customer. A new LSR will be required to disconnect or change to any previously provisioned service(s). 3. SUP 2 – New Desired Due Date – The new due date is specified in the DDD field on the LSR, If the request is to establish a due date less than the due date already provided, the EXP field can be populated. The EXP field should not be populated on an original request unless the APPTRESID is populated. It should be used only on Supplemental orders (after a Local Response has been sent). 4. SUP 3 – Other- Any other change to the request. This may affect the previously agreed upon due date; Partial cancellations should also be entered with a "3" in the SUP field. For example, removing 2 lines from an existing 5 line LSR.:A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field, If the request is to establish a due date less than the standard interval, the EXP field must be populated.:This entry is also to be used for supplements that are a result of provider changes. When submitting a supplement to a request, a full refresh of the original request is included on the supplement along with changed information on the original request is niculated. SuP an	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						determine if routine network modifications are available to alleviate the no facilities condition and any associated charges. 14. SUP 7 – Network Modification Charges Accepted – Indicates the customer authorizes the provider to perform the routine network modifications required to alleviate a no facilities condition and accepts the associated charges.	
035	EXP – Expedite	Indicates that expedited treatment is requested and any charges generated in provisioning this request (e.g., additional engineering charges or labor charges if applicable) will be accepted.	A	1	Y=Expedite Charges Authorized	 1.If populated and (ACT = D or position 2 of TOS = F), then return error: FTRLSR060 EXPEDITE IS PROHIBITED 2. If populated and vv does not = Y, return error FTRLSR061 EXP VALID VALUE=Y 3. If populated and CHC = A, B, then return error: FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B 4. If populated and LS.CI = E, then return error: FTRLSR350 EXP PROHIBITED WHEN CI IS E 5. If populated and position 2 of TOS = F, then return error: FTRLSR334 EXP PROHIBITED FOR TOS VALUE 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = A, B, C, D, E, F, G, M then return error: FTRLSR306 EXP IS PROHIBITED 7. If populated and (the SUP field is not populated or the APPTRESID is not populated), return error FTRLSR259 EXP FIELD PROHIBITED Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number. 	0
035a	APPTRESID – Appointment Response Identifier	Identifies the appointment response number assigned by the provider to relate associated transactions	AN	10		 1.If populated and REQTYP not = AB, BB, DB, EB, then return error: FTRLSR344 APPTRESID NOT VALID FOR REQTYP 2. If populated and (dl > 10 or dc not = alpha, numeric), then return error: FTRLSR345 APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS 3. If populated and position 1 of REQTYP = D, E and ACT = R, then return error: FTRLSR323 APPTRESID IS PROHIBITED Note: Once a firm LSR is submitted, the Appointment Time may not be updated with new APPTRESID number on supplemental activity. 	0
036	ER					FRONTIER DOES NOT SUPPORT	Р
037	AFO					FRONTIER DOES NOT SUPPORT	Р



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business Rules/Edits	R/O/P
Nbr 038	RVER		Char	Length	Range of Values	FRONTIER DOES NOT SUPPORT	Р
039	MEU					FRONTIER DOES NOT SUPPORT	P
040	RTR					FRONTIER DOES NOT SUPPORT	P
041	CC – Company Code	Identifies the exchange carrier	AN	4-4		1.If populated and CCNA not = CUS, then return error: FTRLSR063 COMPANY CODE IS PROHIBITED	0
		generating the inquiry.				2. If populated and dl not = 4, then return error: FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS	
						3. If populated and special characters present, then return error: FTRLSR240 SPECIAL CHARACTERS NOT ALLOWED IN CC	
						4. If not populated and CCNA = CUS, then return error: FTRLSR333 COMPANY CODE IS REQUIRED	
042	RCC					FRONTIER DOES NOT SUPPORT	Р
043	PID - Personal Identifier	Identifies the end user's personal identification number	AN	1-5		1.If populated and (dl > 5 or dc not = alpha, numeric), return error FTRLSR285 PID MUST NOT EXCEED 5 ALPHA NUMERIC CHARACTERS	0
						2. If populated and LSR.NPDI field does not = C, then return error FTRLSR331 PID FIELD PROHIBITED WHEN NPDI DOES NOT EQUAL C	
						NOTEs: 1)This field may be used when the end user's account has been password protected. 2)This field may be validated for simple port service requests as mandated in FCC Order 07-188.	
044	NNSP – New Network Service Provider	Identifies the Number Portability Administration Center	AN	4-4		1.If not populated and REQTYP = CB,BB and ACT=V, return error FTRLSR266 NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED	0
	Identification	(NPAC) Service Provider Identifier				2. If populated and dl not = 4 characters, then return error: FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS	
		(SPID) of the new Network Service Provider (NSP).				3. If populated and vv not = alpha, numeric, then return error: FTRLSR241 NNSP IS ALPHA/NUMERIC	
		(1401).				4. If populated and REQTYP = BB and LSNP.NPT not = D, P (any occurrence), then return error: FTRLSR291NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED	
		(NOF).				occurrence), then return error: FTRLSR291NEW NETWORK SER	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						5. If populated and REQTYP = JB, then return error: FTRLSR313 NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYP	
045	ONSP – Old Network Service Provider	Identifies the NPAC SPID of the current Network Service Provider.	AN	1-4		1.If populated and position 1 of REQTYP not = D, E, F, N, P, then return error: FTRLSR056 ONSP ISPROHIBITED FOR REQTYP 2. If not populated and position 1 of REQTYP = D, E, F, and (PS.NPI or RS.NPI = C, E), then return error: FTRLSR325 ONSP IS REQUIRED 3. If populated and position 1 of REQTYP = D, E, F, and (PS.NPI and RS.NPI not = C, E), then return error: FTRLSR341 ONSP IS PROHIBITED 4. If not populated and position 1 of REQTYP = N and DDPS.NPI = C, D, E, then return error: FTRLSR401 ONSP IS REQUIRED FOR NPI 5. If populated and position 1 of REQTYP = N and DDPS.NPI not = C, D, E, then return error: FTRLSR402 ONSP IS PROHIBITED FOR NPI 6. If not populated and position 1 of REQTYP = P and CRS.NPI = C, D, E, then return error: FTRLSR403 ONSP IS REQUIRED FOR NPI	0
						7. If populated and position 1 of REQTYP = P and CRS.NPI not = C, D, E, then return error: FTRLSR404 ONSP IS PROHIBITED FOR NPI	
046	OCCNA					FRONTIER DOES NOT SUPPORT	Р
047	OCC					FRONTIER DOES NOT SUPPORT	P
048	AENG – Additional Engineering	Indicates that if additional engineering is required, an estimate of the charges is to be forwarded to the initiator of the request.	A	1	Y	1.If not populated and SUP = 6, then return error: FTRLSR250 AENG REQUIRED WHEN SUP=6 2. If populated and SUP not = 6, then return error: FTRLSR237 AENG IS PROHIBITED WHEN SUP NOT = 6 3. If populated and vv not = Y, then return error: FTRLSR238 AENG CAN ONLY BE Y	0
049	ALBR					FRONTIER DOES NOT SUPPORT	Р
050	SCA – special Construction Authorization	Indicates pre- authorization for special construction.	A	1	Y=Special construction is authorized	1.If populated and vv not = Y, then return error: FTRLSR224 SCA CAN ONLY BE Y 2. If not populated and SUP = 7, then return error: FTRLSR225 SCA REQUIRED WITH SUP 7 3. If populated and SUP not = 7, then return error: FTRLSR226 SCA ONLY VALID WITH SUP 7	0



Version: 9.30.27

LSR FORM Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						4.If populated and REQTYP=CB and ACT=V, return error FTRLSR493 SCA PROHIBITED	
051	AGAUTH – Agency Authorization Status	Indicates that the customer is acting as an end user's	A	1	Y=Authorization on file Z=Dual authorization on file (voice & data)	 1.If not populated, return error: FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED 2. If populated and vv does not = Y, Z, return error FTRLSR353 	R
	Status	agent and has authorization on file.				AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z	
						3. If populated and vv = Z and REQTYP not = BB, then return error: FTRLSR354 INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP	
052	PORTTYP					FRONTIER DOES NOT SUPPORT	Р
053	ACTL – Access Customer Terminal Location	Identifies the CLLI code of the customer facility terminal location or designated	AN - space	11-11		1.If not populated and REQTYP = AB and ACT = N, V and position 2 of TOS = 1, 2, 3, 4, F, P, R, W, X and SLI not = H, then return error: FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED	0
		collocation area. The CLLI code will have been previously				2. If not populated and REQTYP = BB and ACT = V and position 2 of TOS = 1, 2, 3, 4, F, W, X, then return error: FTRLSR268 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED	
		assigned.				3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR269 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED	
						4.If populated and REQTYP = CB, EB, JB, return error FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED	
						5. If populated and dl not = 11 characters, then return error: FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS	
						6. If populated and special characters not = space or hyphen, then return error: FTRLSR181 ACTL HAS INVALID CHARACTERS	
l						7. If not populated LS.CI = E, then return error: FTRLSR348 ACTL REQUIRED WHEN CI IS E	
						8. If populated and position 1 of REQTYP = D and PS.SDP not = A, then return error: FTRLSR356 ACTL IS PROHIBITED	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						9. If not populated and position 1 of REQTYP = F and ((ACT = N, V) or (ACT = C and PS.LNA = N)), then return error: FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT	
						10. If not populated and REQTYP = AB and ACT=D or ACT=C with LNA=D, return error FTRLSR465 ACTL REQUIRED	
						11.If not populated and REQTYP=AB,BB, return error FTRLSR355 ACTL REQUIRED	
054	SACTL – Secondary Access Customer	Identifies the CLLI code of the secondary customer facility	AN - SPAC E	11-11		1.If not populated and ACT = N and position 2 of TOS = F, then return error: FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED	0
	Terminal Location	terminal location or designated collocation	_			2. If populated and ACT not = N and position 2 of TOS not = F, then return error: FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED	
		area. The CLLI code will have been previously assigned.				3. If populated and dl not = 11 characters, then return error: FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS	
						4. If populated and special character not = hyphen, space, then return error: FTRLSR242 SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN OR SPACE	
						5.If not populated and REQTYP=AB,BB, ACT does not =D and position 2 of TOS=F, return error FTRLSR494 SACTL REQUIRED	
						6.If populated and positions 1-8 of vv does not = positions 1-8 of ACTL and REQTYP=AB, position 2 of TOS=F and SLI=S, return error FTRLSR495 POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL	
055	Al					FRONTIER DOES NOT SUPPORT	Р
056	APOT					FRONTIER DOES NOT SUPPORT	Р
057	service termination w	rice CLLI code of the end office switch from	CLLI code of he end office witch from	1-11		1.If populated and dI > 11 characters, then return error: FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS	0
		is being requested.				2. If populated and vv special characters not = hyphen, space, then return error: FTRLSR243 LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
NDI			Cital	Length	Natige of Values	3. If not populated and position 1 of REQTYP = F and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT	
						4.If not populated and REQTYP=FB and ACT does not = D, return error FTRLSR496 LST REQUIRED	
						5.If populated and REQTYP=CB, return error FTRLSR497 LST PROHIBITED	
058	LSO – Local Service Office	Identifies the NPA/NXX of the local or	N	6-6		1.If populated and dl does not = 6 characters, then return error: FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS	0
		alternate serving central office of the customer				If populated and dc contains special characters, then return error: FTRLSR251 LSO CANNOT CONTAIN SPECIAL CHARACTERS	
		location or primary location of the end user.				3. If not populated and position 1 of REQTYP = E and position 4 of TOS = F, then return error: FTRLSR358 LSO IS REQUIRED	
		ond doon				4.If not populated and REQTYP=AB, LB, return error FTRLSR498 LSO REQUIRED	
						5.If not populated and REQTYP=NB, ACT does not =D,W DDPS.TNS is blank or N, return error FTRLSR501 LSO REQUIRED	
						6.If populated and dc is not numeric, return error FTRLSR502 LSO MUST BE NUMERIC	
						7.If not populated and REQTYP=QB, ACT does not =D,W IS.TNS and IS.ECCKT is blank or N, return error FTRLSR503 LSO REQUIRED	
						8.If populated and REQTYP=CB and ACT=V, return error FTRLSR507 LSO PROHIBITED	
						9.If populated and REQTYP=JB, return error FTRLSR359 LSO PROHIBITED WHEN REQTYP=JB	
059	TOS – Type of Service	Identifies the type of service for the line ordered.	AN	2-4	1st Character: 1=Business 2=Residence	1.If populated and REQTYP = JB and character positions 2, 3, 4 not = - (hyphen), then return error: FTRLSR080 TYPE OF SERVICE IS INVALID	О
		olueleu.			3=Government 4=Coin (CT Only)	2. If populated position 1 does not = 1, 2, 3, and EU.STATE is not CT, then return error: FTRLSR081 FIRST CHARACTER OF TYPE OF	
					2 nd Character: A=Multiline (Hunting)	SERVICE MUST BE 1, 2 OR 3	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
					B=Single Line/Multi-line (no hunt) C=Coin D=Advance Services E=CENTREX (Resale & UNE)	3. If populated and position 2 of vv = C, T and position 1 of vv not = 1, then return error: FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1	
					F=Data/Voice Shared Loop H=ISDN (BRI) J=PBX (Trunk)	4.If populated and position 2 of vv = T and NPA NXX is not Acquired WV, return error FTRLSR083 TOS POSITION 2 INVALID	
					K=ISDN (PRI) P=Line Split Q=DID/DOD R=Line Share T=Coin Smart (WV Only) W= 2 Wire Digital Design	5. If populated and position 2 of vv does not = A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7, return error FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7	
					Metallic Loop Standard X= 2 Wire Digital Design Metallic Loop with ISDN Electronics Y= TR008 Port Arrangement Z=UNE NID	6. If populated and position 3 of vv does not = M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P, then return error: FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P	
					-Hyphen=REQTYP JB Only 1= 2 wire analog loop 2= 2 wire digital loop 3= 4 wire analog loop 4= 4 wire digital loop 5= House & Riser cable	7. If populated and position 4 of vv does not = F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L	
					service (WV & F13 Only) 6= NID to NID 7= 2wire analog M-loop (F13 Only)	8. If not populated, and NOT (REQTYP = C and ACT = V) then return error: FTRLSR202 TOS IS REQUIRED	
					3 rd Character: B=Wholesale Broadband F= Flat Rate	9. If populated and position 4 vv = 1,2 and NPA NXX is not Frontier 13 and EU.STATE not = CT, return error FTRLSR511 TOS POSITION 4 INVALID	
					M= Measured Rate -Hyphen=Not Applicable G= Message (WV Only) P=Wholesale Platform Voice (Legacy Only) 1= ISDN Qualified (WV Only)	10. If populated and position 1 of vv = 3 and REQTYP = DB, return error: FTRLSR360 TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB	
					2= ADSL - R Qualified (WV Only) 3= ADSL - C Qualified (WV	11.If populated and position 2 vv = 7 and NPA NXX is not Frontier 13, return error FTRLSR508 TOS POSITION 2 INVALID	
					Only) 4= HDSL – Qualified (WV Only) 5= CSS (Customer Specified	12. If populated and position 3 vv = G,1,2,3,4,5,6 and NPA NXX is Frontier 13, return error FTRLSR509 TOS POSITION 3 INVALID	
					Signaling) (WV Only) 6= DSL - Class (WV Only) 4 th Character:	13. If populated and position 3 of vv not = F, M and position 1 of REQTYP = Q and position 2 of vv = H and P = A, then return error: FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M	
					F=Foreign Exchange (FXS)		



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
					G=Semi-public (WV, CT & Legacy Only) L=Broadband Lineshare N=Normal	14. If populated and position 3 of vv not = hyphen and position 1 of REQTYP = Q and position 2 of vv = H and P = D, return error: FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN	
					P=Prison/Inmate R=RCF S=Standalone Broadband V=VoIP W=WATS/800 Service	15. If populated and position 4 vv = G and NPA NXX is not Acquired WV or EU.STATE not =CT, return error FTRLSR510 TOS POSITION 4 INVALID	
					-Hyphen=Not Applicable 1=Non-designed (CT, F13 Only) 2=Designed (CT, F13 Only)	16.If populated position 2 vv = hyphen and REQTYP does not = JB, return error FTRLSR512 TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB	
						17.If populated position 3 vv does not = M and REQTYP = FB, return error FTRLSR513 TOS POSITION 3 MUST = M WHEN REQTYP=FB	
						18.If populated position 2 vv = R and DL form is populated, return error FTRLSR514 DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R	
						19.If populated position 2 vv does not = A,D,E,J,P,Q and HGI.HA is populated, return error FTRLSR515 TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED	
						20.If populated position 2 vv = P and position 3 vv does not = M and NPA NXX is Frontier 13, return error FTRLSR516 TOS INVALID	
						21.If populated position 2 vv =R, position 3 vv = M and REQTYP=AB, return error FTRLSR517 TOS POSITION 3 CANNOT = M WHEN REQTYP=AB AND TOS POSITION 2 = R	
						22.If populated position 2 vv does not = J,Q and REQTYP=NB, return error FTRLSR518 TOS POSITION 2 MUST = J,Q WHEN REQTYP=NB	
						23.If populated position 1 vv does not =1 and AC=C, return error FTRLSR519 TOS POSITION 1 VALUE MUST = 1 WHEN AC=C	
						24.If populated position 1 vv does not =2 and AC=B, return error FTRLSR520 TOS POSITION 1 VALUE MUST = 2 WHEN AC=B	
						25.If populated position 2 does not =C and REQTYP=EB,NB,PB, QB, ACT=N and DL Form is not populated, return error FTRLSR523 DL FORM REQUIRED	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Fld Nbr	Field Name	Definition	Data Char	Field Length		Rules/Edits 26.If populated position 2 vv = J and NPA NXX is Frontier 13 and REQTYP does not = EB, return error FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY 27.If not populated and REQTYP = CB and ACT = V and ELT = E, P, then return error FTRLSR141 TOS REQUIRED 28. If populated position 1 does not = 1, 2, 3, 4 and EU.STATE=CT, then return error FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 29.If populated and position 3 vv = 1,2,3,4,5,6 and EU.STATE=CT, return error FTRLSR095 TOS POSITION 3 INVALID 30.If populated and position 2 = 5, 7 and EU.STATE=CT, return error FTRLSR230 POSITION 2 TOS INVALID FOR STATE 31.If populated and REQTYP = DB and EU.STATE=CT and position 2 of LSR.TOS not = A, B, 6 return error FTRLSR231 TOS POSITION 2 INVALID FOR REQTYP 32. If populated and 4th position does not = 1, 2 and REQTYP = AB, BB and (EU.STATE=CT or NPA NXX is Frontier 13), return error FTRLSR248 TOS POSITION 4 MUST EQUAL 1 OR 2 33.If populated and position 3 = B and position 1 does not = 1, 2, return error FTRLSR267 FIRST CHARACTER OF TYPE OF SERVICE MAY	R/O/P
						TOS POSITION 4 MUST EQUAL 1 OR 2 33.If populated and position 3 = B and position 1 does not = 1, 2, return	
						error FTRLSR267 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND 34.If populated and (position 3 = B or position 4 = L) and (REQTYP does not = DB) and (REQTYP does not = EB and ACT=C, B, S and LNA=C, B,	
						S)), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP 35.If populated and position 3 = B and position 2 does not = A, B, 7,	
						return error FTRLSR271 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND	
						36.If populated and position 3 = B and position 4 does not = S, L, return error FTRLSR272 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND	



Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	1
				J		37.If populated and position 4 = S and position 3 does not = B, return error FTRLSR273 THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND	
						38.If populated and position 3 = P and REQTYP does not = DB, return error FTRLSR293 TOS POSITION 3 INVALID FOR REQTYP	
						39.If populated and position 3 = P and NPA NXX is not Legacy, return error FTRLSR300 TOS INVALID FOR SERVICE TERRITORY	
						40.If populated and position 3 of vv = P and (position 1 does not = 1, 2 and position 2 does not = A, B and position 4 does not = R, L, Hyphen) and NPA NXX is Legacy, return error FTRLSR314 TOS COMBINATION INVALID	
						41.If populated and REQTYP=DB, ACT=N, T and (Position 3 of TOS does not = B or Position 4 of TOS does not = S) and DL form is not populated, return error FTRLSR299 DL FORM REQUIRED	
						42.If populated and (position 2 = '3' or '4' or 'K', and REQTYP = 'AB' or 'BB' and NPA NXX is Frontier 13) and position 4 not = 2, return error FTRLSR469 TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP	
						43.If populated and (position 1 = 4 or position 2 = C) and position 4 does not = N, Hyphen (-) and REQTYP = EB, return error FTRLSR362 TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE	
						44. If populated and position 4 of vv = V and REQTYP does not = DB, return error: FTRLSR275 TOS POS 4 = V NOT VALID FOR REQTYP	
						45. If Populated and the position 4 of vv = V and the position 2 of vv is not = to A or B, and position 3 of vv is not equal to F, return error FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP	
						Note: 1)Associated use of '1' with Service Code and Modifier (SCMD): F13 SCMD: TXNU, ARSU, ARFU, TXXU, TXFU, IBSU, UBSU, TXXS, TXFS CT SCMD: TXNU, LXFP, UBNU and AGXU with No mileage 2)Associated use of '2' with Service Code and Modifier (SCMD): F13 SCMD: TYNU, DHSU, TYSU, TYFU, IPSU, IPFU, DWSU, DWFU, AQSU, AQFU, HISU, FZDU, QIDU, ASDU CT SCMD: TYNU, UBNU and AGXU with mileage, LYXP, All Sub loops	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P					
Nbr			Char	Length	Range of Values	Rules/Edits						
060	AC- Account Structure Change	Identifies a rearrangemen t of account telephone numbers or a	A	1	A= Auxiliary Line to Main Line B= Business Service to Residence Service	 1.If populated and REQTYP not = EB, DB, then return error: FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP 2. If populated and REQTYP = DB, EB and ACT not = C, V, then return 	0					
		change to the type of service classification while			C= Residence Service to Business Service	error: FTRLSR364 AC IS PROHIBITED 3. If populated and REQTYP = DB, EB and ACT = C and (PS.LNA or						
	service.	migrating service.			D= Coin/PAL Service to Business Service E= Business Service to	RS.LNA = T), then return error: FTRLSR365 AC IS PROHIBITED WHEN LNA = T						
					Coin/PAL Service	4. If populated and vv not = A and position 1 of REQTYP = D and ACT = C and position 2 of PS.LTOS = L, then return error: FTRLSR366 AC VALID VALUE = A						
061	SPEC- Service and Product Enhancement Code	Identifies a specific product or service offering.	AN	5-7		1.If populated and (dl < 5 or > 7), then return error: FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5 TO 7 CHARACTERS	0					
		order officially.	One in g				2. If populated and position 1 of REQTYP = E, K, L, N, P, then return error: FTRLSR367 SPEC IS PROHIBITED FOR REQTYP					
												3. If not populated and position 1 of REQTYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT
						4. If populated and vv not = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S and position 1 of REQTYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S						
						5.If populated and vv not = UALRLX, UALRRX, UALRTX, UALRLT, UALRTR, UALNLC, UALNQX and LSR.REQTYP = AB, BB, LSR.ACT not = D, R and EU.STATE=CT, return error FTRLSR234 MUST POPULATE VALID SPEC						
062	Channel Code	I Code network channel code for the	network channel code	-	4-4		1. If not populated and REQTYP = AB and LS.LNA = N (any occurrence), then return error: FTRLSR274 NETWORK CHANNEL CODE IS REQUIRED	0				
		involved. The network channel code describes the channel being				2. If not populated and REQTYP = AB, BB and position 2 of TOS = F, then return error: FTRLSR276 NETWORK CHANNEL CODE IS REQUIRED						
		requested.				3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR277 NETWORK CHANNEL CODE IS REQUIRED						



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						4. If populated and dl not = 4, then return error: FTRLSR090 NETWORK CHANNEL CODE MUST BE 4 CHARACTERS	
						5. If populated and special characters not = Hyphen, then return error: FTRLSR044INVALID SPECIAL CHARACTERS	
						6. If not populated and REQTYP = AB and LS.CI = E, then return error: FTRLSR352 NETWORK CHANNEL CODE IS REQUIRED	
						7. If populated and position 1 of REQTYP = E, K, L, P and NPA NXX is not Frontier 13 or EU.STATE does not = CT, then return error: FTRLSR368 NC IS PROHIBITED FOR REQTYP	
						8. If not populated and position 1 of REQTYP = D and position 2 of PS.LTOS = P and position 3 of PS.LTOS does not = B and position 4 of PS.LTOS does not = S and PS.SDP = A, then return error: FTRLSR369 NC IS REQUIRED	
						9. If not populated and position 1 of REQTYP = F and position 2 of PS.LTOS = J, then return error: FTRLSR413 NC IS REQUIRED FOR LTOS	
						10.If not populated and REQTYP = NB and position 2 of LSR.TOS = J, and LSR.P=D, and NPA NXX is not Frontier 13, then return error: FTRLSR414 NC IS REQUIRED	
						11.If not populated and REQTYP = QB and POS 2 of LSR.TOS = H, and LSR .P =D, then return error: FTRLSR415 NC IS REQUIRED	
						12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S, V), return error FTRLSR534 NC IS REQUIRED	
						13. If not populated and REQTYP = AB,BB and NPA NXX is Frontier 13 or EU.STATE=CT, return error FTRLSR220 NC REQUIRED	
						14.If populated and 1st character of vv = H and REQTYP = AB, BB, and EU.STATE = CT, return error FTRLSR239 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
NDI			Cital	Length	range of values	15.If not populated and REQTYP = DB and ACT = C, and position 3 of PS.LTOS = B and Position 4 of PS.LTOS = L and NPA NXX is Frontier 13 or EU.STATE = CT, return error FTRLSR263 NC IS REQUIRED	
						16.If not populated and reqtyp = QB and POS 2 of LSR.TOS = K, return error FTRLSR264 NC IS REQUIRED	
						17. If populated and vv = LX and NC/NCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and NPA NXX is Frontier 13, return error code FTRLSR438 ANALOG LOOP PRODUCT NOT AVAILABLE	
						18. If populated and vv = LX and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and NPA NXX is Acquired WV or Legacy, return error code FTRLSR439 ANALOG LOOP PRODUCT NOT AVAILABLE	
						19. If populated and vv = LX or TX and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and EU.STATE = CT, return error code FTRLSR440 ANALOG LOOP PRODUCT NOT AVAILABLE	
						20. If populated and vv = LX-N, HF-6, HF-D and the NCI vv = 04QB6.33 and the ACT is not D, return error FTRLSR336 PRODUCT NOT AVAILABLE	
063	PBT					FRONTIER DOES NOT SUPPORT	Р
064	NCI – Network Channel Interface Code	Identifies the interface characteristics of the circuit at the ACTL/primary	AN -	5-12		1.If not populated and NC is populated and position 1 of REQTYP not = N, then return error: FTRLSR091 NETWORK CHANNEL INTERFACE CODE IS REQUIRED 2. If populated and position 1 of REQTYP = N, then return error:	0
		location.				FTRLSR092 NETWORK CHANNEL INTERFACE CODE IS PROHIBITED	
						3. If populated and (dl < 5 or > 12), then return error: FTRLSR093 NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5 TO 12 CHARACTERS	
						4. If populated and special characters not = Hyphen , then return error: FTRLSR094 INVALID SPECIAL CHARACTERS IN NCI	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						5.If populated and vv = 01QBF.LLX and EU.STATE = CT, return error FTRLSR235 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR	
						6.If populated and vv = 04DS6.44 and EU.STATE = CT, return error FTRLSR236 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR	
065	CHANNEL					FRONTIER DOES NOT SUPPORT	Р
066	SECNCI – Secondary Network Channel Interface Code	Identifies the interface characteristics of the circuit at the Secondary Access Customer Terminal Location (SACTL) or end user location.	AN 	5-12		1.If populated and (dl < 5 or > 12), then return error: FTRLSR096 SECNCI MAY ONLY BE 5 to 12 CHARACTERS 2. If populated and special characters not = Hyphen, period, then return error: FTRLSR097 INVALID SPECIAL CHARACTERS IN SECNCI 3. If populated and NC is not populated and position 2 of TOS not = Y, then return error: FTRLSR292 SECNCI IS PROHIBITED	0
067	RPON – Related PON	Identifies the PON of a related service request.	AN -	4-16		1.If populated and NOR is not populated, then return error: FTRLSR098 RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT 2. If not populated and NOR is populated, then return error: FTRLSR099 RELATED PON REQUIRED WHEN NOR IS PRESENT 3. If populated and (dl < 4 or > 16), then return error: FTRLSR100 RELATED PON MUST BE 4 TO 16 CHARACTERS 4If populated and special characters not = Hyphen, then return error: FTRLSR101 INVALID SPECIAL CHARACTERS IN RPON 5. If populated and PS.SDP = C, D, E, F, then return error: FTRLSR370 RPON IS PROHIBITED Note: RPON field requires a unique value to be populated that also appears identically on each PON in the RPON group	0
067a	RPVER – Related PON Version	Identifies the version of a RPON group for tracking and distribution of all related orders when a CLEC submits a	N	2-2	00-99	1.If populated and RPON is not populated, then return error: FTRLSR102 RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT 2. If not populated and RPON is populated, then return error: FTRLSR103 RPVER IS REQUIRED WHEN RPON IS PRESENT	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
		Supplemental change.				3. If populated and vv not = 00-99, then return error: FTRLSR104 RELATED PON VERSION MUST BE IN THE RANGE OF 00 to 99	
						Note: 1. The value of the RPVER field must be the same on all PONs within the same RPON group across LSR's. 2. Subsequent versions must be equal or sequential. Example: sending entire group, must increment RPVER by one. 3. Supplements: a. SUP 1 or SUP 2 – Must be processed for each PON in the related PON group within a 24-hour period, RPVER must be incrementally increased on each PON in the group b. SUP 3 – If no change to the DDD, a SUP 3 may be processed for only the changing PON(s) in the related PON group and must carry the same RPVER as the previous version	
068	RORD – Related Order Number	Identifies a related provider order number.	AN	1-20		1.If populated and dl > 20, then return error: FTRLSR105 RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS 2. If populated and dc contains special characters, then return error:	0
						FTRLSR246 RORD CAN ONLY BE ALPHA/NUMERIC	
069	LSP AUTH – Local Service Provider Authorization	Identifies the carrier code of the Local Service Provider that	AN	4-4		1.If not populated and REQTYP = AB and position 2 of TOS = F and ACT = D, N, V, then return error: FTRLSR106 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED	0
		is providing existing service and has authorized the				2. If not populated and REQTYP = AB and position 2 of TOS = P and CCNA does not = ACNA, then return error: FTRLSR279 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED	
		change to a new service provider.				3. If populated and dl > 4, then return error: FTRLSR107 LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS	
						4. If not populated and REQTYP = BB and position 2 of TOS = F and ACT = V, then return error: FTRLSR229 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED	
						5. If populated and dc contains special characters, then return error: FTRLSR247 LSP AUTH IS ALPHA NUMERIC	
						6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P and CCNA not = ACNA, then return error: FTRLSR371 LSP AUTH IS REQUIRED	
070	LSP AUTH DATE – Local Service Provider	Identifies the date that appears on the LSP authorization previously	N	8/8	CC = 00-99 YY= 00-99 MM = 01-12 DD = 01-31	1.lf populated and positions 5-6 (MM) not = 01-12, then return error: FTRLSR110 LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01 TO 12	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr	Authorization date	provided to the new service provider.	Char	Length	Range of Values	Rules/Edits 2. If populated and positions 7 8 (DD) not =01-31, then return error: FTRLSR111 DAY MUST BE 01 TO 31 3. If populated and dl not = 8, then return error: FTRLSR204 LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT ALLOWED 4. If populated and dc not = numeric, then return error: FTRLSR205 LSP AUTHORIZATION DATE MAY ONLY NUMERIC – ALPHA	
071	LSP AUTH NAME – Local Service Provider Authorization Name	Identifies the name of the person who signed the authorization letter.	AN ', space	1-15		CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED 1.If populated and dl > 15, then return error: FTRLSR113 LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1 TO 15 CHARACTERS 2. If populated and special characters not = Apostrophe, Comma, Hyphen, period, Space, then return error: FTRLSR190 LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS 3.If not populated and ACT does not = D and LSP AUTH is populated, return error FTRLSR525 LSP AUTH NAME REQUIRED 4.If populated and ACT=D or LSP AUTH is not populated, return error	0
071a	LSPAN – Local Service Provider Authorization Number	Identifies the LSP authorization number	AN -	1-16		1.If populated and vv exceeds 16 characters, return error FTRLSR114 LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS 2.If populated and vv contains special character other than hyphen(-), return error FTRLSR201 ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN FRONTIER DOES NOT SUPPORT	O P
073	CUST – Customer Name	Identifies the name of the customer who originated this request when that customer has not been assigned a Customer Carrier Name Abbreviation (CCNA) code.	AN	1-25		1.If not populated and CCNA=CUS, return error FTRLSR527 CUST REQUIRED 2.If populated and CCNA does not =CUS, return error FTRLSR528 CUST PROHIBITED	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr 074	NPDI – Number Portability Direction	Identifies the direction of LNP conversion activity on this request.	Char A	Length 1	Range of Values B= Wireless to Wireline C= Wireline to Wireless D= Wireline to Wireline	Rules/Edits 1.If populated and REQTYP = CB and w not = C, D, then return error: FTRLSR115 NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYP 2. If populated and REQTYP = BB and w not = D, then return error: FTRLSR116 NUMBER PORTABILITY DIRECTION MAY ONLY BE D FOR THIS REQTYPE 3. If not populated and REQTYP = BB, CB, then return error: FTRLSR117 NUMBER PORTABILITY DIRECTION REQUIRED 4. If populated and REQTYP not = BB, CB, DB, EB, FB, NB, PB, QB, then return error: FTRLSR315 NUMBER PORTABILITY DIRECTION PROHIBITED 5. If not populated and position 1 of REQTYP = D, E and (PS.NPI or RS.NPI = C, E), then return error: FTRLSR372 NPDI IS REQUIRED 6. If populated and v not = B, D and position 1 of REQTYP = D, E and (PS.NPI or RS.NPI = C, E), then return error: FTRLSR373 NPDI VALID VALUE = B, D 7. If not populated and position 1 of REQTYP = F and PS.NPI = C, E, then return error: FTRLSR416 NPDI IS REQUIRED FOR NPI 8. If populated and v not = B, D and position 1 of REQTYP = F and PS.NPI = C, E, then return error: FTRLSR417 NPDI VALID VALUE = B, D 9. If not populated and position 1 of REQTYP = N and DDPS.NPI = C, E, then return error: FTRLSR418 NPDI IS REQUIRED FOR NPI 10. If populated and v not = B, D and position 1 of REQTYP = N and DDPS.NPI = C, E, then return error: FTRLSR419 NPDI VALID VALUE = B, D 11. If not populated and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: FTRLSR420 NPDI IS REQUIRED FOR NPI 12. If populated and v not = B, D and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: FTRLSR420 NPDI IS REQUIRED FOR NPI 12. If populated and v not = B, D and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: FTRLSR421 NPDI VALID VALUE = B, D	O



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						13. If not populated and position 1 of REQTYP = Q and IS.NPI = C, E, then return error: FTRLSR422 NPDI IS REQUIRED FOR NPI	
						14. If populated and vv not = B, D and position 1 of REQTYP = Q and IS.NPI = C, E, then return error: FTRLSR423 NPDI VALID VALUE = B, D	
						15. If populated and position 1 of REQTYP = D, F and no occurrence of PS.NPI not = C, E, then return error: FTRLSR424 NPDI IS PROHIBITED FOR NPI	
						16. If populated and position 1 of REQTYP = E and no occurrence of RS.NPI not = C, E, then return error: FTRLSR425 NPDI IS PROHIBITED FOR NPI	
						17. If populated and position 1 of REQTYP = N and no occurrence of DDPS.NPI not = C, E, then return error: FTRLSR426 NPDI IS PROHIBITED FOR NPI	
						18.If populated and position 1 of REQTYP = P and no occurrence of CRS.NPI not = C, E, then return error: FTRLSR427 NPDI IS PROHIBITED FOR NPI	
						19.If populated and position 1 of REQTYP = Q and no occurrence of IS.NPI not = C, E, then return error: FTRLSR428 NPDI IS PROHIBITED FOR NPI	
075	FA					FRONTIER DOES NOT SUPPORT	Р
076	AFEATURE					FRONTIER DOES NOT SUPPORT	Р
077	AFEATURE DETAIL					FRONTIER DOES NOT SUPPORT	Р
078	DLQTY					FRONTIER DOES NOT SUPPORT	Р
BILL	Section						
079	BI1 –Billing Account Identifier 1	Identifies the service type of the billing account number populated in	A	1	D-Directory L-Loop P-Port for TR008	1.If populated and vv = D and REQTYP = AB and ACT = V and EU. ELT is not populated and DL form is not present, then return error: FTRLSR119 WHEN BI1 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT	0
		the BAN1 field.				2. If populated and vv not = D and BI2 not = D and REQTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: FTRLSR122 BI1 WITH VALUE OF D REQUIRED	
						3. If populated and vv not = D and BI2 not = D and REQTYP = CB and (DL form is populated or EU.ELT= A), then return error: FTRLSR123 BI1	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
TUDI			Onal	Length	Range of Values	WITH DATA OF D REQUIRED WHEN REQTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						4. If populated and vv not = D and REQTYP = BB and ACT = V and BI2 not = D and (DL LACT is populated or EU.ELT = A), then return error: FTRLSR302 BI1 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						5. If populated and vv not = D and BI2 not = D and REQTYP = CB and (DL.LACT is populated or EU.ELT = A), then return error: FTRLSR217 BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						6. If populated and vv does not = D, L, P, return error FTRLSR124 BI1 VALID VALUE = D, L, P	
						7. If populated and vv not = D and REQTYP = JB and ACT = V and BI2 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: FTRLSR296 BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D	
						8. If populated and vv = D and REQTYP = AB and ACT = N, C and DL form is not present, then return error: FTRLSR346 DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI1 IS D	
						9. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR374 BI1 IS PROHIBITED FOR REQTYP	
						10. If populated and REQTYP = CB and ACT = V and EU. ELT = B or blank, then return error: FTRLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK	
						11. If populated vv = D and BI2 = D return error: FTRLSR450 BI1 AND BI2 MAY NOT EQUAL D ON THE SAME ORDER.	
						12. If not populated and BI2 is not populated and REQTYP = AB and ACT = N, V and any occurrence of LACT is populated return error FTRLSR458 BI1 IS REQUIRED	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr 080	BAN1 – Billing Account Number 1	Identifies the billing account to which the recurring and non-recurring charges for this request will be billed	Char N	Length 1 or 10	Range of Values N or valid TN format NNNNNNNNNN	1.If populated and vv = N and BI1 not = D, P, then return error: FTRLSR125 BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P 2. If populated and BI1 is not populated, then return error: FTRLSR126 BILLING ACCOUNT NUMBER 1 PROHIBITED 3. If populated and vv = N and REQTYP = JB and ACT = C, D, return error FTRLSR127 BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTYP=JB AND ACT= C,D 4. If populated and dI =1 and vv not = N, then return error: FTRLSR128 BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER 5. If populated and dI not = 1 or 10, return error: FTRLSR129 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH 6. If not populated and BAN2 not populated and REQTYP = JB, then return error: FTRLSR280 BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB 7. If populated and dc contains special characters, then return error: FTRLSR286 BAN1 CANNOT CONTAIN SPECIAL CHARACTERS 8. If BI1 is populated and BAN1 is not populated return error FTRLSR456	0
081	BI2 – Billing Account Number Identifier 2	Identifies the service type of the billing account number populated in the BAN2 field.	A	1	D-Directory L-Loop P-Port for TR008	1.If populated and vv = D and REQTYP = AB and ACT = V and EU.ELT is not populated and DL form is not present, then return error: FTRLSR130 WHEN BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED 2. If populated and vv does not = D, L, P, return error FTRLSR133 BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P 3. If populated and vv not = D and BI1 not = D and REQTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: FTRLSR307 BI2 WITH VALUE OF D REQUIRED 4. If populated and vv not = D and BI1 not = D and REQTYP = CB and (DL form is populated or EU.ELT = A), then return error: FTRLSR308 BI2	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits WITH DATA OF D REQUIRED WHEN REQTYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED 5. If populated and vv not = D and REQTYP = BB and ACT = V and BI1 not = D and (DL form is populated or EU.ELT = A), then return error: FTRLSR309 BI2 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS	
						POPULATED 6. If populated and vv not = D and BI1 not = D and REQTYP= CB and (DL Form is populated or EU.ELT = A), then return error: FTRLSR310 BI2 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						7. If populated and vv not = D and REQTYP = JB and ACT = V and BI1 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: FTRLSR312 BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI1 IS NOT EQUAL TO D	
						8. If populated and vv = D and REQTYP = AB and ACT = N, C and DL form is not present, then return error: FTRLSR347 DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI2 IS D	
						9. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR375 BI2 IS PROHIBITED FOR REQTYP	
						10. If populated and REQTYP = CB and ACT = V and EU. ELT = B or blank, then return error: FTRLSR258 BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK	
						11. If populated vv = D and BI1 = D return error: FTRLSR451 BI2 AND BI1 MAY NOT EQUAL D ON THE SAME ORDER.	
						12. If not populated and BI1 is not populated and REQTYP = AB and ACT = C, D, N, V and any occurrence of LACT is populated return error FTRLSR459 BI2 IS REQUIRED	
082	BAN2 – Billing Account Number 2	Identifies the billing account to which the recurring and non-recurring charges for	N	1 or 10	N or valid TN format NNNNNNNNNN	1.If populated and BI2 is not populated, then return error: FTRLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
		this request will be billed.				2. If populated and vv = N and REQTYP = JB and ACT = C, D, return error FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D	
						3. If populated and dl =1 and vv not = N, then return error: FTRLSR136 BILLING ACCOUNT NUMBER 2 VALID VALUE MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER	
						4. If populated and dl not = 1, 10, return error: FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH	
						5. If populated and vv = N and BI2 not = D, P, then return error: FTRLSR303 BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P	
						6. If not populated and BAN1 not populated and REQTYP = JB, then return error: FTRLSR304 BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQTYP = JB	
						7. If populated and dc contains special characters, then return error: FTRLSR305 BAN2 CANNOT CONTAIN SPECIAL CHARACTERS	
						8. If BI2 is populated and BAN2 is not populated return error FTRLSR457 BAN2 IS REQUIRED WHEN BI2 IS PRESENT	
083	ACNA – Access Customer Name	Identifies the COMMON LANGUAGE code of the	A	3-3		1.If not populated and REQTYP = AB and ACT = N, D, C and position 2 of TOS = P, then return error: FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED	0
	Abbreviation	customer to which the bill is to be rendered.				2. If not populated and REQTYP = AB, and ACT = D, N, V and position 2 of TOS is F, then return error: FTRLSR281 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED	
						3. If populated and dl not = 3, then return error: FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS	
						4. If populated and dc not = alpha, then return error: FTRLSR283 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
1.51			Orial	Longar	runge or values	 5. If not populated and REQTYP= BB and ACT = V and position 2 of TOS = F, then return error: FTRLSR282 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED 6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P, then return error: FTRLSR376 ACNA IS 	
						REQUIRED	
084	EBD – Effective Billing Date	Identifies the effective date to begin or cease billing when the billing date is different from the desired due date.	AN	10	CCYYMMDD CC = 00-99 YY= 00-99 MM = 01-12 DD=01-31	 1.If populated and dl not = 8 characters, then return error: FTRLSR182 EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS 2. If populated and dc not = numeric, then return error: FTRLSR183 EBDEFFECTIVE BILLING DATE DATA MUST BE NUMERIC 3. If populated and positions 5 to 6 (MM) are not 01 to12, then return error: FTRLSR184 EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO12 	0
						4. If populated and positions 7-8 (DD) not = 01-31, then return error: FTRLSR185 EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31	
085	NRI					FRONTIER DOES NOT SUPPORT (FTRLSR464)	Р
086	BILLNM – Billing Name	Identifies the name of the person, office or company to whom the customer has designated that the bill be sent.	AN & '\$- #()% ." space	1-25		 1.If populated and dl > 25, then return error: FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign, period, quotation marks, space, then return error: FTRLSR143 INVALID SPECIAL CHARACTERS IN BILL NAME 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return 	0
087	SBILLNM – Secondary Billing Name	Identifies the name of a department or group within the designated BILLNM field entry.	AN & '\$ - # (_ % . " space	1-25		error: FTRLSR378 BILLNM IS PROHIBITED FOR REQTYP 1.If populated and dl > 25, then return error: FTRLSR144 SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign, period, quotation marks, space, then return error: FTRLSR145 INVALID SPEICAL CHARACTERS IN SECONDARY BILL NAME 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR379 SBILLNM IS PROHIBITED FOR REQTYP	0
087a	TE -Tax Exempt		A	1	F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	1.If populated and vv not = F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P return error message FTRLSR146 TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr	CTDEST	Identifies the	Char	Length	Range of Values	Rules/Edits	
088	STREET- Street Bill	street	AN &',-/	1-25		1.If populated and dl > 25, then return error: FTRLSR147 STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS	0
	Address	address.	space			ADDITESS WAT NOT EXCEED 23 CHARACTERS	
	, taarooo		ορασσ			2. If populated and special characters does not = ampersand, apostrophe,	
						comma, hyphen, virgule, space, then return error: FTRLSR148 INVALID	
						SPECIAL CHARACTERS IN STREET	
						2. If nonviolated and nonition 4 of DEOTVD. E. K. I. N. D. O. then return	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR380 STREET IS PROHIBITED FOR REQTYP	
089	FLOOR – Bill	Identifies the	AN	1-10		1.If populated and dl > 10, then return error: FTRLSR149 BILL FLOOR	0
	Floor	floor.	, ,			MAY NOT EXCEED 10 CHARACTERS	
			space				
						2. If populated and special characters not = Comma, Space, then return	
						error: FTRLSR150 INVALID SPECIAL CHARACTERS IN FLOOR	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return	
						error: FTRLSR381 FLOOR IS PROHIBITED FOR REQTYP	
090	ROOM/MAIL	Identifies the	AN	1-10		1.If populated and dl > 10, then return error: FTRLSR151 BILL	0
	STOP- Bill	room or mail stop.	- ,			ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS	
	Room/Mail stop	otop.	space				
						2. If populated and special characters not = hyphen, comma, space, then return error: FTRLSR152 INVALID SPECIAL CHARACTERS IN	
						ROOM/MAIL STOP	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return	
						error: FTRLSR382 ROOM/MAIL STOP IS PROHIBITED FOR REQTYP	
091	CITY-Bill City	Identifies the city, village,	AN & ' - #	1-32		1.If populated and dl > 32, then return error: FTRLSR153 BILL CITY	0
		township, etc.	()*			MUST BE 1 TO 32 CHARACTERS	
			space			2. If populated and special characters not = ampersand, asterisk,	
						apostrophe, hyphen, space, number sign, parentheses, then return error:	
						FTRLSR154 INVALID SPECIAL CHARACTERS IN CITY	
						2. If populated and position 1 of DEOTVD. E. K. I. N. D. O. there returns	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR383 CITY IS PROHIBITED FOR REQTYP	
092	STATE – Bill	Identifies the	Α	2		1.If populated and dc not = alpha, then return error: FTRLSR155 BILL	0
	State	abbreviation for the state or				STATE MAY ONLY BE 2 ALPHA CHARACTERS	
		province.					
						2. If populated and dl not = 2, then return error: FTRLSR284 BILL STATE	
						MAY ONLY BE 2 ALPHA CHARACTERS	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return	
						error: FTRLSR384 STATE IS PROHIBITED FOR REQTYP	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr	710 0::	Labora (CC o o tibro	Char	Length	Range of Values	Rules/Edits	
093	ZIP – Bill ZIP/Postal Code	Identifies the ZIP code, ZIP code + extension or	AN	1-12		1.If populated and dl > 12, then return error: FTRLSR156 BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS	0
	0000	postal code.				2. If populated and special character not = space, then return error: FTRLSR188 ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR385 ZIP IS PROHIBITED FOR REQTYP	
094	BILLCON – Billing Contact	Identifies the name of the person or	AN ',	1-25		1.lf populated and dl > 25, then return error: FTRLSR157 BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS	0
		office to be contacted on billing matters.	space			2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR158 INVALID SPECIAL CHARACTERS IN BILLCON	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR386 BILLCON IS PROHIBITED FOR REQTYP	
095	TEL NO – Bill Contact Telephone	Identifies the telephone number.	AN	10-14 Allow hyphen	TN format NNN-NNN-NNNN	1.lf populated and (dl < 10 or > 14), then return error: FTRLSR203 BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS	0
	Number			S		2. If populated and special character not = hyphen, then return error: FTRLSR191 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR387 TEL NO IS PROHIBITED FOR REQTYP	
096	VTA					FRONTIER DOES NOT SUPPORT	Р
Conta	ct Section						
097	INIT – Initiator Identification	Identifies the customer's representative	AN ',	1-25		1.lf populated and dl > 25, then return error: FTRLSR160 INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS	С
		who originated this request.	space			2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR161 INVALID SPECIAL CHARACTERS IN INIT	
						3. If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: FTRLSR192 INITIATOR REQUIRED	
098	TEL NO – Initiator Telephone	Identifies the telephone number of the	AN -	10-14 Allow hyphen		1.If not populated, then return error: FTRLSR193 INITIATOR TELEPHONE NUMBER REQUIRED	R
	Number	initiator		пурпеп		2. If populated and (dl < 10 or > 14), then return error: FTRLSR194 INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
	51411				range of Values	3. If populated and special characters not = hyphen, then return error: FTRLSR195 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER	
099	EMAIL – Electronic Mail	Identifies the electronic mail address of the initiator.	AN	1-60		1.If populated and dl>60, return error FTRLSR529 EMAIL CANNOT EXCEED 60 CHARACTERS 2.If not populated and LSR.SUP = 6, return error FTRLSR471 EMAIL REQUIRED	0
100	FAX NO – Facsimile Number	Identifies the fax number of the initiator	N	10		1.If populated and dl does not = 10 or dc is not numeric, return error FTRLSR530 FAX NO MUST BE 10 DIGIT NUMERIC	О
101	IMPCON – Implementation Contact	Identifies the customer's representative or office responsible for control of installation and completion.	AN ', space	1-15		1.If not populated and CHC = Y, A, B, then return error: FTRLSR163 IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B 2. If populated and dl > 15, then return error: FTRLSR164 IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS 3. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR165 INVALID SPECIAL CHARACTERS IN IMPCON 4. If not populated and REQTYP = AB and (LS.CI = E or LS.LNA = N), then return error: FTRLSR351 IMPLEMENTATION CONTACT IS REQUIRED 5. If not populated and position 1 of REQTYP = D and PS.LNA = N, T, then return error: FTRLSR388 IMPCON IS REQUIRED 6. If not populated and position 1 of REQTYP = E and RS.LNA = N, T, then return error: FTRLSR389 IMPCON IS REQUIRED 7. If not populated and REQTYP = FB and PS.LNA = N, return error FTRLSR429 IMPCON IS REQUIRED FOR LNA 8. If not populated and position 1 of REQTYP = K and RPL.LNA = N, then return error: FTRLSR430 IMPCON IS REQUIRED FOR LNA 9. If not populated and position 1 of REQTYP = L and RFR.LNA = N, then return error: FTRLSR431 IMPCON IS REQUIRED FOR LNA 10. If not populated and position 1 of REQTYP = N and DDPS.TNA = N, then return error: FTRLSR432 IMPCON IS REQUIRED FOR TNA	0



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						11. If not populated and position 1 of REQTYP = P and CRS.LNA = N, then return error: FTRLSR433 IMPCON IS REQUIRED FOR LNA	
						12. If not populated and position 1 of REQTYP = Q and IS.LNA = N, then return error: FTRLSR434 IMPCON IS REQUIRED FOR LNA	
						13.If not populated and LSR.SUP = 6, return error FTRLSR470 IMPLEMENTATION CONTACT IS REQUIRED	
102	TEL NO – Implementation Contact Telephone	Indicates the telephone number of the implementatio	N -	10-14		1.If not populated and IMPCON is populated, then return error: FTRLSR166 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED	
	Number	n contact.				2. If populated and IMPCON is not populated, then return error: FTRLSR167 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED	
						3. If populated and (dl < 10 or > 14), then return error: FTRLSR196 IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS	
						4. If populated and special characters not = hyphen, then return error: FTRLSR197 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER	
102a	PAGER – Implementation Contact Pager Number	Indicates the pager number of the implementation contact	AN & '*: , \$ - # () % . + ";/	10-25		1.If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: FTRLSR169 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC	0
			space			2. If populated and (dl < 10 or > 25), then return error: FTRLSR170 IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS	
						3. If populated and special character not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule, then return error: FTRLSR171 INVALID SPECIAL CHARACTERS IN PAGER	
						4. If populated and IMPCON is not populated, then return error: FTRLSR316 PAGER PROHIBITED WHEN IMPCON NOT POPULATED	



Version: 9.30.27

LSR FORM

Effective: 02/25/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
103	ALT IMPCON – Alternate Implementation Contact	Identifies the customer's alternative representative or office responsible for control of installation and completion.	AN ', space	1-15	Range of Values	1.If populated and dI > 15, then return error: FTRLSR172 ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS 2. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR173 INVALID SPECIAL CHARACTERS IN ALT IMPCON 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR390 ALT IMPCON IS PROHIBITED FOR REQTYP	0
104	TEL NO – Alternate Implementation Contact Telephone Number	Identifies the telephone number of the alternate implementation contact.	N -	10-14		1.If populated and ALT IMPCON is not populated, then return error: FTRLSR174 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED 2. If not populated and ALT IMPCON is populated, then return error: FTRLSR175 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED 3. If populated and (dl < 10 or > 14), then return error: FTRLSR198 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS 4. If populated and special characters not = hyphen, then return error: FTRLSR199 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER	O
104a	PAGER – Alternate Implementation Contact Pager Number	Indicates the pager number of the alternate implementation contact	AN & '*: , \$ - # () %. + "; / space	10-25		 1.If populated and (dl < 10 or > 25), then return error: FTRLSR177 ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS 2. If populated and vv contains Virgule and it is not preceded and followed by a numeric, then return error: FTRLSR245 PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC. 3. If populated and special characters not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space and, then return error: FTRLSR298 INVALID SPECIAL CHARACTERS 4. If populated and ALT IMPCON is not populated, then return error: FTRLSR317 PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED 	0
105	DSGCON					FRONTIER DOES NOT SUPPORT	Р



Version: 9.30.27

LSR FORM


Effective: 02/25/2024

Revised Date: 11/20/2023

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
106	DRC					FRONTIER DOES NOT SUPPORT	Р
107	TEL NO					FRONTIER DOES NOT SUPPORT	Р
108	FAX NO					FRONTIER DOES NOT SUPPORT	Р
109	EMAIL					FRONTIER DOES NOT SUPPORT	Р
110	STREET					FRONTIER DOES NOT SUPPORT	Р
111	FLOOR					FRONTIER DOES NOT SUPPORT	Р
112	ROOM/MAIL STOP					FRONTIER DOES NOT SUPPORT	Р
113	CITY					FRONTIER DOES NOT SUPPORT	Р
114	STATE					FRONTIER DOES NOT SUPPORT	Р
115	ZIP					FRONTIER DOES NOT SUPPORT	Р
116	REMARKS -	Identifies the	AN	1-500		1.If populated and virgule (/) exists and is not immediately preceded and	0
116	REMARKS – Remarks	Identifies the first occurrence of a free flowing field that can	AN &';, \$-#()%.+	1-500		1.If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: FTRLSR178 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC	0
		be used to expand upon and clarify other data on this request.	";/ space			2. If populated and dl > 500, then return error: FTRLSR179 REMARKS MAY NOT EXCEED 500 CHARACTERS	
						3. If populated and special characters not = ampersand, apostrophe, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sigh, period, plus sign, quotation marks, semicolon, space, virgule, at sign(@), then return error: FTRLSR200 INVALID SPECIAL CHARACTERS IN REMARKS	
						4. If not populated and SUP = 3, then return error: FTRLSR318 REMARKS REQUIRED WHEN SUP 3	

APPENDIX A: ERROR MESSAGE TABLE

Error Message Number	Error Message Text
FTRLSR001	CUSTOMER CARRIER NAME ABBREVIATION REQUIRED
FTRLSR002	CCNA OF 'CUS' REQUIRES AN ENTRY IN CC
FTRLSR003	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS
FTRLSR004	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC
FTRLSR005	DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
FTRLSR006	PURCHASE ORDER NUMBER MUST BE 4-16 CHARACTERS
FTRLSR007	PURCHASE ORDER NUMBER IS REQUIRED



LSR FORM Effective: 02/25/2024

Error Message Number	Error Message Text
FTRLSR008	ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN
FTRLSR009	VERSION REQUIRED WITH SUP
FTRLSR010	VERSION DATA LENGTH MUST BE 2 CHARACTERS
FTRLSR011	LOCATION QUANTITY IS REQUIRED
FTRLSR012	LOCATION QUANTITY MUST BE NUMERIC CHARACTERS
FTRLSR013	HTQTY IS PROHIBITED FOR REQTYP/ACT
FTRLSR014	ATN NOT ALLOWED FOR REQTYP
FTRLSR015	DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
FTRLSR016	DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS
FTRLSR017	DESIRED DUE DATE DATA MUST BE NUMERIC
FTRLSR018	DESIRED DUE DATE MONTH MUST BE 01-12
FTRLSR019	DESIRED DUE DATE DAY MUST BE 01-31
FTRLSR020	DESIRED DUE DATE IS REQUIRED
FTRLSR021	DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS
FTRLSR022	DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED
FTRLSR023	DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS
FTRLSR024	DESIRED DUE DATE OUT DATA MUST BE NUMERIC
FTRLSR025	DESIRED DUE DATE OUT MONTH MUST BE 01-12
FTRLSR026	DESIRED DUE DATE OUT DAY MUST BE 01-31
FTRLSR027	NOR INVALID DATA IN LAST 2 POSITIONS
FTRLSR028	NOR PROHIBITED WHEN RPON IS NOT PRESENT
FTRLSR029	NOR IS REQUIRED WHEN RPON IS PRESENT
FTRLSR030	NOR LENGTH MUST BE 4 CHARACTERS
FTRLSR031	DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM
FTRLSR032	DFDT IS REQUIRED WHEN CHC IS Y, A or B
FTRLSR033	CCNA VALID VALUE = CUS IS PROHIBITED
FTRLSR034	REQTYP INVALID FOR SERVICE TERRITORY
FTRLSR035	REQTYP MUST = AB, BB
FTRLSR036	DESIRED FRAME DUE TIME HOUR MUST BE 01 – 12
FTRLSR037	VERSION REQUIRED
FTRLSR038	
FTRLSR039	PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT
FTRLSR040	PROJECT INDICATOR MAY ONLY BE C OR V
FTRLSR041	PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS
FTRLSR042	INVALID SPECIAL CHARACTER (S) IN PROJECT
FTRLSR043	DESIRED FRAME DUE TIME MINUTE MUST BE 00 – 59
FTRLSR044	INVALID SPECIAL CHARACTERS
FTRLSR045	DATA MAY ONLY BE Y OR A OR B
FTRLSR046	REQTYP IS PROHIBITED
FTRLSR047	SUB LOOP INDICATOR IS PROHIBITED
FTRLSR048	SUB LOOP INDICATOR IS REQUIRED
FTRLSR049	SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S
	1

Effective: 02/25/2024

FITCL Message Number FITRLSR050 ACT MAY ONLY BE N, V.C, D. T, R. M FITRLSR051 ACT MAY ONLY BE N, V.C, D. T, R. M FITRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FITRLSR053 HTGTY IS REQUIRED FITRLSR054 ACTIVITY MUST BE V FOR REGTYP BB FITRLSR055 HTGTY IS PROHIBITED FITRLSR056 ONSP IS RPOHIBITED FOR REGTYP FITRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FITRLSR057 FITRLSR058 SLI MUST BE S FITRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FITRLSR059 FITRLSR059 FITRLSR050 EXPEDITE IS PROHIBITED FITRLSR050 FITRLSR050 EXPEDITE IS PROHIBITED FITRLSR061 EXP VALID VALUE-Y FITRLSR062 EXP PROHIBITED WHEN THE CHC = A Or B FITRLSR063 COMPANY CODE DATA MUST BE 4 CHARACTERS FITRLSR068 FITRLSR068 FITRLSR068 FITRLSR068 FITRLSR069 FITRLSR070 FITRLSR069 FITRLSR071 FITRLSR069 FITRLSR073 FITRLSR073 FITRLSR074 FITRLSR075 FITRLSR075 FITRLSR077 FITRLSR076 FITRLSR077 FITRLSR079 LOCAL SERVICE TERMINAL LOCATION IS REQUIRED FITRLSR077 FITRLSR077 FITRLSR077 FITRLSR077 FITRLSR077 FITRLSR077 FITRLSR077 FITRLSR078 FITRLSR079 LOCAL SERVICE DISTOMER TERMINAL LOCATION IS REQUIRED FITRLSR077 FITRLSR077 FITRLSR077 FITRLSR078 FITRLSR078 FITRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2 OR 3 FITRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2 OR 3 FITRLSR079 FITRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2 OR 3 FITRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2 OR 3 FITRLSR098 NETWORK	Thornes and the second	
FTRLSR051 ACT MAY ONLY BE W FTRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FTRLSR053 HTOTY IS REQUIRED FTRLSR054 ACTIVITY MUST BE W POR REGTYP BB FTRLSR055 HTOTY IS PROHIBITED FTRLSR056 ONSPIE PROHIBITED FOR REGTYP FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLI MUST BE S FTRLSR059 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE-Y FTRLSR062 EXP FROHIBITED WHEN THE CHC = A or B FTRLSR061 EXP FOR HIBITED WHEN THE CHC = A OR B FTRLSR062 COMPANY CODE IS PROHIBITED FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR066 HITOTY IS PROHIBITED WHEN THE REGTYP IS OR AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HITOTY IS PROHIBITED WHEN THE REGTYP IS OR SERVICE TERRITORY FTRLSR066 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR066 TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOWN SUTS BE 1, 2 OR A FTRLSR078 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR078 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE MAY ONLY BE M, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR080 SECOND AND AND AND AND AND AND AND AND AND	Error Message Number	Error Message Text
FTRLSROS2 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FTRLSROS3 HTOTY IS REQUIRED FTRLSROS5 HTOTY IS REQUIRED FTRLSROS5 HTOTY IS REPORHBITED FTRLSROS5 HTOTY IS PROHIBITED FTRLSROS6 ONSP IS PROHIBITED FOR REQTYP FTRLSROS6 ONSP IS PROHIBITED FOR REQTYP FTRLSROS7 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSROS8 SLI MUST BE 5 FTRLSROS9 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSROS0 EXPEDITE IS PROHIBITED FTRLSROS0 EXPENDER IS PROHIBITED FTRLSROS0 COMPANY CODE IS PROHIBITED FTRLSROS0 BI IS PROHIBITED WHEN THE COTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSROS6 HTOTY IS PROHIBITED FTRLSROS6 HITOTY IS PROHIBITED FTRLSROS6 HITOTY IS PROHIBITED FTRLSROS6 HITOTY IS PROHIBITED WHEN THE REOTYP POR SERVICE TERRITORY FTRLSROS6 TRLSROSS TRLSROSS ACENCY AUTHORIZATION STATUS IS REQUIRED FTRLSROS7 HOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSROS7 HTOTY VALID VALUE = 2 NUMERIC FTRLSROS7 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSROS7 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSROS7 FTRLSROS7 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSROS7 FTRLSROS7 FREST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSROS7 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROS9 TYPE OF SERVICE ISINVALID FTRLSROS9 FTRLSROS9 FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 8, P FTRLSROSS FTRLSROSS FTR	FTRLSR050	ACT MAY ONLY BE N, V, C, D, T, R, M
FTRLSROSS HTGTY IS REQUIRED FTRLSROSS ACTIVITY MUST BE V FOR REGTYP BB FTRLSROSS HTGTY IS PROHIBITED FTRLSROSS ONSP IS PROHIBITED FOR REGTYP FTRLSROSS SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSROSS SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSROSS SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSROSS SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSROSS SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSROSS EXPEDITE IS PROHIBITED FTRLSROSS EXPEDITE IS PROHIBITED FTRLSROSS EXPEDITE IS PROHIBITED FTRLSROSS COMPANY CODE IS PROHIBITED FTRLSROSS COMPANY CODE IS PROHIBITED FTRLSROSS COMPANY CODE IS PROHIBITED FTRLSROSS BI IS PROHIBITED WHEN THE CHC = A or B FTRLSROSS BI IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSROSS BI IS PROHIBITED WHEN THE REQTYP FOR SERVICE TERRITORY FTRLSROSS TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSROSS TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSROSS AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSROSS ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSROSS FTRLSROSS ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSROSS FTRLSROSS ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSROSS FTRLSROSS SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSROSS FTRLSROSS FTRLSROSS FTRLSROSS FTRLSROSS FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 11 CHARACTERS FTRLSROSS FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSROSS FTRLSROSS FOUNTH HARACTER OF TYPE OF SERVICE	FTRLSR051	ACT MAY ONLY BE V
FTRLSR055 HTOTY IS PROHIBITED FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR057 SUP 4 OR S IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLI MUST BE S FTRLSR058 SLI MUST BE S FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXPEDITE IS PROHIBITED FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI IS SPROHIBITED WHEN THE CHC = A or B FTRLSR066 EXP PROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 BI IS SPROHIBITED FTRLSR066 HTOTY IS PROHIBITED FTRLSR066 HTOTY IS PROHIBITED FTRLSR066 TO SPROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 TO SPROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 TO SPROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 TO SPROHIBITED WHEN THE RECTYP FOR SERVICE TERRITORY FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH RECTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 11 CHARACTERS FTRLSR078 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, · (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THOM TOWER THANDER ON TALL DEPORT ON TALL DEPORT ON TALL DEPO	FTRLSR052	DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA
FTRLSR056		HTQTY IS REQUIRED
FTRLSR056 ONSP IS PROHIBITED FOR REGTYP FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLI MUST BE S FTRLSR058 SLI MUST BE S FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE=Y FTRLSR061 EXP VALID VALUE=Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE IS PROHIBITED FTRLSR065 BI1 IS PROHIBITED WHEN THE REGTYP IS CB AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTGTY IS PROHIBITED WHEN THE REGTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTGTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTGTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IN WIST BE IT CHARACTERS FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION MUST BE IT CHARACTERS FTRLSR073 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR079 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE MINISTRO MUST BE 1, 2, 3 OR 4 FTRLSR080 TIPE OF SERVICE MUST BE 1, 2, 3 OR 4 FTRLSR080 TIPE OF SERVICE MUST BE 1, 2, 3 OR 4 FTRLSR080 TIPE OF SERVICE MUST BE 1, 2, 3 OR 4 FTRLSR080 TIPE OF SERVICE MUST BE 1, 2, 3 OR 4 FTRLSR080 TIPE OF SERVICE MUST BE 1, 2, 0 R, F, H, J, K, P, Q, R, T, W, X, Y, Z, -(hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR080 TIPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR080 SERVICE AND PRODUCT ENHA		ACTIVITY MUST BE V FOR REQTYP BB
FTRLSR057 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR069 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE-Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 B11 IS PROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTGTY IS PROHIBITED FTRLSR066 HTGTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TFRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTGTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERS FTRLSR076 FTRLSR077 FIRSR077 FIRSR078 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR079 FTRLSR079 FTRLSR079 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR079 FTRLSR079 FIRSR079 LOCAL SERVICE TERMINATION DATA NOT EXCEED 11 CHARACTERS FTRLSR079 FTRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2, 3 OR 4 FTRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2, 3 OR 4 FTRLSR080 FTRLSR080 FTRLSR080 FTRLSR081 FIRST CHARACTER OF TOPE OF SERVICE MUST BE 1 FTRLSR082 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 FTRLSR085 FTRLSR086 FTRLSR086 FTRLSR086 FTRLSR086 FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR FEQUIP FTRLSR086 FTRL	FTRLSR055	HTQTY IS PROHIBITED
FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE-Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE IS PROHIBITED FTRLSR065 BIT IS PROHIBITED WHEN THE CHC = A or B FTRLSR066 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR066 BIT IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REGOTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 11, 20 AS 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 12, 20 AS 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 12, 20 AS 11 CHARACTERS FTRLSR078 LOCAL SERVICE FERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR079 FIRST CHARACTER OF TOS MUST BE 1, 2 OR 3 FTRLSR080 TYPE OF SERVICE INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2, 3, 4, 5, 6, 8, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, Y, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, -		ONSP IS PROHIBITED FOR REQTYP
FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE=Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED AND THE CHC = A OR B FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI1 IS PROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQTY IS PROHIBITED WHEN THE RECTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH RECTYP FOR SERVICE TERRITORY FTRLSR068 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTGTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION INSTED EL CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINAL MOCATION IS PROHIBITED FTRLSR079 LOCAL SERVICE OFFICE MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE OFFICE MUST BE 1, 2, 3 OR 4 FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR083 TOS POSITION 2 INVALID FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE F, C, N, P, R, V, W, - (hyphen), 1, 2, S, L	FTRLSR057	SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S
FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE=Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2 OR 4 FTRLSR079 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR083 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR085 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR086 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, (hyphen), 1, 2, 3, 4, 5, 6, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, (hyphen), 1, 2, 5, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS		
FTRLSR061 EXP VALID VALUE=Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTGTY IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTGTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR079 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR079 LOCAL SERVICE FORCE SUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR079 LOCAL SERVICE TOFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2, 3, 4, 5, 6, 8, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 8, P FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS	FTRLSR059	SUP MUST BE 1, 2, 3, 4, 5, 6 or 7
FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTOTY IS PROHIBITED FTRLSR066 HTOTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR069 HTOTY VALID VALUE = 2 NUMERIC FTRLSR070 HTOTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE FOFICE MUST BE 6 CHARACTERS FTRLSR079 LOCAL SERVICE FOFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MUST BE 1, 2, 4, 5, 6, 8, P FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, 8, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS	FTRLSR060	EXPEDITE IS PROHIBITED
FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI IS PROHIBITED WHEN THE REGTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTGTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REGTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTGTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 TIPE OF SERVICE IS INVALID FTRLSR080 TIPE OF SERVICE IS INVALID FTRLSR080 TOS POSITION 2 INVALID FTRLSR080 THE CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR080 THE CHARACTER OF TYPE OF SERVICE MUST BE 1, 2, 3, 4, 5, 6, 7 FTRLSR080 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR080 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR080 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR080 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE S-7 CHARACTERS FTRLSR080 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE S-7 CHARACTERS	FTRLSR061	EXP VALID VALUE=Y
FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BII 1S PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTOTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTOTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR085 FTRLSR086 FOUNTAIN CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR086 FOUNTAIN CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR086 FOUNTAIN CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR RECTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 FOUNTAIN CHARACTER OF TYPE OF SERVICE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS	FTRLSR062	EXP PROHIBITED WHEN THE CHC = A or B
FTRLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 TOS POSITION 2 INVALI	FTRLSR063	COMPANY CODE IS PROHIBITED
FTRLSR066 HTQTY IS PROHIBITED FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR088 FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR064	
FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR079 TYPE OF SERVICE IS INVALID FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089 FTRLSR089	FTRLSR065	BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR066	HTQTY IS PROHIBITED
FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR067	NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS
FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR076 FIRST CHARACTER OF TOS MUST BE 1, 2 OR 3 FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2 OR 3 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR068	TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY
FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR080 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR080 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR088 FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS	FTRLSR069	AGENCY AUTHORIZATION STATUS IS REQUIRED
FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR070	HTQTY VALID VALUE = 2 NUMERIC
FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR071	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR072	ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED
FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR073	ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS	FTRLSR074	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4 FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR075	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED
FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 FTRLSR089 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS	FTRLSR076	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR077	FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4
FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR078	LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS
FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR079	LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS
FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 FTRLSR083 TOS POSITION 2 INVALID FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR080	TYPE OF SERVICE IS INVALID
FTRLSR083 TOS POSITION 2 INVALID SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR081	FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3
FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR082	FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1
3, 4, 5, 6, 7 FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR083	TOS POSITION 2 INVALID
FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR084	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2,
FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089		3, 4, 5, 6, 7
FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR085	
FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS FTRLSR089	FTRLSR086	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L
FTRLSR089	FTRLSR087	ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP
FTRLSR089	FTRLSR088	SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS
	FTRLSR090	NETWORK CHANNEL CODE MUST BE 4 CHARACTERS

Effective: 02/25/2024

Error Message Number	Error Message Text
FTRLSR091	NETWORK CHANNEL INTERFACE CODE IS REQUIRED
FTRLSR092	NETWORK CHANNEL INTERFACE CODE IS PROHIBITED
FTRLSR093	NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5-12 CHARACTERS
FTRLSR094	INVALID SPECIAL CHARACTERS IN NCI
FTRLSR095	TOS POSITION 3 INVALID
FTRLSR096	SECNCI MAY ONLY BE 5-12 CHARACTERS
FTRLSR097	INVALID SPECIAL CHARACTERS IN SECNCI
FTRLSR098	RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT
FTRLSR099	RELATED PON REQUIRED WHEN NOR IS PRESENT
FTRLSR100	RELATED PON MUST BE 4 TO 16 CHARACTERS
FTRLSR101	INVALID SPECIAL CHARACTERS IN RPON
FTRLSR102	RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT
FTRLSR103	RPVER IS REQUIRED WHEN RPON IS PRESENT
FTRLSR104	RELATED PON VERSION MUST BE IN THE RANGE OF 00-99
FTRLSR105	RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS
FTRLSR106	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR107	LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS
FTRLSR108	ATN IS REQUIRED
FTRLSR109	ATN IS REQUIRED
FTRLSR110	LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01-12
FTRLSR111	DAY MUST BE 01 TO 31
FTRLSR112	ATN IS REQUIRED
FTRLSR113	LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1-15 CHARACTERS
FTRLSR114	LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS
FTRLSR115	NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYP
FTRLSR116	NUMBER PORTABILITY DIRECTIONMAY ONLY BE D FOR THIS REQTYP
FTRLSR117	NUMBER PORTABILITY DIRECTION REQUIRED
FTRLSR118	ATN VALID VALUE = N IS PROHIBITED
FTRLSR119	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT
FTRLSR120	ATN MUST EQUAL LTN WHEN AC = A
FTRLSR121	ATN IS REQUIRED
FTRLSR122	BI1 WITH VALUE OF D REQUIRED
FTRLSR123	BI1 WITH DATA OF D REQUIRED WITH REQTYP=CB, WHEN REQTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL
	FORM IS POPULATED
FTRLSR124	BI1 VALID VALUE = D, L, P
FTRLSR125	BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P
FTRLSR126	BILLING ACCOUNT NUMBER 1 PROHIBITED
FTRLSR127	BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTYP=JB AND ACT= C,D
FTRLSR128	BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER
FTRLSR129	BAN1 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
FTRLSR130	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED
FTRLSR131	ATN VALID VALUE = N OR 10 NUMERIC



FTRLSR132 DFDT MUST BE 1100PM FTRLSR133 BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P FTRLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D FTRLSR136 IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH I CHARACTER FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME FTRLSR144 SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS	
FTRLSR132 DFDT MUST BE 1100PM FTRLSR133 BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P FTRLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D FTRLSR136 IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH I CHARACTER FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D FTRLSR136 IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH I CHARACTER FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D FTRLSR136 IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH I CHARACTER FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR136 IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH I CHARACTER FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
CHARACTER FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	S ONE
FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR140 DFDT MUST BE 1145PM FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR141 TOS REQUIRED FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR143 INVALID SPEICAL CHARACTERS IN BILL NAME	
FTRLSR144 SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS	
FTRLSR145 INVALID SPEICAL CHARACTERS IN SECONDARY BILL NAME	
FTRLSR146 TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	
FTRLSR147 STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS	
FTRLSR148 INVALID SPECIAL CHARACTERS IN STREET	
FTRLSR149 BILL FLOOR MAY NOT EXCEED 10 CHARACTERS	
FTRLSR150 INVALID SPECIAL CHARACTERS IN FLOOR	
FTRLSR151 BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS	
FTRLSR152 INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP	
FTRLSR153 BILL CITY MUST BE 1 TO 32 CHARACTERS	
FTRLSR154 INVALID SPECIAL CHARACTERS IN CITY	
FTRLSR155 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS	
FTRLSR156 BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS	
FTRLSR157 BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS	
FTRLSR158 INVALID SPECIAL CHARACTERS IN BILLCON	
FTRLSR159 DDDO MUST BE LESS THAN OR EQUAL TO DDD	
FTRLSR160 INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS	
FTRLSR161 INVALID SPECIAL CHARACTERS IN INIT	
FTRLSR162 DDDO MUST BE LESS THAN OR EQUAL TO DDD	
FTRLSR163 IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B	
FTRLSR164 IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS	
FTRLSR165 INVALID SPECIAL CHARACTERS IN IMPCON	
FTRLSR166 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED	
FTRLSR167 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED	
FTRLSR168 DDDO IS PROHIBITED	
FTRLSR169 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC	
FTRLSR170 IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS	
FTRLSR171 INVALID SPECIAL CHARACTERS IN PAGER	
FTRLSR172 ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS	

Effective: 02/25/2024

Effective: 02/25/2024

Error Message Number	Error Message Text
FTRLSR173	INVALID SPECIAL CHARACTERS IN ALT IMPCON
FTRLSR174	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
FTRLSR175	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
FTRLSR176	APPTIME DDDO IS PROHIBITED WHEN SLI = B
FTRLSR177	ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS
FTRLSR178	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR179	REMARKS MAY NOT EXCEED 500 CHARACTERS
FTRLSR180	VER MUST BE NUMERIC
FTRLSR181	ACTL HAS INVALID CHARACTERS
FTRLSR182	EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS
FTRLSR183	EBD EFFECTIVE BILLING DATE DATA MUST BE NUMERIC
FTRLSR184	EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO 12
FTRLSR185	EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31
FTRLSR186	DFDT MUST BE BETWEEN 0700AM AND 0700PM
FTRLSR187	PRODUCT ARRANGEMENT NOT VALID FOR REQTYP
FTRLSR188	ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS
FTRLSR189	PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT
FTRLSR190	LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS
FTRLSR191	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER
FTRLSR192	INITIATOR REQUIRED
FTRLSR193	INITIATOR TELEPHONE NUMBER REQUIRED
FTRLSR194	INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR195	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER
FTRLSR196	IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR197	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER
FTRLSR198	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR199	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE
	NUMBER
FTRLSR200	INVALID SPECIAL CHARACTERS IN REMARKS
FTRLSR201	ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN
FTRLSR202	TOS IS REQUIRED
FTRLSR203	BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS
FTRLSR204	LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT
	ALLOWED
FTRLSR205	LSP AUTHORIZATION DATE MAY ONLY NUMERIC- ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED
FTRLSR206	DATE/TIME SENT IS REQUIRED
FTRLSR207	DATE/TIME SENT MUST BE 14 CHARACTERS
FTRLSR208	DATE/TIME SENT MONTH MUST BE 01-12
FTRLSR209	DATE/TIME SENT DAY MUST BE 01 – 31
FTRLSR210	DATE/TIME SENT HOUR MUST BE 01-12
FTRLSR211	DATE/TIME SENT MINUTES MUST BE 00-59
FTRLSR212	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12
TINLONZIZ	DATE/THRE SERVERIOUS DE NOMENIO HA FOSITION 1-12

Effective: 02/25/2024


Error Magazara Number	Furey Macagara Toyl
Error Message Number	Error Message Text
FTRLSR213	PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS
FTRLSR214	REQTYP IS A REQUIRED FIELD
FTRLSR215	ACT IS A REQUIRED FIELD
FTRLSR216	DIAMETIL DATA OF DIRECTION OF DISCOURS DATE OF DISCOURS DATE.
FTRLSR217	BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR218	ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y
FTRLSR219	AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT
FTRLSR220	NC REQUIRED
FTRLSR221	SLI IS REQUIRED
FTRLSR222	
FTRLSR223	CHC VALUE OF A OR B INVALID
FTRLSR224	SCA CAN ONLY BE Y
FTRLSR225	SCA REQUIRED WITH SUP 7
FTRLSR226	SCA ONLY VALID WITH SUP 7
FTRLSR227	SUP 6 PROHIBITED FOR REQTYP
FTRLSR228	REQTYP DB PROHIBITED FOR TOS
FTRLSR229	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR230	POSITION 2 TOS INVALID FOR STATE
FTRLSR231	TOS POSITION 2 INVALID FOR REQTYP
FTRLSR232	CHC REQUIRED
FTRLSR233	SUP 6, 7 PROHIBITED
FTRLSR234	MUST POPULATE VALID SPEC
FTRLSR235	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR236	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR237	AENG IS PROHIBITED WHEN SUP NOT = 6
FTRLSR238	AENG CAN ONLY BE Y
FTRLSR239	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR240	SPECIAL CHARACTERES NOT ALLOWED IN CC
FTRLSR241	NNSP IS ALPHA/NUMERIC
FTRLSR242	SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN , SPACE
FTRLSR243	LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE
FTRLSR244	DFDT MUST BE BETWEEN 0800AM AND 0500PM
FTRLSR245	PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR246	RORD CAN ONLY BE ALPHA/NUMERIC
FTRLSR247	LSP AUTH IS ALPHA NUMERIC
FTRLSR248	TOS POSITION 4 MUST EQUAL 1 OR 2
FTRLSR249	APPTIME DDDO IS PROHIBITED
FTRLSR250	AENG REQUIRED WHEN SUP = 6
FTRLSR251	LSO CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR252	CHC IS REQUIRED
FTRLSR253	CHC IS PROHIBITED
FTRLSR254	REQTYP EB PROHIBITED FOR TOS
1 TITLOTTEOT	THE STATE OF THE S

Effective: 02/25/2024

Error Message Number	Error Message Text
FTRLSR255	SLI VALID VALUE = S WHEN REQTYP = DB
FTRLSR256	SLI IS REQUIRED
FTRLSR257	SLI IS PROHIBITED
FTRLSR258	BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
FTRLSR259	EXP FIELD PROHIBITED
FTRLSR260	PROJECT REQUIRED WHEN EU.AAI = NEW ADDR
FTRLSR261	SUSPEND ACTIVITY PROHIBITED
FTRLSR262	SUSPEND ACTIVITY PROHIBITED
FTRLSR263	NC IS REQUIRED
FTRLSR264	NC IS REQUIRED
FTRLSR265	ACTIVITY PROHIBITED
FTRLSR266	NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED
FTRLSR267	FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND
FTRLSR268	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR269	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR270	WHOLESALE BROADBAND INVALID FOR REQTYP
FTRLSR271	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND
FTRLSR272	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND
FTRLSR273	THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND
FTRLSR274	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR275	TOS POS 4 = V NOT VALID FOR REQTYP
FTRLSR276	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR277	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR278	
FTRLSR279	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR280	BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB, ACT = N
FTRLSR281	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR282	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR283	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
FTRLSR284	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
FTRLSR285	PID MUST NOT EXCEED 5 ALPHA NUMERIC CHARACTERS
FTRLSR286	BAN1 CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR287	ACT VALID VALUE = L IS PROHIBITED
FTRLSR288	PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D
FTRLSR289	DFDT PROHIBITED
FTRLSR290	PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY
FTRLSR291	NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED
FTRLSR292	SECNCI IS PROHIBITED
FTRLSR293	TOS POSITION 3 INVALID FOR REQTYP
FTRLSR294	ADET VALID VALUE = A
FTRLSR295	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8


Effective: 02/25/2024

Europ Monogona Neuroban	Finan Massacra Taut
Error Message Number	Error Message Text
FTRLSR296	BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D
FTRLSR297	SUP VALID VALUE = 6 IS PROHIBITED
FTRLSR298	INVALID SPECIAL CHARACTERS
FTRLSR299	DL FORM REQUIRED
FTRLSR300	TOS INVALID FOR SERVICE TERRITORY
FTRLSR301	SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M
FTRLSR302	BI1 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR303	BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P
FTRLSR304	BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQTYP = JB
FTRLSR305	BAN2 CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR306	EXP IS PROHIBITED
FTRLSR307	BI2 WITH VALUE OF D REQUIRED
FTRLSR308	BI2 WITH DATA OF D REQUIRED NORTH WHEN REQTYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR309	BI2 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR310	BI2 WITH DATA OF D REQUIRED WHEN REQTYP = CBBI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR311	ACTIVITY PROHIBITED
FTRLSR312	BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END
	USER MLTN AND BI1 IS NOT EQUAL TO D
FTRLSR313	NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYP
FTRLSR314	TOS COMBINATION INVALID
FTRLSR315	NUMBER PORTABILITY DIRECTION PROHIBITED
FTRLSR316	PAGER PROHIBITED WHEN IMPCON NOT POPULATED
FTRLSR317	PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED
FTRLSR318	REMARKS REQUIRED WHEN SUP 3
FTRLSR319	VALUE OF CUS PROHIBITED WITH TOS SELECTED
FTRLSR320	DDDO NOT ALLOWED FOR REQTYP
FTRLSR321	ACT N PROHIBITED WITH SELECTED TOS
FTRLSR322	DFDT PROHIBITED
FTRLSR323	APPTRESID IS PROHIBITED
FTRLSR324	NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99
FTRLSR325	ONSP IS REQUIRED
FTRLSR326	DSPTCH PROHIBITED
FTRLSR327	ACTIVITY PROHIBITED
FTRLSR328	CHC VALUE REQUIRES DFDT OF 1100PM
FTRLSR329	CHC VALUE REQUIRES DFDT OF 1145PM
FTRLSR330	APPTIME DDDO NOT ALLOWED FOR REQTYP
FTRLSR331	PID FIELD PROHIBITED WHEN NPDI DOES NOT EQUAL C AND POS 1 OF TOS DOES NOT EQUAL 2
FTRLSR332	ACT MUST = C,D,V



Effective: 02/25/2024

Eman Massacus Neuroban	Francis Manager of Total
Error Message Number	Error Message Text
FTRLSR333	COMPANY CODE IS REQUIRED
FTRLSR334	EXP PROHIBITED FOR TOS VALUE
FTRLSR335	ACT MUST BE C, D OR N WHEN SLI IS C OR V
FTRLSR336	PRODUCT NOT AVAILABLE
FTRLSR337	
FTRLSR338	LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS
FTRLSR339	
FTRLSR340	ACT MUST = N,C,D,R,V
FTRLSR341	ONSP IS PROHIBITED
FTRLSR342	
FTRLSR343	
FTRLSR344	APPTRESID NOT VALID FOR REQTYP
FTRLSR345	APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS
FTRLSR346	DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI1 IS D
FTRLSR347	DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI2 IS D
FTRLSR348	ACTL REQUIRED WHEN CI IS E
FTRLSR349	DFDT IS REQUIRED WHEN CI IS E
FTRLSR350	EXP PROHIBITED WHEN CI IS E
FTRLSR351	IMPLEMENTATION CONTACT IS REQUIRED
FTRLSR352	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR353	AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z
FTRLSR354	INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP
FTRLSR355	ACTL REQUIRED
FTRLSR356	ACTL IS PROHIBITED
FTRLSR357	
FTRLSR358	LSO IS REQUIRED
FTRLSR359	LSO PROHIBITED WHEN REQTYP=JB
FTRLSR360	TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB
FTRLSR361	
FTRLSR362	TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE
FTRLSR363	
FTRLSR364	AC IS PROHIBITED
FTRLSR365	AC IS PROHIBITED WHEN LNA = T
FTRLSR366	AC VALID VALUE = A
FTRLSR367	SPEC IS PROHIBITED FOR REQTYP
FTRLSR368	NC IS PROHIBITED FOR REQTYP
FTRLSR369	NC IS REQUIRED
FTRLSR370	RPON IS PROHIBITED
FTRLSR371	LSP AUTH IS REQUIRED
FTRLSR372	NPDI IS REQUIRED
FTRLSR373	NPDI VALID VALUE = B, D
FTRLSR374	BI1 IS PROHIBITED FOR REQTYP
I INLONG/T	DITIOT NOTIFICE FOR NEW TI




Effective: 02/25/2024

Error Message Number	PROVIER USING	
FIRLSR376 FIRLSR377 FIRLSR378 BILLNM IS PROHIBITED FOR REQTYP FIRLSR379 SBILLNM IS PROHIBITED FOR REQTYP FIRLSR380 STREET IS PROHIBITED FOR REQTYP FIRLSR380 STREET IS PROHIBITED FOR REQTYP FIRLSR381 FILOR IS PROHIBITED FOR REQTYP FIRLSR382 ROOMMALL STOP IS PROHIBITED FOR REQTYP FIRLSR383 CITY IS PROHIBITED FOR REQTYP FIRLSR3834 STATE IS PROHIBITED FOR REQTYP FIRLSR384 STATE IS PROHIBITED FOR REQTYP FIRLSR385 ZIP IS PROHIBITED FOR REQTYP FIRLSR386 BILLCON IS PROHIBITED FOR REQTYP FIRLSR387 TEL NO IS PROHIBITED FOR REQTYP FIRLSR388 IMPCON IS REQUIRED FIRLSR389 IMPCON IS REQUIRED FIRLSR389 IMPCON IS REQUIRED FIRLSR389 CHO IS PROHIBITED FOR REQTYP FIRLSR389 FIRLSR380 FIRLSR380 ACT INVALID FOR REQTYP FIRLSR389 FIRLSR380 FIRLSR3810 FIRLSR3810 FIRLSR3810 FIRLSR3810 FIRLSR3811 FIRLSR3810 FIRLSR3811 FIRLSR380 FIRLSR3811 FIRLSR380	Error Message Number	Error Message Text
FIRLSR377	FTRLSR375	BI2 IS PROHIBITED FOR REQTYP
FIRLSR378 BILLMI IS PROHIBITED FOR REGTYP FIRLSR379 SBILLMI IS PROHIBITED FOR REGTYP FIRLSR380 STREET IS PROHIBITED FOR REGTYP FIRLSR381 FLOOR IS PROHIBITED FOR REGTYP FIRLSR382 ROMMAIL STOP IS PROHIBITED FOR REGTYP FIRLSR383 CITY IS PROHIBITED FOR REGTYP FIRLSR384 STATE IS PROHIBITED FOR REGTYP FIRLSR385 ZIP IS PROHIBITED FOR REGTYP FIRLSR386 BILLCON IS PROHIBITED FOR REGTYP FIRLSR387 TEL NO IS PROHIBITED FOR REGTYP FIRLSR388 IMPCON IS REQUIRED FIRLSR389 IMPCON IS REQUIRED FIRLSR389 IMPCON IS REQUIRED FIRLSR389 IMPCON IS REQUIRED FIRLSR399 CHG IS REQUIRED FOR REGTYP FIRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD FIRLSR392 CHG IS REQUIRED FOR REGTYP FIRLSR393 CHG IS REQUIRED FOR REGTYP FIRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REGTYP FIRLSR395 TOS POS 2 MUST EQUAL A OF BAND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FIRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REGTYP FIRLSR397 FIRLSR399 FIRLSR399 ACT INVALID FOR REGTYP FIRLSR399 FIRLSR399 FROBUCT ARRANGEMENT IS REQUIRED FOR TOS FIRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FIRLSR401 ONSP IS PROHIBITED FOR NPI FIRLSR402 ONSP IS PROHIBITED FOR NPI FIRLSR403 ONSP IS REQUIRED FOR REGTYP/ACT FIRLSR404 ONSP IS REQUIRED FOR REGTYP/ACT FIRLSR405 ACT. IS REQUIRED FOR REGTYP/ACT FIRLSR406 ACT. IS REQUIRED FOR REGTYP/ACT FIRLSR407 LST IS REQUIRED FOR REGTYP/ACT FIRLSR408 FOR VALID VALUE FOR POSITION 3 = HYPHEN FIRLSR409 FOR SECURED FOR REGTYP/ACT FIRLSR401 ONSP IS REQUIRED FOR REGTYP/ACT FIRLSR403 NC IS REQUIRED FOR REGTYP/ACT FIRLSR404 ONSP IS REQUIRED FOR REGTYP/ACT FIRLSR405 ACT. IS REQUIRED FOR REGTYP/ACT FIRLSR406 ACT. IS REQUIRED FOR REGTYP/ACT FIRLSR407 NC IS REQUIRED FOR REGTYP/ACT FIRLSR407 NC IS R	FTRLSR376	ACNA IS REQUIRED
FIRELSR390 STREET IS PROHIBITED FOR REGTYP FTRLSR381 FROMBISTED FOR REGTYP FTRLSR382 ROOMMAIL STOP IS PROHIBITED FOR REGTYP FTRLSR383 CITY IS PROHIBITED FOR REGTYP FTRLSR383 CITY IS PROHIBITED FOR REGTYP FTRLSR384 STATE IS PROHIBITED FOR REGTYP FTRLSR385 ZIP IS PROHIBITED FOR REGTYP FTRLSR386 SILLCON IS PROHIBITED FOR REGTYP FTRLSR387 TEL NO IS PROHIBITED FOR REGTYP FTRLSR388 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR399 ALT IMPCON IS PROHIBITED FOR REGTYP FTRLSR399 ALT IMPCON IS PROHIBITED FOR REGTYP FTRLSR399 CHC IS REQUIRED FOR REGTYP/ACT FTRLSR391 CDD MUST BE LESS THAN OR EQUAL TO DDD FTRLSR392 CHC IS REQUIRED FOR REGTYP/ACT FTRLSR393 CHC IS PROHIBITED FOR REGTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REGTYP FTRLSR395 CORD ACTIVITY IS PROHIBITED FOR TOS AND REGTYP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 FTRLSR399 FTRLSR399 ACT INVALID FOR REGTYP FTRLSR399 FTRLSR399 ACT INVALID FOR REGTYP FTRLSR399 FTRLSR399 ACT INVALID FOR REGTYP FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS REQUIRED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR NPI FTRLSR405 ACT. IS REQUIRED FOR NPI FTRLSR406 ACT. IS REQUIRED FOR REGTYP/ACT FTRLSR407 IS REQUIRED FOR REGTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR401 ONSP IS REQUIRED FOR REGTYP/ACT FTRLSR403 NOSP IS REQUIRED FOR REGTYP/ACT FTRLSR404 SPECIAL SEQUIRED FOR REGTYP/ACT FTRLSR405 FOR SEQUIRED FOR REGTYP/ACT FTRLSR406 ACT. IS REQUIRED FOR REGTYP/ACT FTRLSR407 IS REQUIRED FOR REGTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR401 ONSP IS REQUIRED FOR REGTYP/ACT FTRLSR404 NC IS REQUIRED FOR REGTYP/ACT FTRLSR405 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR406 ACT. IS REQUIRED FOR REGTYP/ACT FTRLSR407 NC IS REQUIRED FOR REGTYP/ACT FTRLSR407 NC IS REQUIRED FOR RE	FTRLSR377	
FTRLSR380 STREET IS PROHIBITED FOR REGTYP FTRLSR381 FLOOR IS PROHIBITED FOR REGTYP FTRLSR382 ROOMMAIL STOP IS PROHIBITED FOR REGTYP FTRLSR383 CITY IS PROHIBITED FOR REGTYP FTRLSR384 STATE IS PROHIBITED FOR REGTYP FTRLSR385 ZIP IS PROHIBITED FOR REGTYP FTRLSR386 BILLCON IS PROHIBITED FOR REGTYP FTRLSR387 TEL NO IS PROHIBITED FOR REGTYP FTRLSR388 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR390 ALT IMPCON IS PROHIBITED FOR REGTYP FTRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD FTRLSR392 CHO IS REQUIRED FOR REGTYP/ACT FTRLSR393 CHO IS PROHIBITED FOR REGTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR REGTYP FTRLSR395 TOS POS S MUST EQUAL A OF B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REGTYP FTRLSR397 FTRLSR399 FTRLSR399 FTRLSR399 FTRLSR399 FTRLSR400 ACTIVITY ACT FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS REQUIRED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR NPI FTRLSR405 ACT IS IS REQUIRED FOR NPI FTRLSR406 ACT IS IS REQUIRED FOR NPI FTRLSR407 IS REQUIRED FOR NPI FTRLSR408 TOS PALLUE S. T. IS PROHIBITED FOR TOS FTRLSR409 TOS PROHIBITED FOR NPI FTRLSR409 TOS PROHIBITED FOR NPI FTRLSR400 ACT IS IS REQUIRED FOR NPI FTRLSR400 TOS PROHIBITED FOR NPI FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR REGTYP/ACT FTRLSR406 ACT. IS REQUIRED FOR REGTYP/ACT FTRLSR407 IS REQUIRED FOR REGTYP/ACT FTRLSR408 TOS VALLD VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALLD VALUE FOR POSITION 3 = F, M FTRLSR401 SPEC VALLD VALUE FOR POSITION 3 = F, M FTRLSR403 NC IS REQUIRED FOR REGTYP/ACT FTRLSR401 SPEC VALLD VALUE FOR POSITION 3 = F, M FTRLSR403 NC IS REQUIRED FOR REGTYP/ACT FTRLSR404 NC IS REQUIRED FOR REGTYP/ACT FTRLSR405 TOS VALLD VALUE FOR POSITION 3 = F, M FTRLSR407 NC IS REQUIRED FOR REGTYP/ACT	FTRLSR378	BILLNM IS PROHIBITED FOR REQTYP
FTRLSR381 FLOOR IS PROHIBITED FOR REGTYP FTRLSR382 ROOMMAIL STOP IS PROHIBITED FOR REGTYP FTRLSR383 CITY IS PROHIBITED FOR REGTYP FTRLSR384 STATE IS PROHIBITED FOR REGTYP FTRLSR385 ZIP IS PROHIBITED FOR REGTYP FTRLSR386 BILLCON IS PROHIBITED FOR REGTYP FTRLSR387 TEL NO IS PROHIBITED FOR REGTYP FTRLSR388 INLCON IS PROHIBITED FOR REGTYP FTRLSR388 IMPOON IS REQUIRED FTRLSR389 IMPOON IS REQUIRED FTRLSR399 IMPOON IS REQUIRED FTRLSR390 ALT IMPOON IS PROHIBITED FOR REGTYP FTRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD FTRLSR392 CHC IS REQUIRED FOR REGTYP/ACT FTRLSR393 CHC IS PROHIBITED FOR REGTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REGTYP FTRLSR395 TOS POS 2 MUST EQUAL A OR BAND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REGTYP FTRLSR397 FTRLSR398 ACT INVALID FOR REGTYP FTRLSR399 ACT INVALID FOR REGTYP FTRLSR399 TRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR NPI FTRLSR405 ACT IS REQUIRED FOR NPI FTRLSR406 ACT IS REQUIRED FOR REQTYP/ACT FTRLSR407 USE REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR401 SPEC IS REQUIRED FOR REGTYP/ACT FTRLSR403 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR404 SPEC IS REQUIRED FOR REGTYP/ACT FTRLSR405 SPEC IS REQUIRED FOR REGTYP/ACT FTRLSR406 ACT IS REQUIRED FOR REGTYP/ACT FTRLSR407 US VALID VALUE FOR POSITION 3 = F, M FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR401 NC IS REQUIRED FOR REGTYP/ACT FTRLSR403 NC IS REQUIRED FOR REGTYP/ACT FTRLSR404 SPEC IS REQUIRED FOR REGTYP/ACT FTRLSR405 NC IS REQUIRED FOR REGTYP/ACT FTRLSR406 ACT IS REQUIRED FOR REGTYP/ACT FTRLSR407 NC IS REQUIRED FOR REGTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR	FTRLSR379	SBILLNM IS PROHIBITED FOR REQTYP
FTRLSR382 ROOMMAIL STOP IS PROHIBITED FOR REQTYP FTRLSR383 CITY IS PROHIBITED FOR REQTYP FTRLSR384 STATE IS PROHIBITED FOR REQTYP FTRLSR385 ZIP IS PROHIBITED FOR REQTYP FTRLSR386 BILLCON IS PROHIBITED FOR REQTYP FTRLSR387 TEL NO IS PROHIBITED FOR REQTYP FTRLSR388 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR389 IMPCON IS REQUIRED FTRLSR390 ALT IMPCON IS PROHIBITED FOR REQTYP FTRLSR391 DDDD MUST BE LESS THAN OR EQUAL TO DDD FTRLSR392 CHG IS REQUIRED FOR REQTYP/ACT FTRLSR393 CHG IS REQUIRED FOR REQTYP/ACT FTRLSR393 CHG IS REQUIRED FOR REQTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP FTRLSR395 TOS POS 2 MUST EQUAL AG IS AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR398 ACT INVALID FOR REQTYP FTRLSR399 ACT INVALID FOR REQTYP FTRLSR399 ACT INVALID FOR REQTYP FTRLSR390 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR400 ONSP IS REQUIRED FOR NPI FTRLSR400 ONSP IS REQUIRED FOR NPI FTRLSR400 ACT I VALID VALUE FOR NPI FTRLSR400 ACT I VALID VALUE FOR REQTYP/ACT FTRLSR400 ACT I S REQUIRED FOR REQTYP/ACT FTRLSR401 SPEC VALID VALUE = SOL I, IOC J, IOC J, IOC K, IOC M, IOC R, IOC S FTRLSR411 SPEC VALID VALUE = SOL I, IOC J, IOC J, IOC K, IOC M, IOC R, IOC S FTRLSR411 NC IS REQUIRED FOR LTOS	FTRLSR380	STREET IS PROHIBITED FOR REQTYP
FTRLSR384	FTRLSR381	FLOOR IS PROHIBITED FOR REQTYP
STATE IS PROHIBITED FOR REGTYP	FTRLSR382	ROOM/MAIL STOP IS PROHIBITED FOR REQTYP
FTRLSR386	FTRLSR383	CITY IS PROHIBITED FOR REQTYP
FTRLSR386	FTRLSR384	STATE IS PROHIBITED FOR REQTYP
TEL.NG.18 PROHIBITED FOR REQTYP	FTRLSR385	ZIP IS PROHIBITED FOR REQTYP
FTRLSR388	FTRLSR386	BILLCON IS PROHIBITED FOR REQTYP
FTRLSR389	FTRLSR387	TEL NO IS PROHIBITED FOR REQTYP
FTRLSR390	FTRLSR388	IMPCON IS REQUIRED
FTRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD FTRLSR392 CHC IS REQUIRED FOR REQTYP/ACT FTRLSR393 CHC IS PROHIBITED FOR REQTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR398 ACT INVALID FOR REQTYP FTRLSR399 PROBUSE AND ACTIVITY OF THE PROPERTY	FTRLSR389	IMPCON IS REQUIRED
FTRLSR392 CHC IS REQUIRED FOR REQTYP/ACT FTRLSR393 CHC IS PROHIBITED FOR REQTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 FTRLSR398 FTRLSR398 ACT INVALID FOR REQTYP FTRLSR399 FTRLSR400 FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS REQUIRED FOR NPI FTRLSR403 ONSP IS PROHIBITED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR REQTYP/ACT FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR411 SPEC IS REQUIRED FOR LTOS FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR414 NC	FTRLSR390	ALT IMPCON IS PROHIBITED FOR REQTYP
FTRLSR393 CHC IS PROHIBITED FOR REQTYP/ACT FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 FTRLSR398 ACT INVALID FOR REQTYP FTRLSR399 FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR413 NC IS REQUIRED FOR LOS FTRLSR414 NC IS REQUIRED FOR LOS FTRLSR415 NC IS REQUIRED	FTRLSR391	DDDO MUST BE LESS THAN OR EQUAL TO DDD
FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP FTRLSR395 TOS POS 2 MUST EQUAL A OR B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 FTRLSR398 ACT INVALID FOR REQTYP FTRLSR409 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI ONSP IS PROHIBITED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR392	CHC IS REQUIRED FOR REQTYP/ACT
FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 FTRLSR398 ACT INVALID FOR REQTYP FTRLSR399 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR393	CHC IS PROHIBITED FOR REQTYP/ACT
FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP FTRLSR397 ACT INVALID FOR REQTYP FTRLSR398 ACT INVALID FOR REQTYP FTRLSR399 FTRLSR400 FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS PROHIBITED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR394	SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP
FTRLSR397 ACT INVALID FOR REQTYP FTRLSR398 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR395	TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP
FTRLSR398 FTRLSR399 FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS REQUIRED FOR NPI FTRLSR405 FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LIST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED FOR LTOS	FTRLSR396	PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP
FTRLSR399 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR397	
FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR398	ACT INVALID FOR REQTYP
FTRLSR401 ONSP IS REQUIRED FOR NPI FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR399	
FTRLSR402 ONSP IS PROHIBITED FOR NPI FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR400	ACT VALID VALUE = S, T IS PROHIBITED FOR TOS
FTRLSR403 ONSP IS REQUIRED FOR NPI FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR401	ONSP IS REQUIRED FOR NPI
FTRLSR404 ONSP IS PROHIBITED FOR NPI FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR402	ONSP IS PROHIBITED FOR NPI
FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR403	ONSP IS REQUIRED FOR NPI
FTRLSR406 ACTL IS REQUIRED FOR REQTYP/ACT FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR404	ONSP IS PROHIBITED FOR NPI
FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR405	ACTL IS REQUIRED FOR REQTYP/ACT
FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR406	ACTL IS REQUIRED FOR REQTYP/ACT
FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR407	LST IS REQUIRED FOR REQTYP/ACT
FTRLSR410 FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR408	TOS VALID VALUE FOR POSITION 3 = F, M
FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR409	TOS VALID VALUE FOR POSITION 3 = HYPHEN
FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR410	
FTRLSR413 NC IS REQUIRED FOR LTOS FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED		SPEC IS REQUIRED FOR REQTYP/ACT
FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED	FTRLSR412	SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S
FTRLSR414 NC IS REQUIRED FTRLSR415 NC IS REQUIRED		NC IS REQUIRED FOR LTOS
FTRLSR415 NC IS REQUIRED		
	FTRLSR415	NC IS REQUIRED
FTRLSR416 NPDI IS REQUIRED FOR NPI	FTRLSR416	NPDI IS REQUIRED FOR NPI




Effective: 02/25/2024

Eman Marana and Namelana	Power Manager Trad
Error Message Number	Error Message Text
FTRLSR417	NPDI VALID VALUE = B, D
FTRLSR418	NPDI IS REQUIRED FOR NPI
FTRLSR419	NPDI VALID VALUE = B, D
FTRLSR420	NPDI IS REQUIRED FOR NPI
FTRLSR421	NPDI VALID VALUE = B, D
FTRLSR422	NPDI IS REQUIRED FOR NPI
FTRLSR423	NPDI VALID VALUE = B, D
FTRLSR424	NPDI IS PROHIBITED FOR NPI
FTRLSR425	NPDI IS PROHIBITED FOR NPI
FTRLSR426	NPDI IS PROHIBITED FOR NPI
FTRLSR427	NPDI IS PROHIBITED FOR NPI
FTRLSR428	NPDI IS PROHIBITED FOR NPI
FTRLSR429	IMPCON IS REQUIRED FOR LNA
FTRLSR430	IMPCON IS REQUIRED FOR LNA
FTRLSR431	IMPCON IS REQUIRED FOR LNA
FTRLSR432	IMPCON IS REQUIRED FOR TNA
FTRLSR433	IMPCON IS REQUIRED FOR LNA
FTRLSR434	IMPCON IS REQUIRED FOR LNA
FTRLSR435	DATE/TIME SENT SECONDS MUST BE 00-59
FTRLSR436	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00
FTRLSR437	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00
FTRLSR438	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR439	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR440	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR441	
FTRLSR442	
FTRLSR443	
FTRLSR444	
FTRLSR445	DATE/TIME SENT MUST BE 16 CHARACTERS
FTRLSR446	DATE/TIME SENT MONTH MUST BE 01-12
FTRLSR447	DATE/TIME SENT DAY MUST BE 01 – 31
FTRLSR448	DATE/TIME SENT HOUR MUST BE 01-24
FTRLSR449	DATE/TIME SENT MINUTES MUST BE 00-59
FTRLSR450	BI1 AND BI2 MAY NOT APPEAR ON THE SAME ORDER
FTRLSR451	BI2 AND BI1 MAY NOT APPEAR ON THE SAME ORDER
FTRLSR452	RESEND NOT SUPPORTED
FTRLSR453	SUP IS REQUIRED
FTRLSR454	VER MUST BE INCREMENTED ON SUP ORDERS
FTRLSR455	
FTRLSR456	BAN1 IS REQUIRED WHEN BI1 IS PRESENT
FTRLSR457	BAN2 IS REQUIRED WHEN BI2 IS PRESENT
FTRLSR458	BI1 IS REQUIRED



Effective: 02/25/2024

Eman Managana Number	Francis Manager of Total		
Error Message Number	Error Message Text		
FTRLSR459	BI2 IS REQUIRED		
FTRLSR460	SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.		
FTRLSR461	REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS		
FTRLSR462	ACT CANNOT CHANGE ON SUPPLEMENT ORDERS		
FTRLSR463	SUP IS PROHIBITED ON CANCEL ORDERS		
FTRLSR464	NRI PROHIBITED		
FTRLSR465	ACTL REQUIRED		
FTRLSR466			
FTRLSR467	ATN MUST BE 10 DIGIT NUMERIC		
FTRLSR468	ACT W PROHIBITED FOR REQTYP DB		
FTRLSR469	TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP		
FTRLSR470	IMPLEMENTATION CONTACT IS REQUIRED		
FTRLSR471	EMAIL REQUIRED		
FTRLSR472			
FTRLSR473	DSPTCH VALID VALUE = Y		
FTRLSR474			
FTRLSR475	PROJECT REQUIRED		
FTRLSR476			
FTRLSR477			
FTRLSR478	ACT W PROHIBITED		
FTRLSR479			
FTRLSR480	ACT J PROHIBITED FOR REQTYP		
FTRLSR481	INVALID ACT FOR REQTYP		
FTRLSR482			
FTRLSR483	AN PROHIBITED		
FTRLSR484	AN VALID VALUE = 10 DIGIT NUMERIC		
FTRLSR485	ADET PROHIBITED FOR REQTYP		
FTRLSR486	SUP 3 REQUIRES REMARKS		
FTRLSR487	SUP = 4 PROHIBITED		
FTRLSR488	SUP = 5 PROHIBITED		
FTRLSR489			
FTRLSR490			
FTRLSR491	SUP INVALID FOR REQTYP		
FTRLSR492	SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB		
FTRLSR493	SCA PROHIBITED		
FTRLSR494	SACTL REQUIRED		
FTRLSR495	POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL		
FTRLSR496	LST REQUIRED		
FTRLSR497	LST PROHIBITED		
FTRLSR498	LSO REQUIRED		
FTRLSR499			
FTRLSR500			
1 1112011000			



Effective: 02/25/2024


	, ,
Error Message Number	Error Message Text
FTRLSR501	LSO REQUIRED
FTRLSR502	LSO MUST BE NUMERIC
FTRLSR503	LSO REQUIRED
FTRLSR504	
FTRLSR505	
FTRLSR506	
FTRLSR507	LSO PROHIBITED
FTRLSR508	TOS POSITION 2 INVALID
FTRLSR509	TOS POSITION 3 INVALID
FTRLSR510	TOS POSITION 4 INVALID
FTRLSR511	TOS POSITION 4 INVALID
FTRLSR512	TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB
FTRLSR513	TOS POSITION 3 MUST = M WHEN REQTYP=FB
FTRLSR514	DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R
FTRLSR515	TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED
FTRLSR516	TOS INVALID
FTRLSR517	TOS POSITION 3 CANNOT = M WHEN REQTYP=AB AND TOS POSITION 2 = R
FTRLSR518	TOS POSITION 2 MUST = J,Q WHEN REQTYP=NB
FTRLSR519	TOS POSITION 1 VALUE MUST = 1 WHEN AC=C
FTRLSR520	TOS POSITION 1 VALUE MUST = 2 WHEN AC=B
FTRLSR521	
FTRLSR522	
FTRLSR523	DL FORM REQUIRED
FTRLSR524	ACT PROHIBITED WITH REQTYP
FTRLSR525	LSP AUTH NAME REQUIRED
FTRLSR526	LSP AUTH NAME PROHIBITED
FTRLSR527	CUST REQUIRED
FTRLSR528	CUST PROHIBITED
FTRLSR529	EMAIL CANNOT EXCEED 60 CHARACTERS
FTRLSR530	FAX NO MUST BE 10 DIGIT NUMERIC
FTRLSR531	
FTRLSR532	AN REQUIRED
FTRLSR533	ACT PROHIBITED WITH REQTYP
FTRLSR534	NC IS REQUIRED
FTRLSR535	

Effective: 02/25/2024

Revised Date: 11/20/2023

APPENDIX B - CHANGE CONTROL LOG

DATE	FIELD	REVISION NUMBER	CHANGE
07/16/2021	All	October 2021 Release	Update version to 9.30.24
07/30/2021	ACT – 031	October 2021 Release	Change Rule: From: 7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E or position 3 of TOS = B, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED To: 7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED
07/30/2021	EXP – 035	October 2021 Release	Change Rule: From: 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = C, D, E, F, G, then return error: FTRLSR306 EXP IS PROHIBITED To: 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = A, B, C, D, E, F, G, M then return error: FTRLSR306 EXP IS PROHIBITED
10/01/2021	ACT – 031	October 2021 Release POST 45-Day Final Revision	Change Rule: From: 7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED To: 7. If populated and vv = B, S and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED
10/01/2021	TOS - 059	October 2021 Release POST 45-Day Final Revision	Change Rule: From: 34.If populated and (position 3 = B or position 4 = L) and REQTYP does not = DB or (REQTYP does not = EB and ACT=C and LNA=C), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP To: 34.If populated and (position 3 = B or position 4 = L) and (REQTYP does not = DB) and (REQTYP does not = EB and ACT=C, B, S and LNA=C, B, S)), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP
07/15/2022	All	Oct 2022 Release	Update version to 9.30.25
07/25/2022	APPTRESID - 035a	October 2022 Release	Add Field Note: Once a firm LSR is submitted, the Appointment Time may not be updated with new APPTRESID number on supplemental activity.
07/25/2022	ACT – 031	October 2022 Release	Add New Rules: 22. If REQTYP=QB and the 2nd Character of the TOS =H and the ACT is not equal to D or (ACT C with LNA=D), return error: FTRLSR265 ACTIVITY PROHIBITED 23. If REQTYP=LB and the ACT is not equal to D or (ACT C with LNA=D), then error FTRLSR311 ACTIVITY PROHIBITED 24. If Populated and the vv = S and the POS 1 of TOS =1 and the Reqtyp = EB, return error FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP



Effective: 02/25/2024

DATE	FIELD	REVISION NUMBER	CHANGE
07/25/2022	NC – 062	October 2022 Release	Change Rule: From: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and position 3 of TOS does not = B and position 4 of TOS does not = S, return error FTRLSR534 NC IS REQUIRED To: 12. If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S), or 4 of TOS does not =V, return error FTRLSR534 NC IS REQUIRED
07/25/2022	REQTYP – 028	October 2022 Release	Update Header: Change REQTYP DB Description to: Wholesale Platform/Wholesale VOIP
07/25/2022	SLI – 030	October 2022 Release	Change Rule: From: 8.If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX is Frontier 13 and (position 3 LSR.TOS does not = B, P and position 4 LSR.TOS does not = S, L), return error FTRLSR221 SLI IS REQUIRED To: 8.If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX is Frontier 13 and position 3 LSR.TOS does not = B, P or position 4 LSR.TOS does not = S, L, V, return error FTRLSR221 SLI IS REQUIRED
07/25/2022	TOS - 059	October 2022 Release	Update Header – Add Value 'V' in position 4 - V = VoIP Change Rule From: 7. If populated and position 4 of vv does not = F, G, N, P, R, W, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, W, - (hyphen), 1, 2, S, L To: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L Add New Rules: 44. If populated and position 4 of vv = V and REQTYP does not = DB, return error: FTRLSR275 TOS POS 4 = V NOT VALID FOR REQTYP 45. If Populated and the position 4 of vv = V and the position 2 of vv is not = to A or B, and position 3 of vv is not equal to F, return error FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP
03/17/2023	All	June 2023 Release	Update version to 9.30.26
04/05/2023	REQTYP – 028	June 2023 Release	Add New Rule: 7. If REQTYP is DB and the ACT is not D or C w/LNA =D and the 2nd character of the TOS =E, C, T, then error FTRLSR327 ACTIVITY PROHIBITED



Effective: 02/25/2024

DATE	FIELD	REVISION NUMBER	CHANGE
04/05/2023	ACT - 031	June 2023 Release	Document Changes Only:
			Change Rule From: 22.If REQTYP=QB and the 2nd Character of the TOS =H and the ACT is not equal to D or (ACT C with LNA=D), return error: FTRLSR265 ACTIVITY PROHIBITED To: 22. If REQTYP=QB and the 2nd Character of the TOS =H and ((the ACT is not equal to D) or (ACT = C and LNA=D)), return error: FTRLSR265 ACTIVITY PROHIBITED
			Change Rule From: 23. If REQTYP=LB and the ACT is not equal to D or (ACT C with LNA=D), then error FTRLSR311 ACTIVITY PROHIBITED
			To: 23. If REQTYP=LB and ((the ACT is not equal to D) or (ACT = C and LNA=D)), then error FTRLSR311 ACTIVITY PROHIBITED
04/05/2023	NC - 062	June 2023 Release	Document Changes Only:
			Change Rule From: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S), or 4 of TOS does not =V, return error FTRLSR534 NC IS REQUIRED To: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S, V), return error FTRLSR534 NC IS REQUIRED
11/20/2023	NC-062	February 2024 Release	Add new rule: 21. If populated and vv = LX-N, HF-6, HF-D and the NCI vv = 04QB6.33 and the ACT is not D, return error FTRLSR336 PRODUCT NOT AVAILABLE
11/20/2023	ACT-031	February 2024 Release	Delete Rule: 21.If populated and vv = V and REQTYP = DB and position 3 of TOS = B and position 4 of TOS = S, return error FTRLSR278 ACTIVITY PROHIBITED
			Re-numbered remaining usage edits