

RESALE CENTREX USOC GUIDE West Virginia Acquired - CustoPak

Country Name March	Description	USOC		Sw	itch		Comments
Custominate Service		R3G	Х	Х	Х	Х	
Automatics Callang	CustoPak LineRestricted	R3K	Х	Х	Х	Х	
Automatics Callands Calling Acid N	Anonymous Call Rejection	/AYW	Х	Х	Х	Х	
California Mode M	· · ·	/ACBK	Х		Х	Х	Floats after the SBQ USOC
Coll Frowarding Bort Answer-All Calls	-	NX5	Х	Х	Х	Х	
Call Power Anguer Ang	Call Forwarding BusyAll Calls	/CFBU	Х				Floats after the SBQ USOC. The data following CFBU is the forwarded to telephone number.
Call Park Call Pork Call		/CFDU	Х	Х	Х		
Cali Parke	Call Forwarding Variable	/CFV	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Call Forwarding Variable feature.
Call Parks	Call Hold	/CHD	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Call Hold feature.
Coll Transfer - Al Calls	Call Park	/CP9	Х	Х	Х	Х	
Call Transfer - Al Calls	Call Pickup	/CPG		Х	Х	Х	Floats after the SBQ USOC. The number appears after CPG for EWSD. In a DMS, the CPG is 7 digit main number.
Call Waiting-Originating		NST	Х	Х	Х	Х	
Coll Waing-Originating	Call TransferAll Calls	/CXR CTALL		Х	Х		Floats after the SBQ USOC. Identifies the Call Transfer feature option.
Call Waiting—Terminating / CWT G CWT X X X X X X X Relats after the SQU DSC. Identifies the Call Waiting—Terminating / CWT G CWT X X X X X X X X Relats after the SQU DSC. Identifies the Call Waiting—Terminating (CWT G CWT X X X X X X X X X X X X X X X X X X X	Call WaitingOriginating	/CWTG CWO	Х		Х	Х	
Call Waiting—Terminating /CWT G CWT X X X X X X X K A K SAC A STEP the SQL USOC. Identifies the Call Waiting—Terminating /CWT G CWT X X X X X X X X K A K Identifies the Call Waiting—Terminating CWT G CWT A X X X X X X K X X K Identifies the Call ID without CustoPAK CLASS feature package. Caller ID with CustoPAK CLASS feature Package N ND X X X X X X K Identifies the Call ID without CustoPAK CLASS feature package. Centrex Group Number C /CWX X X X X X X K Identifies the Call ID without CustoPAK CLASS feature package. Centrex Group Number C /CWX X X X X X X Identifies the Call ID without CustoPAK CLASS feature package. Centrex Group Number C /CWX X X X X X X X X Identifies the Call ID without CustoPAK CLASS feature package. Centrex Group Number C /CWX X X X X X X X X X X X Identifies the Call ID without CustoPAK CLASS feature package. CustoPAK CLASS Feature Package Number C /CWX X X X X X X Identifies the Call ID without CustoPAK CLASS Feature Package. CustoPAK CLASS Feature Package Number C /CWX X X X X X X X Identifies the Call ID without CustoPAK CLASS Feature Package. CustoPAK Digital Non-Button Set Feature Package Number C /CWX X X X X X Identifies the CustoPAK CLASS Feature Package. CustoPAK Digital Non-Button Set Feature Package Number C /CWX X X X X X X Identifies the CustoPAK Class Feature Package. CustoPAK Digital Non-Button Set Feature Package Number C /CWX X X X X X Identifies the CustoPAK Digital Non-Button Set Feature Package. CustoPAK Digital Non-Button Set Feature Package Number C /CWX X X X X X X Identifies the CustoPAK Digital Non-Button Set Feature Package. CustoPAK Digital Non-Button Set F	Call WaitingOriginating	/CWTG *CWO	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Call Waiting feature option.
Caller ID with CustoPak CLASF Feature Package AND X X X X X A A A A A A A A		/CWTG CWT	Х		Х	Х	
Caller ID without CustoPak CLASS Feature Package Centres Group Number Common Language Identification Telephone Number / CLT X X X X X X X Floats after the RSB (FMS USOC. Represents the Centree group number obtained from NAC. Common Language Identification Telephone Number / CLT X X X X X X X Floats after the RSB (FMS USOC. Provides special services circuit Identifier in a telephone number format. Customer Access Treatment / CAT X X X X X X Floats after the RSB (FMS USOC. Provides special services circuit Identifier in a telephone number format. Customer Access Treatment / CAT X X X X X X Floats after the RSB (JNSC USOC. Identifies the lines capability to reach particular Centrex special features. CustoPak Digital Non-Button Set Feature Package NSP X X X X X X Indicates the CustoPAK CLASS Feature Package NSP X X X X X X Indicates the CustoPAK CLASS Feature Package NECOSTOP IN Package NSP X X X X X X X Indicates the CustoPAK CLASS Feature Package. NECOSTOP IN Package NECOSTOP IN Package NSP X X X X X X X Indicates the CustoPAK CLASS Feature Package. NECOSTOP IN Package NECOSTOP IN Package NSP X X X X X X X Indicates the CustoPAK CLASS Feature Package. NECOSTOP IN Package NECOSTOP IN Package NSP X X X X X X X X Indicates the Directed Call Pack Hope In Package. NECOSTOP IN Package NSP X X X X X X X Indicates the Directed Call Pack Up Without Barge In Feature. NECOSTOP IN Package In Package NSP X X X X X X X X X Indicates the Directed Call Pack Up Without Barge In Feature. NECOSTOP IN Package In Package NSP X X X X X X X X X X X X X Indicates the Sea UsoC. Identifies the Directed Call Pack Up Without Barge In Feature. NECOSTOP IN Package In Package NSP X X X X X X X X X X X X X X X X X X X	Call WaitingTerminating	/CWTG *CWT	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Call Waiting feature option.
Centree Group Number Common Language Identification Telephone Number Customer Access Treatment Customer Access Treatment Access Treat	Caller ID with CustoPak CLASS Feature Package	NLD	Х	Х	Х	Х	Identifies the Call ID with CustoPAK CLASS feature package.
Constromer Access Treatment CostoPals-Standard Features SQQ X X X X X Indicates CustoPalx Class feature package CustoPals-Standard Features SQQ X X X X X Indicates CustoPalx Class feature package CustoPalx-Standard Features SQQ X X X X X Indicates CustoPalx CLASS Feature Package CustoPalx-Standard Features SQQ X X X X X Indicates CustoPalx CLASS Feature Package NSPMS X X X X Indicates CustoPalx CLASS Feature Package NSPMS X X X X X Indicates CustoPalx CLASS Feature Package Directed Call Park CLAP Seature Package Directed Call Park Directed Call P	Caller ID without CustoPak CLASS Feature Package	NXD	Х	Х	Х	Х	Identifies the Call ID without CustoPAK CLASS feature package.
CustorPak-Standard Features SBQ X X X X X Indicates the CustorPak ClaSS Feature Package Feature Package Class Feature Package Class Feature Pa	Centrex Group Number	/CXN	Х	Х	Х	Х	Floats after the R3G/R3K USOC. Represents the Centrex group number obtained from NAC.
CustoPak-Standard Features SBQ X X X X X X X X Indicates CustoPak Features. CustoPak CLASS Feature Package NSPXS X X X X X X X Indicates the CustoPak CLASS Feature Package. Uncerted Call Park CLASS Feature Package. Directed Call Pick-up without Barge In (PCPO	Common Language Identification Telephone Number	/CLT	Х	Х	Х	Х	Floats after the SBQ USOC. Provides special services circuit identifier in a telephone number format.
CustoPak Digital Non-Button Set Feature Package Directed Calil Park CP8 X X X X Identifies the CustoPak Digital Non-Button Set Feature Package. Directed Calil Park CP8 X X X X Identifies the Directed Calil Park feature. Directed Calil Pick-up with barge in 1/DCPO X X Identifies the Directed Calil Pick-up Without Barge in feature. Directed Calil Pick-up with barge in 1/DCPO X X X Floats after the SBQ USDC. Identifies the Directed Calil Pick-Up Without Barge in feature. Distinctive Ringing with Calil Waiting Tone 1/DCPW X X X X Identifies the Directed Calil Pick-Up With Barge-in feature. Distinctive Ringing with Calil Waiting Tone 1/DCPW X X X X Identifies the Directed Calil Pick-Up With Barge-in feature. Distinctive Ringing with Calil Waiting Tone feature. Recedure Basic for Business Local with Toll Recedure Receding Recedure Receding Recedure Receding Recedure Receding Recedure Receding Recedure Receding Receding Recedure Receding	Customer Access Treatment	/CAT	Х	Х	Х	Х	Floats after the R3G/R3K USOC. Identifies the lines capability to reach particular Centrex special features.
CustoPak Digital Non-Button Set Feature Package Directed Call Park	CustoPakStandard Features	SBQ	Х	Х	Х	Х	Indicates CustoPAK features.
CustoPark Digital Non-Button Set Feature Package S2SO4 X X X X Identifies the CustoPark Digital Non-Button Set Feature Package. Directed Call Park Directed Call Pick-up without Barge In /DCPO X X X X X Identifies the Directed Call Pick-Up Without Barge In feature. Directed Call Pick-up with Barge-In /DCPW X X X X X X ISOURCE STANDARD CONTROL TO STANDARD CONTRO	CustoPak CLASS Feature Package	NSPX5	Х	Х	Х	Х	Indicates the CustoPAK CLASS Feature Package
Directed Call Park CP8 X X X X X X X X X X X X X	CustoPak Digital Non-Button Set Feature Package	3ZSO4	Х	Х	Х	Х	
Districtive Ringing with Barge-In	Directed Call Park	CP8	Х	Х	Х	Х	Identifies the Directed Call Park feature.
Distinctive Ringing with Call Waiting Tone /JCPW X X X X X X X Floats after the SBQ USOC. Identifies the Distinctive Ringing with Call Waiting Tone feature. Distinctive Ringing with Call Waiting Tone /JCPW X X X Floats after the SBQ USOC. Identifies the Distinctive Ringing with Call Waiting Tone feature. Executive Busy Override E72 X X X X X X X X X	Directed Call Pick-up without Barge In	/DCPO			Х		Floats after the SBQ USOC. Identifies the Directed Call Pick-Up Without Barge In feature.
Executive Busy Override F72 X X X X X X X X X X X X X	Directed Call Pick-up with Barge-In	/DCPW	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Directed Call Pick-Up With Barge-In feature.
Freedom Basic for Business Local PGOKL X X X X Includes Unlimited Local Calling Freedom Basic for Business Local with Toll PGOKO X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X Identifies the Intercept on Main Number. Hunting /HTG X X X X X X Identifies the Intercept on Main Number. Hunting /HTG X X X X X X X Identifies the Intercept on Main Number. Hunting /HTG X X X X X X X Identifies the Priority Call feature. Hunting Hunting (HTG X X X X X X X X X X Identifies Unlimited Local and Regional Toll Calling Hunting feature (HTG X X X X X X Identifies the Regeat Dialing feature. Hunting Hu	Distinctive Ringing with Call Waiting Tone	/DRDT	Х		Х	Х	Floats after the SBQ USOC. Identifies the Distinctive Ringing with Call Waiting Tone feature.
Freedom Basic for Business Local with Toll PGOKO X X X X X X Includes Unlimited Local and Regional Toll Calling Hunting /HTG X X X X X X Isolats after the R3G/R3K (PAK) USOC. Identifies the Hunting feature (also used as a left handed FID to show group.) Intercept on Main Number Intercept on Main Number Intercom INT X X X X Identifies the Intercept on Main Number. Intercom INT X X X X Identifies the Intercept on Main Number. Intercom INT X X X X Identifies the Intercept on Main Number. Intercom INT X X X X Identifies the Last Number Redial leature. Line Blocking NSG X X X X X Identifies the Last Number Redial feature. Line Class Code (call restriction codes) I/LCC X X X X X Isolated Fine R3G/R3K USOC. A three character code after LCC indicates the particular call restriction option selected. Location Group I/LG X X X X X Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order. Priority Call NX2 X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) RCYC X X X X X Identifies the Repeat Dialing feature. Select Forward NX6 X X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) I/SCSH X X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) I/SCSH X X X X X X Identifies the Speed Dialing Group Number. Touch Tone I/TON X X X X X X Identifies the Speed Dialing TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone I/TON X X X X Identifies the central Office switch type providing the CustoFLEX 2100 Service.	Executive Busy Override	E72	Х	Х	Х	Х	Identifies the Executive Busy Override feature.
Hunting /HTG X X X X X Floats after the R3G/R3K (PAK) USOC. Identifies the Hunting feature (also used as a left handed FID to show group.) Intercept on Main Number /TC X X X X X X Identifies the Intercept on Main Number. Intercom INT X X X X X Identifies the Intercept on Main Number. Intercom INT X X X X X X Identifies the Last Number Redial feature. Line Blocking NSG X X X X X Identifies the Last Number Redial feature. Line Blocking NSG X X X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X X Identifies the R3G/R3K USOC. A three character code after LCC indicates the particular call restriction option selected. Location Group /LG X X X X X X Identifies the Priority Call feature. Repeat Dialing NX2 X X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) /RCYC X X X X X X X Identifies the SBQ USOC. Identifies the Ring Cycle feature. Select Forward NX6 X X X X X X Identifies the SBQ USOC. Identifies the Ring Cycle feature. Speed Dialing Group Number /SCG X X X X X X X Identifies the SBQ USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 92R X X X X X X X Identifies the SBQ USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Touch Tone /TOTN X X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Freedom Basic for Business Local	PGOKL	Х	Х	Х	Х	Includes Unlimited Local Calling
Intercept on Main Number / TC	Freedom Basic for Business Local with Toll	PGOKO	Х	Х	Х	Х	Includes Unlimited Local and Regional Toll Calling
Intercom INT X X X X Floats after R3G/R3K. Identifies Intercom (also left handed FID to show entire list) 5E, EWSD & DMS100 numbered 20-49. DMS10, numbered 2-7. Last Number Redial LNQ X X X X X See Footnote Line Blocking NSG X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X See Footnote Location Group /LG X X X X X Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order. Priority Call NX2 X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) /RCYC X X X X X Identifies the SBQ USOC. Identifies the Ring Cycle feature. Speed Dialing Group Number /SCG X X X X X Identifies the Sepeed Dialing Group Number. Speed Dialing-Short (Individual) /SCSH X X X X X Identifies the SBQ X (FLEX) or the SBQ (PAK) USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 92R X X X X X X Identifies the R3G/R3K USOC. A three character code after LCC indicates the particular call restriction option selected. Lect Hander FID to show entire list) 5E, EWSD & DMS100 numbered 20-49. DMS10, numbered 2-7. Jet Last Number Redial feature. See Footnote Line Blocking Footnote Line Blocking Footnote Jet Last Number Redial feature. Jet Last Numb	Hunting	/HTG	Х	Х	Х	Х	Floats after the R3G/R3K (PAK) USOC. Identifies the Hunting feature (also used as a left handed FID to show group.)
Last Number Redial LINQ X X X X X See Footnote Line Blocking NSG X X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X X X Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order. Priority Call NX2 X X X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) /RCYC X X X X X Identifies the Repeat Dialing Group Number /RCYC X X X X X Identifies the Select Forward feature. Select Forward NX6 X X X X X Identifies the Select Forward feature. Speed Dialing-Short (Individual) /SCSH X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) /SCSH X X X X X The applicable interstate subscriber line charge Terminal Group Identification /TGID X X X X X X Identifies the RSG/RSK USOC. Identifies the Speed Dialing TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X X Identifies the Central office switch type providing the CustoFLEX 2100 Service.	Intercept on Main Number	/TC	Х	Х	Х	Х	Identifies the Intercept on Main Number.
Line Blocking NSG X X X X X See Footnote Line Class Code (call restriction codes) /LCC X X X X X Floats after the R3G/R3K USOC. A three character code after LCC indicates the particular call restriction option selected. Location Group /LG X X X X Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order. Priority Call NX2 X X X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) /RCYC X X X X Identifies the SBQ USOC. Identifies the Ring Cycle feature. Select Forward NX6 X X X X Identifies the Select Forward feature. Speed Dialing Group Number /SCG X X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) /SCSH X X X X Identifies the SBQ X (FLEX) or the SBQ (PAK) USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 92R X X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X Identifies the Central office switch type providing the CustoFLEX 2100 Service.	Intercom	INT	Х	Х	Х	Х	Floats after R3G/R3K. identifies Intercom (also left handed FID to show entire list) 5E, EWSD & DMS100 numbered 20-49. DMS10, numbered 2-7.
Line Class Code (call restriction codes) /LCC X X X X X Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order. Priority Call NX2 X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) NX6 X X X X Identifies the Select Forward feature. Select Forward NX6 X X X X Identifies the Select Forward feature. Speed Dialing Group Number Speed Dialing-Short (Individual) Speed Dialing-Short (Individual) Subscriber Line charge 9ZR X X X X X X The applicable interstate subscriber line charge. Floats after the R3G/R3K USOC. Identifies the Touch Tone feature. Floats after the SBQ USOC. Identifies the Speed Dialing Group Number and Is and is the same as the Centrex group number. Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone TSW X X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Last Number Redial	LNQ	Х	Х	Х	Х	Identifies the Last Number Redial feature.
Location Group /LG X X X X Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order. Priority Call NX2 X X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) /RCYC X X X X X Identifies the SBQ USOC. Identifies the Ring Cycle feature. Select Forward NX6 X X X X Identifies the Select Forward feature. Speed Dialing Group Number /SCG X X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) /SCSH X X X X Identifies the Speed Dialing Group Number. Subscriber Line charge 92R X X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X Identifies the SPQ USOC. Identifies the Touch Tone feature. Type of Switch Two A X X Identifies the SPQ USOC. Identifies the Touch Tone feature. Type of Switch Two A X X X Identifies the Central office switch type providing the CustoFLEX 2100 Service.	Line Blocking	NSG	Х	Х	Х	Х	See Footnote
Priority Call NX2 X X X X Identifies the Priority Call feature. Repeat Dialing NX8 X X X X X Identifies the Repeat Dialing feature. Ring Cycle (used w/ Call Forward - Don't Answer) /RCYC X X X X Identifies the SBQ USOC. Identifies the Ring Cycle feature. Select Forward NX6 X X X X Identifies the Select Forward feature. Speed Dialing Group Number /SCG X X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) /SCSH X X X X Identifies the SBQ USOC. Identifies the SBQ USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 9ZR X X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X X Identifies the Central office switch type providing the CustoFLEX 2100 Service.	Line Class Code (call restriction codes)	/LCC	Х	Х	Х	Х	Floats after the R3G/R3K USOC. A three character code after LCC indicates the particular call restriction option selected .
Repeat Dialing NX8	Location Group	/LG	Х	Х	Х	Х	Left-handed FID identifies customer premises loc. LG "1" is always customer's main loc. Additional locs are assigned number in ascending order.
Ring Cycle (used w/ Call Forward - Don't Answer) RCYC X X X X X X X X X X X X X	Priority Call	NX2	Х	Х	Х	Х	Identifies the Priority Call feature.
Select Forward NX6 X X X X Identifies the Select Forward feature. Speed Dialing Group Number /SCG X X X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) /SCSH X X X X Floats after the SBQ2X (FLEX) or the SBQ (PAK) USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 9ZR X X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Repeat Dialing	NX8	Х	Х	Х	Х	Identifies the Repeat Dialing feature.
Speed Dialing Group Number SCG X X X Identifies the Speed Dialing Group Number. Speed Dialing-Short (Individual) SCSH X X X Floats after the SBQ2X (FLEX) or the SBQ (PAK) USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 9ZR X X X X The applicable interstate subscriber line charge. Terminal Group Identification TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone TOTN X X X X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Ring Cycle (used w/ Call Forward - Don't Answer)	/RCYC	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Ring Cycle feature.
Speed DialingShort (Individual) /SCSH X X X Floats after the SBQ2X (FLEX) or the SBQ (PAK) USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line) Subscriber Line charge 9ZR X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Select Forward	NX6	Х	Х	Х	Х	Identifies the Select Forward feature.
Subscriber Line charge 9ZR X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Speed Dialing Group Number	/SCG	Х	Х	Х	Х	Identifies the Speed Dialing Group Number.
Subscriber Line charge 9ZR X X X X The applicable interstate subscriber line charge. Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Speed DialingShort (Individual)	/SCSH	Х		Х	Х	Floats after the SBQ2X (FLEX) or the SBQ (PAK) USOC. Identifies the Speed Dialing Short Feature (6, 8, or 30 codes are provided per line)
Terminal Group Identification /TGID X Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number. Touch Tone /TOTN X X X X Floats after the SBQ USOC. Identifies the Touch Tone feature. Type of Switch TSW X X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.		9ZR	Х	Х	Х	Х	
Type of Switch TSW X X X Identifies the central office switch type providing the CustoFLEX 2100 Service.	Terminal Group Identification	/TGID	Х				Floats after the R3G/R3K USOC. The data following TGID is a number between 1 and 8 and is the same as the Centrex group number.
	Touch Tone	/TOTN	Х	Х	Х	Х	Floats after the SBQ USOC. Identifies the Touch Tone feature.
	Type of Switch	TSW	Х	Х	Х	Х	Identifies the central office switch type providing the CustoFLEX 2100 Service.
Three Way Calling & Consultation Hold /TWC X X X Floats after the SBQ (PAK) USOC. Identifies the three-way Calling feature.	Three Way Calling & Consultation Hold	/TWC	Х	Х	Х	Х	

Footnote

NSG only available to non-published customers, law enforcement agencies, victims and domestic violence agencies.



RESALE CENTREX USOC GUIDE West Virginia Acquired - CustoFlex

						West Virginia - CustoFlex
	USOC	5ESS	DMS10	DMS100	FWSD	Comments
Class of Service						
Measured Plan 1	KENUX	Х				
Measured Plan 1	KENJX			Х		
Measured Plan 1	KENDX		Х			
Measured Plan 1	KENSX				Х	
Line USOCs						
CustoFlex 2100 LineRestricted	RHK	Х	Х	Х	Х	Fully restricted inter-communication line.
CustoFlex 2100 LineUnrestricted	R4N	Х	Х	Х	Х	Unrestricted or non-toll restricted intercommunication line.
CustoFlex 2100 ISDN Line - Unrestricted	XQA	Х	Х	Х	Х	Unrestricted or non-toll restricted intercom line with ISDN
CustoFlex 2100 ISDN Line - Restricted	XQK	Х	Х	Х	Х	Fully restricted intercom line with ISDN
Automatic Callback Calling	/ACBK	Х		Х	Х	Floats after the SBQ2X
Automatic Line	/AUL		Х	Х		Floats after the HLS USOC.
ARS	/FRL				Х	Floats after the CustoFLEX 2100 line USOC
Call Block	NX5	Х	Х	Х	X	
Call Forward BusyExternal	/CFBE				Х	Floats after the SBQ2X USOC. The data following CFBE is the forwarded to telephone number.
Call Forward Busy - External	/CFBE	Х				/CFW *CFBLIO FWDTODN.#
Call Forward Busy - External	1		Х	Х		/CFBE#
Call Forward BusyAll Calls	/CFBU		Х	X	Х	Floats after the SBQ2X . The data following CFBU is the forwarded to telephone number.
Call Forward Busy-All Calls	/CFBU	Х				/CFW *CFBLAC FWDTODN.#
Call Forward Don't AnswerExternal	/CFDE				Х	Floats after the SBQ2X USOC. The data following CFDE is the forwarded to telephone number.
Call Forward Don't Answer - External	/CFDE	Х				/CFW *CFDIAO FWDTODN.#, (sp) TIMEOUT.#
Call Forward Don't Answer - External	/CFDE		Х	Х		/CFDE # & /RCYC #
Call Forward Don't AnswerAll Calls	/CFDU		X	X	Х	Floats after the SBQ2X USOC. The data following CFDU is the forwarded to telephone number.
Call Forward Don't Answer - All Calls	/CFDU	Х	1			/CFW *CFDAAC FWDTODN.#, (sp) TIMEOUT.#
Call Forward Don't Answer - All Calls	/CFDU				Х	/CFDU # & /RCYC #
Call Forward Variable	/CFV	Х	Х	Х	X	Floats after the SBQ2X USOC. Identifies the Call Forwarding Variable feature.
Call Forward Variable - All Calls	,		Х	X	X	I/CFV
Call Forward Busy & DA - All Calls		Х				/CFW *CFBLAC FWDTODN.#; *CFDAAC FWDTODN.#, TIMEOUT.#
Call Forward Busy - All (Multi-path)		X				CFW *CFBLAC FWDTODN.#, SIMINTER.#
Call Forward Busy - All (Multi-path)					Х	CFW CFBL UNRES, CFNB.#, CFBMFL.#
Call Forward Busy & DA - All (Multi-path)		Х				CFW *CFBLAC FWDTODN.#, SIMINTER.#; *CFDAAC FWDTODN.#, TIMEOUT.#, SIMINTER.#
Call Forward Busy - External (Multi-path)					Х	/CFW CFBL CFIO, CFNB.#, CFBMFL.#
Call Forward DA - All (Multi-path)					Х	/CFW CFDA CFIO, CFND.#, CFINT.# CFDMFL.#
Call Forward Variable (Multi-path)					Х	/CFW CFV UNRES, CFVMFL.#
Call Forward Busy, DA & Variable (Multipath) All					Х	/CFW CFBL UNRES, CFNB.#,CFBMFL.#, CFDA UNRES, CFND.#, CFINT.#, CFDMFL.#
Call Forward Busy, DA & Variable (Multipath) All					Х	CFW CFBL UNRES, CFNB.#, CFBMFL.#, CFDA UNRES, CFND.#, CFINT.#, CFDMFL.#, CFV UNRES, CFVMFL.#
Call Hold	/CHD	Х	Х	Х	Х	Floats after the SBQ2X USOC. Identifies the Call Hold feature.
Call Pickup	/CPG		Х	Х	Х	Floats after SBQ2X USOC. Call pick-up group # appears after CPG. In a DMS, CPG is the 7 digit main #.
Call Park	/PRK			Х	Х	Floats after the SBQ2X USOC. Identifies the Call Park feature.
Call Pick-UpOriginating	/CPUO	Х				/CPUO *CPUO SELQ1.##
Call Pick-UpTerminating	/CPUT	Х				/CPUT *CPUT TPREDQ.##
Call Pick-up	<i>'</i>				Х	/CPG #
Call Pick-up			Х	Х		/CPG #
Call Trace	NST	Х	Х	Х	Х	Identifies the Call Trace feature.
Call Transfer - All Calls	MWC MWCTIA1	Х	Х	Х	Х	Floats after the SBQ2X USOC.
Call Transfer - All Calls		X		1	1	/MWC*MWCTIA1
Call Transfer	MWC CTA	Х	Х	Х	Х	Floats after the SBQ2X USOC.
Call TransferAll Calls	/CXR CTALL		Х	Х	1	Floats after the SBQ2X USOC. Identifies the Call Transfer feature option.
Call TransferIntra Group	/CXR CTINTRA		Х	Х	1	Floats after the SBQ2X USOC. Identifies the Call Transfer feature option.
Call TransferIntra Group		Х				/MWC*MWCTIO1
Call Transfer - All Calls Intra Group	1	<u> </u>			Х	//MWC CTA MWC CTIGO
Call WaitingOriginating	/CWTG CWO	Х		Х	X	Floats after the SBQ2X USOC. Identifies the Call Waiting feature option.
Call Waiting-Originating	/CWTG CWO	X				/cwig *cwo
Call WaitingTerminating	/CWTG CWT	X		Х	Х	Floats after the SBQ2X USOC. Identifies the Call Waiting feature option
Call WaitingTerminating	/CWTG CWT	X				/CWTG *CWT
	1,	<u> </u>	1	ı	1	h



RESALE CENTREX USOC GUIDE West Virginia Acquired - CustoFlex

						West Virginia - CustoFlex
	USOC	5ESS	DMS10	DMS100	EWSD	Comments
Centrex Group Number	/CXN	Х	Х	Х	Х	Floats after the R4N/RHK USOC. Represents the Centrex group number obtained from NAC.
Common Language Identification TN	/CLT	Х	Х	Х	Х	Floats after the SBQ2X USOC. Provides special services circuit identifier in a telephone number format.
Conference Arrangements - Multi-Port	EAA	Х	Х	Х	Х	Identifies the Conference Arrangements - MultiPort feature.
Conference Arrangement (1-6 Ports)	/EAN		Х	Х	Х	Floats after the EAA USOC. Indicates the port quantity for 6 port conference arrangement
Conference Arrangement (1-6 Ports)	/EAN	Х				/MWC *MW6WC
Conference Arrangement (1-6 Ports)	/EAN				Х	/EAN 6
Conference Arrangement (1-6 Ports)	/EAN		Х	Х		/EAN CO6
Customer Access Treatment	/CAT	Х	Х	Х	Х	Floats after the R4N/RHK USOC. Identifies the lines capability to reach particular Centrex special features.
CustoFlex 2100Common Equipment	KCE	Х	Х	Х	Х	One Time Common Equipment Charge
CustoFlex 2100Standard Features	SBQ2X	Х	Х	Х	Х	Indicates standard features for CustoFLEX 2100.
Dial Access Code	/DXC		Х	Х	Х	Floats after the AS4PS USOC. Indicates the number code used to access Automatic Route Selection.
Digital Facilities Terminations	EDY	Х	Х	Х	Х	Allows the connection of a High Capacity Digital Service to a Centrex.
Directed Call Park	/DCPK	Х	Х	Х	Х	Floats after the SBQ2X USOC. Identifies the Directed Call Park feature.
Directed Call Park	/DCPK	Х				/CPUO *CPDPARK
Directed Call Park	/DCPK			Х		/осрк
Directed Call Pickup	/DCP				Х	Floats after the SBQ2X USOC. Identifies the Directed Call Pick-up feature.
Directed Call Pick-up without Barge In	/DCPO			Х		Floats after the SBQ2X USOC. Identifies the Directed Call Pick-Up Without Barge In feature.
Directed Call Pick-up with Barge-In	/DCP				Х	Floats after the SBQ2X USOC. Identifies the Directed Call Pick-Up With Barge-In feature.
Directed Call Pick-up with Barge-In	/DCPW		Х	Х		Floats after the SBQ2X_USOC. Identifies the Directed Call Pick-Up With Barge-In feature.
Directed Call Pick-up with Barge-In	/DCPW	Х				/CPUO *CPUDO
Directed Call Pick-up with Barge-In	/DCPW				Х	/DCP DPU.Y
Directed Call Pick-up with Barge-In	/DCPW			Х		/DCPW
Directed Call Pick-up without Barge In	/DES DPN				Х	Floats after the SBQ2X USOC. Identifies the Directed Call Pick-Up Without Barge In feature.
Directed Call Pick-up without Barge In	/DES DPN	Х				/CPUO *CPDNO
Directed Call Pick-up without Barge In	/DES DPN				Х	/DES DPN.Y
Distinctive Ringing with Call Waiting Tone	/DRDT	Х		Х	Х	Floats after the SBQ2X USOC. Identifies the Distinctive Ringing with Call Waiting Tone feature.
Distinctive RingFirst Dependent Number	DRG1X	Х	Х	Х	Х	Identifies the Distinctive Ring feature.
Distinctive RingSecond Dependent Number	DRG2X	Х	Х	Х	Х	Identifies the Distinctive Ring feature.
Executive Busy Override	/EBO			Х		Floats after the SBQ2X USOC. Identifies the Executive Busy Override feature.
Hot Line Number	/HLN	Х			Х	Floats after HLS USOC. Used w/ Hot Line Service. Provides telephone number dialed automatically when CustoFLEX 2100 line goes "off-hook".
Hotline Service	HLS	Х	Х	Х	Х	Identifies the Hotline Service feature.
Hunting Multi-Line	HML	Х	Х	Х	Х	Identifies the Hunting Multi-Line feature.
Hunting	/HTG	Х	Х	Х	Х	Floats after the R4N/RHK USOC. Identifies the Hunting feature (also used as a left handed FID to show group.)
Installment Billing	/IB	Х	Х	Х	Х	Entry Bill Section indicates installment bill arrangement of non-recur charges. # 2-6 for non-contracted accts, and 2-12 for contract accts
Intercept on Main Number	/TC	Х	Х	Х	Х	Identifies the Intercept on Main Number.
Last Number Redial	/LNR			Х		Floats after the SBQX USOC. Identifies the Last Number Redial feature.
Line Blocking	NSG	Х	Х	Х	Х	See footnote
Line Class Code (call restriction codes)	/LCC	Х	Х	Х	Х	Floats after the R4N/RHK USOC. A three character code after LCC indicates the particular call restriction option selected .
Location Group	/LG	Х	Х	Х	Х	Left-handed FID IDs cust premises loc. LG "1" always cust's main loc. Addl loc assigned number in ascending order.
Loop Credit per SEAT	LAWSE	Х	Х	Х	Х	Indicates Loop Credit per SEAT.
Minimum Line Guarantee Deficit	MUMUD	Х	Х	Х	Х	Identifies Minimum Line Guarantee Deficit.
Multi-Path Call Forward	EYM	Х	Х	Х	Х	Allows subscribers of call forwarding features to have more than one simultaneous call to a remote station via interoffice facilities.
Multi-Path Call Forward	EYM	Х				/CFW (-), SIMINTER.#
Multipath CI Fwd & CI Fwd Busy/DA	/CFW	Х				Floats after the SBQ2X USOC. Identifies the Multipath Call Forwarding feature.
Multipath CI Fwd Simultaneos/Screen Options	/CFSO			Х		/CFSO SIM Y, NCFU #, NCFB #, NCFD#, SCRN N
Music On Hold	MHD	Х		Х	Х	Identifies the Music On Hold feature. For 5ESS: MHD USOC per line.
Number of Lines	NOL	Х	Х	Х	Х	Left-handed Bill Section Id actual # CustoFLEX 2100 lines established w/ initial install. Data following NOL is Control Identifier & # lines (2-100)
Prepayment Discount	FPAMP	Х	Х	Х	Х	Indicates a Prepayment Discount.
Prepayment-Time Value of Money Discount	FPAMD	Х	Х	Х	Х	Indicates a Prepayment-Time Value of Money Discount.
Prevent 10XXX Dialing	/PROX	Х	Х	Х	Х	Floats after the R4N/RHK USOC on those lines where 10XXX dialing is not permitted.
Priority Call	NX2	Х	Х	Х	Х	Identifies the Priority Call feature.
Repeat Dialing	NX8	Х	Х	Х	Х	Identifies the Repeat Dialing feature.
Ring Cycle (used with Call Forward - DA)	/RCYC	Х	Х	Х	Х	Floats after the SBQ2X USOC. Identifies the Ring Cycle feature.
Select Forward	NX6	Х	Х	Х	Х	Identifies the Select Forward feature.
Speed Dialing Feature Name	/SCF	Х				Floats after the SBQ2X USOC. Identifies the short and long speed dialing features.
, , , , , , , , , , , , , , , , , , , ,	P	1				. Orbital of Orbital of Orbital of Company



RESALE CENTREX USOC GUIDE West Virginia Acquired - CustoFlex

						West Virginia - CustoFlex
	USOC	5ESS	DMS10	DMS100	EWSD	Comments
Speed DialingLong (Individual) /S	SCLG			Х	Х	Floats after the SBQ2X USOC. Identifies the Speed Dialing Long Feature (30 codes are provided per line)
Speed DialingLong (Individual) /S	SCLG	Х				/SCF *SC2C
Speed DialingLong (Shared) /S	SCRL		Х	Х	Х	Floats after the SBQ2X. Data following SCRL is the "controller" TN of speed dialing long list being shared (no hyphen).
Speed DialingLong (Shared) /S	SCRL	Х				/SCF *SC2C SC2NAME.#######
Speed DialingShort (Shared) /S	SCRS			Х	Х	Floats after SBQ2X. Data following SCRS "controller" TN of speed dialing short list being shared (no hyphen).
Speed DialingShort (Shared) /S	SCRS	Х				/SCF *SC1C SC1NAME.#######
Speed DialingShort (Individual) /S	SCSH			Х	Х	Floats after SBQ2X (FLEX) or SBQ (PAK) USOC. Identifies Speed Dialing Short Feature (6, 8, or 30 codes provided per line)
Split Billing M	NON	Х	Х	Х	Х	Identifies Split Billing.
Split Billing Status SE	BL	Х	Х	Х	Х	Left Handed FID Bill Sect on every CustoFLEX Enhanced. Indicates split bill status & TN (incl cust code) main split bill acct.
Subscriber Line charge 92	ZR	Х	Х	Х	Х	The applicable interstate subscriber line charge.
Subscriber Line Charge Credit Po	GJA7	Х	Х	Х	Х	Indicates the Subscriber Line Charge Credit.
Terminal Group Identification /1	TGID	Х				Floats after R4N/RHK USOC. Data following TGID number btwn 1 - 8 and same as Centrex group #.
Termination Agreement /1	TA	Х	Х	Х	Х	Appears in the Bill Section as a floated entry. Shows the start date and length of a contract.
Trunk Group Restriction /1	TGS	Х				Floats after the R4N/RHK USOC when CustoFLEX 2100 is being served out of a SESS central office switch
Type of Switch	SW	Х	Х	Х	Х	Identifies the central office switch type providing the CustoFLEX 2100 Service.
Three Way Calling & Consultation Hold /1	TWC	Х	Х	Х	Х	Floats after the SBQ2X USOC. Identifies the three-way Calling feature.
Uniform Call Distribution A	A6VPS	Х	Х	Х	Х	Identifies the Uniform Call Distribution feature.
Uniform Call Distribution /F	HTY UD & HTC	Х	Х	Х	Χ	Floats after the A6VPS USOC. Identifies the Uniform Call Distribution feature.

Footnote

NSG is only available to non-published customers, law enforcement agencies, victims and domestic violence agencies.

Revised 7/1/2010



RESALE CENTREX USOC GUIDE Change Log

Date of Change	Tab Changed	USOC & Definition:Added/Removed/Revised				
7/1/2010	All	Removed Verizon references. Added Frontier references.				
Please review specific tab	Please review specific tab within the USOC Guide for details of change.					

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBLITY OF SUCH DAMAGES.