

RESALE ISDN USOC GUIDE West Virginia Acquired - ISDN BRI

Description USOC Comments

ISDN BRI service is Grandfathered as of 4/2/2022.

Disconnects are the only accepted order as of this date.

Attendant Access Line Equipped w/ISDN Software and Hardware Additional Primary Directory Number in Multipoint Arrangement DXE ISDN CO Car - 2 Wire - U Interface S2Y ISDN CO Car - 4 Wire - T Interface S4Y Signaling D Channel 2 Wire LKG2X Signaling D Channel 2 Wire LKG4X Access Line no incoming calls Circuit Switch B Channel - Packet Switched D Channel LTQ2X Circuit Switched Data LTG6E Circuit Switched Data LTG6E Circuit Switched Voice & Data LTG1E Circuit Switched Voice LTG5E Multiple Call Appearance M/YY Outgoing calls barred Access Line prevented from accepting outgoing calls Say And Say A	
ISDN CO Car - 2 Wire - U Interface	
SDN CO Car - 4 Wire - T Interface	
Signaling D Channel 2 Wire LKG2X Signaling D Channel 4 Wire LKG4X Access Line no incoming calls Circuit Switch B Channel - Packet Switched D Channel LTQ2X Circuit Switched Data LTG6E Circuit Switched Data LTG6E Circuit Switched Voice & Data LTG1E Circuit Switched Voice & Data LTG5E Multiple Call Appearance MVY Outgoing calls barred Access Line prevented from accepting outgoing calls Secondary Directory Number DO7 number Secondary Directory Number DO8 Shared Directory Number DO8 Shared Directory Number DK6 Line at Primary location Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Line at Secondary location Line at Secondary location NRD Line at Secondary location Hospital Patient Guest Secondary Location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D	
Signaling D Channel 4 Wire Access Line no incoming calls GXJ Circuit Switch B Channel - Packet Switched D Channel LTQ2X Circuit Switched Data LTGGE Circuit Switched Data LTGGE Circuit Switched Voice & Data LTG1E Circuit Switched Voice & Data LTG1E Circuit Switched Voice Multiple Call Appearance MVY Outgoing calls barred Access Line prevented from accepting outgoing calls GXN X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Line at Secondary location XRD Line at Secondary location Hospital Patient Guest XRD Line at Secondary Location Hospital Patient Guest XRE Secondary Location 1B +D on B1 & Packet on D	
Access Line no incoming calls Circuit Switch B Channel - Packet Switched D Channel LTQ2X Circuit Switched Data LTG6E Circuit Switched Data LTG6E Circuit Switched Voice & Data LTG1E Circuit Switched Voice & Data LTG5E Multiple Call Appearance Myy Outgoing calls barred Access Line prevented from accepting outgoing calls X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DO8 Shared Directory Number Line at Primary Location Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted XRD Line at Secondary location Line at Secondary Inspiral Patient Guest Secondary Location 1B +D on B1 & Packet on D	
Circuit Switch B Channel - Packet Switched D Channel Circuit Switched Data LTG6E Circuit Switched Data LTG6E Circuit Switched Voice & Data LTG1E Circuit Switched Voice & Data LTG5E Multiple Call Appearance MVY Outgoing calls barred Access Line prevented from accepting outgoing calls X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary Location Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Line at Secondary location XRD Line at Secondary location Location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRD XRD XRD XRD XRD XRD XRD X	
Circuit Switched Data LTG6E Circuit Switched Data LTR6E Circuit Switched Voice & Data LTG1E Circuit Switched Voice & Data LTG5E Multiple Call Appearance MVY Outgoing calls barred Access Line prevented from accepting outgoing calls GXN X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location XRB Intelliling Station Line Primary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location Hospital Patient Guest X8E Secondary Location 1B +D on B1 & Packet on D XRDX1	
Circuit Switched Data Circuit Switched Voice & Data LTG1E Circuit Switched Voice & Data LTG5E Multiple Call Appearance MVY Outgoing calls barred Access Line prevented from accepting outgoing calls X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location Line Primary Location Unrestricted XRB Intelliling Station Line Primary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRD XRD XRD	
Circuit Switched Voice & Data Circuit Switched Voice LTG5E Multiple Call Appearance Outgoing calls barred Access Line prevented from accepting outgoing calls X.25 Permanent Virtual Circuit Secondary Directory Number DO7 number DO8 Shared Directory Number Line at Primary location Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Line at Secondary location XRD Line at Secondary location XRD Line at Secondary location XRD Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRDX1	
Circuit Switched Voice LTG5E Multiple Call Appearance MVY Outgoing calls barred Access Line prevented from accepting outgoing calls GXN X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location XRB Intelliling Station Line Primary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location XRD Line at Secondary location XRD Line at Secondary Location Fully Restricted XR2 Line at Secondary location Hospital Patient Guest XRD Secondary Location 1B +D on B1 & Packet on D	
Multiple Call Appearance Outgoing calls barred Access Line prevented from accepting outgoing calls X.25 Permanent Virtual Circuit GXP Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRB Line at Secondary location XRD Line at Secondary Location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRD XRDX1	
Outgoing calls barred Access Line prevented from accepting outgoing calls X.25 Permanent Virtual Circuit Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRDX1	
X.25 Permanent Virtual Circuit Secondary Directory Number DO7 number DO8 Shared Directory Number DK6 Line at Primary location Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRDX1	
Secondary Directory Number DO8 Shared Directory Number DK6 Line at Primary location Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Intelliling Station Line Primary Location Fully Restric	
DO8	
number DO8 Shared Directory Number DK6 Line at Primary location XRB Intelliling Station Line Primary Location Unrestricted XJB Intelliling Station Line Primary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary Location Hospital Patient Guest X8E Secondary Location 1B +D on B1 & Packet on D XRDX1	
Shared Directory Number Line at Primary location Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRDX1	
Line at Primary location XRB Intelliling Station Line Primary Location Unrestricted XJB Intelliling Station Line Primary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location Hospital Patient Guest X8E Secondary Location 1B +D on B1 & Packet on D XRDX1	
Intelliling Station Line Primary Location Unrestricted Intelliling Station Line Primary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary Iocation Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRDX1	
Intelliling Station Line Primary Location Fully Restricted XR5 Intelliling Station Line Secondary Location Fully Restricted XR2 Line at Secondary location XRD Line at Secondary location Hospital Patient Guest X8E Secondary Location 1B +D on B1 & Packet on D XRDX1	
Intelliling Station Line Secondary Location Fully Restricted Line at Secondary location Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRD XRD XRD XRDX1	
Line at Secondary location XRD Line at Secondary location Hospital Patient Guest Secondary Location 1B +D on B1 & Packet on D XRDX1	
Line at Secondary location Hospital Patient Guest X8E Secondary Location 1B +D on B1 & Packet on D XRDX1	
Secondary Location 1B +D on B1 & Packet on D XRDX1	
, , , , , , , , , , , , , , , , , , ,	
Secondary Location 2B + D on B1 & B2 Packet on D XRDX2	
· · · · · · · · · · · · · · · · · · ·	
Secondary Location Circuit Switched Voice on B1 B2 and Signaling on D XRDX5	
on D XRDX6 AB D Circuit Suitable d Vales on B Circuit and B	
1B+D Circuit Switched Voice on B Signaling on D XRDX7	
1B+D Packet Switched Data on B Signaling on D XRDX8	
2B+D Circuit Switched Data on B1 + B2 Packet on D XRDX9	
Secondary Line Unrestricted XJN	
Primary Location Patient Guest Line X8P	
Station Line CustoFlex XQA	
Restricted Station Line CustoFlex XQK	
Spare ISDN Line XRQ	
Multi-point for Billing only XJM	
Intelliliq Service Establishment Charge SEVPS	
Terminal Service Profile PFL	
Converter Touch Tone to Dial Pulse used w/ Remote Access Unit for PBX or CTX TDF	
Primary Location 1 B+D Voice on B1 and Packet on D Channel XRBX1	
Primary Location 2 B+D, Voice on B1 and B2 and Packet on D Channel XRBX2	
Primary Location 2 B+D One Voice & One Circuit Switched Data on B Channels & Signaling D XRBX3	
Primary Location 2 B+D Circuit Switched Voice B1, Circuit Switched Data on B2 & Packet D XRBX4	
Primary Location 2 B+D Circuit Switched Voice B1, Circuit Switched Voice B2 & Signaling D XRBX5	
Primary Location 2 B+D 1 Circuit Switch Voice & 1 Packet Switch Data B Channels & Signaling D XRBX6	
Primary Location 1B+D - Circuit Switched Data on B Channel and Signaling D Channel XRBX7	
Primary Location 1B+D - Packet Switched Data on B Channel and Signaling on D Channel XRBX8	
Primary Location 2B + D - Circuit Switched Data on B1 and B2 Channels and Packet on D XRBX9	
Usage Medium 3600 = 60 hrs	
Usage Medium to High 8400 =140 hrs	
Usage High 18000 = 300 hrs Unlimited D	
Usage Production 30000 = 500 hours E	
Unlimited U	



RESALE ISDN USOC GUIDE West Virginia Acquired - ISDN BRI

Description USOC Comments

ISDN BRI service is Grandfathered as of 4/2/2022.

Disconnects are the only accepted order as of this date.

Class of Service		
Measured Class of Service	1RK	
Measured Class of Service	1V2	Res
Pipe and Channel	1 1 2	1100
Pipe-Basic Access 2B+1D - 2 Wire	LSN1X	
Pipe-Basic Access 2B+1D - 4 Wire	LSN2X	
Pipe-Basic Access 0B+1D - 2 Wire	LSN4X	Bus
Pipe-Basic Access 2B+1D Signaling only on D Channel	ACBAA	Bus
Pipe-Basic Access 2B+1D Signaling and/or Packet on the D Channel	ACBAB	
Logical Terminal Voice/Data Single Line	LTG1X	
Logical Terminal Voice/Data	LTG1M	
Logical Terminal Voice/Data Centrex - CustoFlex 2100 & CustoPak	LTQ1X	Bus
Logical Terminal Voice Single	LTG5X	Bus
Logical Terminal Voice	LTG5M	
Logical Terminal Voice Centrex - CustoPak	LTQ5X	Bus
Logical Terminal Data Single Line	LTG6X	
Logical Terminal Voice	LTG6M	
Logical Terminal Data Centrex - CustoFlex 2100 & CustoPak	LTQ6X	Bus
channel)	LTC6X	
Logical Terminal Data Single Line (EWSD with Voice & Data on same B Channel)	LNM6X	
Logical Terminal Data Centrex & Custopak (EWSD when cust has Voice & Data B channel)	LTL6X	Bus
Logical Terminal Voice/Data Billing Only - Centrex - CustoFlex 2100 & CustoPak	LTH1X	Bus
Logical Terminal Data Billing Only - Centrex - CustoFlex2 100 & CustoPak	LTH5X	Bus
Logical Terminal Data Billing Only - Centrex - CustoFlex 2100 & CustoPak	LTH6X	Bus
Logical Terminal Voice/Data Single Line - Billing Only	LTU1X	Bus
Logical Terminal Voice Single Line - Billing Only	LTU5X	Bus
Logical Terminal Data Single Line - Billing Only	LTU6X	
Packet D Channel Single Line	LTG4X	See Footnote
Packet D Channel Centrex - CustoFlex 2100 & CustoPak	LTQ4X	
Packet B Channel Single Line	LTG3X	
Packet B Channel Centrex - CustoFlex 2100 & CustoPak	LTQ3X	Bus
Packet on Demand B Channel Single Line	LTG7X	Bus
Packet on Demand B Channel Centrex - CustoFlex 2100 & CustoPak	LTQ7X	Bus
Virtual Office ISDN BRI		
ISDN Remote Access Package	BAKYN	

All USOCs are for Residence and Business unless otherwise noted.

Footnote

Frontier no longer honors requests for new installs of grandfathered products. Migrations containing these USOCs are allowed, provided USOC exists on customer service record prior to migration.

Revised 3/22/2022



RESALE ISDN USOC GUIDE West Virginia Acquired - ISDN PRI

Description	USOC	Comments
Two B_Channel Transfer	2BT	
Line Port	9PZP1	
Federal Subscriber Line Charge	9ZRP1	
Show the trunk group TN as active and statuses it as working in the SWITCH and LiveWire data bases	AS3SW	
Call-By-Call Service Selection	CCZ	
Foreign Exchange Mileage (bills both fixed and per mile) -one per PRI pipe arrangement	JZ3D7	
Additional group of 20 DID numbers	NDJ	
DID Trunk Charge	NDT	
First group of 20 DID Numbers	NDZ	
Calling Line Identification with Name	NM1PN	
Calling Line Identification	NXN	
Optional Service Feature Package (Calling line ID and Call-By-Call)	OFP1X	
Optional Service Feature Package 2 (Calling line ID, Call-By-Call, Calling Name, Redirecting Number)	OFP2X	
Universal Service Fund	QURPR	
Redirecting Number Delivery	RD7PN	
Trunk Change Charge	REA1F	
D Channel Reconfiguration	REA2A	
Remote Host Numbering plan - one per PRI pipe arrangement	RHMPX	
Modified Redirecting Number Delivery	RM1PN	
Call-by-Call B-Channel	T1KLX	
Incoming Toll-Free Trunk Service	T1KM1	
Outgoing Toll-Free Trunk Service	T1KN0	
Trunk Service, Outgoing	T1KP0	
Trunk Service, Incoming	T1KP1	
Trunk Service, Two-Way	T1KP2	
Data Usage Option, No Allowance	UMKP1	
Data Usage Option, 250 Hours	UMKP2	
Each B-Channel equipped with Centrex Intercom capability (up to 9 channels)	ZCX	
Package Rate for 10 or more B channels per pipe equipped with Centrex intercom capability	ZCXPP	
Pipe arrangement, 24 B	ZPA1X	
D Channel	ZPAXD	
Pipe arrangement, 23 B+ Backup D	ZPAZA	
Pipe arrangement, 23 B+D	ZPAZD	
Back-Up D Channel	ZPBXD	
Primary Rate Access Facility	ZPT1X	
Individual Additional Telephone Numbers	ZTN	
Revised 7/1/2010		



RESALE ISDN USOC GUIDE CHANGE LOG

Date of Change	Tab Changed	USOC & Definition: Added/Removed/Revised			
7/1/2010	All	Removed Verizon references. Added Frontier references.			
		Added statement to top of tab explaining that ISDN BRI is			
3/22/2022	ISDN-BRI	grandfathered.			
Please review specific tab within the USOC Guide for details of change.					

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBLITY OF SUCH DAMAGES.