



Version 9.30.29

ADR/DTN PRE-ORDER INQUIRY

Address Verification/Direct TN Reservation

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

© 2024 Frontier Communications Parent, Inc. All rights reserved.



Contents

TXNUM – Transaction Number 4

D/TSENT – Date/Time Sent 4

TXACT – Transaction Activity 4

CC - Company Code 4

CTVAL – Cut Through Validation 5

TOS – Type of Service 5

ROUTE - Route 5

BOX - Box Number 5

AFT - Address Format Type 6

SAPR – Service Address Prefix 6

SANO – Service Address Number 6

SASF - Service Address Number Suffix 7

SASD - Service Address Street Directional Prefix 7

SASN - Service Address Street Name 7

SATH - Service Address Street Type 8

SASS - Service Address Street Directional Suffix 8

LD1 - Service Address Location Designator 1 8

LV1 - Service Address Location Value 1 8

LD2 - Service Address Location Designator 2 8

LV2 - Service Address Location Value 2 8

LD3 - Service Address Location Designator 3 9

SLIP, SPC, 9

OFC, DEPT, 9

STE, PH 9

LV3 - Service Address Location Value 3 9

CITY - City 9

STATE - State 10

ZIP - Zip/Postal Code 10

QR – Quantity Requested 10

TNTYPE – Telephone Number Type 10



REQNUM - Requested Number 11

NPA/NXX – NPA/NXX..... 11

WTN – Working Telephone Number 11

EXPIND – Expand Options Indicator..... 11

APPENDIX A: ERROR MESSAGE TABLE 11

APPENDIX B - CHANGE CONTROL LOG..... 14



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
002	TXNUM – Transaction Number	Identifies the customer provided tracking number to link the inquiry with the response.	AN	1-16		1. If not populated, then return error: FTRAVQ100 TXNUM IS REQUIRED	R
003	D/TSENT – Date/Time Sent	Identifies the date and time the transaction is sent.	N	14-14	Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit hour (00-23) Two Digit Minute (00-59) Two Digit Second (00-59)	1. If not populated, then return error: FTRAVQ001 DATE/TIME SENT IS REQUIRED 2. If populated and (dl not = 14 or dc ≠ numeric), then return error: FTRAVQ002 DATE/TIME SENT MUST BE 14 NUMERIC CHARACTERS 3. If populated and positions 5, 6 (MM) not = 01-12, then return error: FTRAVQ003 DATE/TIME SENT MONTH MUST BE 01-12 4. If populated and positions 7, 8 not = 01-31, then return error: FTRAVQ004 DATE/TIME SENT DAY MUST BE 01 – 31 5. If populated and positions 9,10 not = 00-23, then return error: FTRAVQ005 DATE/TIME SENT HOUR MUST BE 00-23 6. If populated and positions 11, 12 not = 00-59, then return error: FTRAVQ006 DATE/TIME SENT MINUTES MUST BE 00-59 7. If populated and position 13 and 14 not = 00-59, then return error: FTRAVQ008 DATE/TIME SENT SECOND MUST BE 00-59	R
005	TXACT – Transaction Activity	Identifies the transaction activity.	A	1-1	A= New inquiry E= Selection T= Validation by Working Telephone Number U=Return X=Exchange	1.If populated and vv is not A, T, and TXTYP = A, then return error: FTRAVQ029 TXACT MAY ONLY BE A, T FOR TXTYP=A 2.If populated and vv does not = E, U, X and TXTYP = B, return error FTRAVQ085 TXACT MAY ONLY BE E, U, X FOR TXTYP=B Note: 1)TXACT Values A, T available with TXTYP=A Only 2)TXACT Values E, U, X available with TXTYP=B Only	R
006	CC - Company Code	Identifies the exchange carrier initiating the transaction.	AN	1-4		1. If not populated, then return error: FTRAVQ012 CC IS REQUIRED 2. If populated and dl does not equal 4, then return error: FTRAVQ013 CC MAY NOT EXCEED 4 CHARACTERS	R



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
009a	CTVAL – Cut Through Validation	Identifies a request to provide cut through information with this address validation request.	A	1	A=Address validation with cut through validation	1. If populated and vv does not equal A, then return error: FTRAVQ015 CTVAL MAY ONLY BE A	O
010	TOS – Type of Service	Identifies the type of service.	N -	4-4	1---: Business 11--: Business 2 Wire Analog Loop 2---: Residence 21--: Residence 2 Wire Analog Loop	1.If populated and vv is not 1---, 11--, 2---, 21--, then return error: FTRAVQ016 TOS MAY ONLY BE 1---, 11--, 2--- OR 21-- 2.If populated and CTVAL is not populated, return error FTRAVQ090 TOS IS PROHIBITED	O
010a	ROUTE - Route	Identifies the route number of the service address.	AN & ' * - # () space	1-6		1. If not populated and SASN and WTN are not populated, then return error: FTRAVQ017 ROUTE IS REQUIRED 2. If not populated and BOX is populated, then return error: FTRAVQ018 ROUTE IS REQUIRED 3. If populated and dl > 6, then return error: FTRAVQ019 ROUTE MAY NOT EXCEED 6 CHARACTERS 4. If populated and special character not = Ampersand, Apostrophe, Asterisk Hyphen, Space, Number Sign, Parentheses, then return error: FTRAVQ020 NOT A VALID SPECIAL CHARACTER FOR ROUTE 5. If populated and WTN is populated, then return error: FTRAVQ021 ROUTE IS NOT ALLOWED WHEN WTN IS POPULATED	O
010c	BOX - Box Number	Identifies the box number of the service address.	AN & ' * - # () Space	1-9		1. If populated and ROUTE is not populated, then return error: FTRAVQ022 BOX NOT ALLOWED WITHOUT ROUTE 2. If populated and dl > 9, then return error: FTRAVQ023 BOX MAY NOT EXCEED 9 CHARACTERS 3. If populated and special character not = Ampersand, Apostrophe, Asterisk, Hyphen, Space, Number Sign, Parentheses, then return error: FTRAVQ024 NOT A VALID SPECIAL CHARACTER FOR BOX 4. If not populated and ROUTE is populated, then return error: FTRAVQ025 BOX REQUIRED WHEN ROUTE IS POPULATED	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
015	AFT - Address Format Type	Identifies the format of the address being supplied.	A	1-1	B=Unnumbered C=Provider assigned house number D=Descriptive N=Normal physical service address number	<ol style="list-style-type: none"> 1. If not populated and WTN is not populated, then return error: FTRAVQ026 AFT IS REQUIRED 2. If populated and vv = B, D and SASN is not populated, then return error: FTRAVQ027 SASN IS REQUIRED WHEN AFT IS B, D 3. If populated and vv = B, D and SANO is populated, then return error: FTRAVQ028 SANO IS PROHIBITED WHEN AFT IS B, D 4. If populated and vv does not equal B, C, D, N then return error: FTRAVQ030 AFT MAY ONLY BE B, C, D, N 5. If populated and WTN is populated then return error: FTRAVQ031 AFT IS PROHIBITED 	O
016	SAPR – Service Address Prefix	Identifies the prefix for the address number of the service address	AN	1-6		<ol style="list-style-type: none"> 1.If populated and SASN is not populated, return error FTRAVQ105 SAPR PROHIBITED WHEN SASN IS NOT POPULATED. 2.If populated and dl >6, return error FTRAVQ106 SAPR MUST BE 1-6 ALPHA NUMERIC <p>Note: Where 25W is the address number prefix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Building 2, Floor 12, Suite 23A</p>	O
017	SANO – Service Address Number	Identifies the number of the service address.	AN -	1-10		<ol style="list-style-type: none"> 1. If not populated and AFT = C, N, then return error: FTRAVQ032 SANO IS REQUIRED 2. If populated and AFT = B, D then return error: FTRAVQ033 SANO IS PROHIBITED 3. If populated and dl > 10, then return error: FTRAVQ034 SANO MAY NOT EXCEED 10 CHARACTERS 4. If populated and special character not = Hyphen, then return error: FTRAVQ035 NOT A VALID SPECIAL CHARACTER FOR SANO 5. If populated and TXTYP = A and TXACT = T then return error: FTRAVQ036 SANO IS PROHIBITED WITH THIS TXTYP/TXACT COMBINATION 	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>6. If populated and SASN and (ROUTE and BOX) are not populated then return error: FTRAVQ037 SANO IS PROHIBITED</p> <p>7. If populated and special character= hyphen not followed by numeric then return error: FTRAVQ038 A HYPHEN MUST BE FOLLOWED BY A NUMERIC FOR SANO</p>	
019	SASF - Service Address Number Suffix	Identifies the suffix for the address number of the service address.	AN /	1-4		<p>1. If populated and SANO is not populated, then return error: FTRAVQ039 SASF IS PROHIBITED</p> <p>2. If populated and special character not =, Virgule, then return error: FTRAVQ040 NOT A VALID SPECIAL CHARACTER FOR SASF</p> <p>3. If populated and special character = virgule and not preceded and followed by numeric, then return error: FTRAVQ041 VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC CHARACTER FOR SASF</p> <p>4. If populated and dl > 4 then return error: FTRAVQ042 SASF MAY NOT EXCEED 4 CHARACTERS</p>	O
020	SASD - Service Address Street Directional Prefix	Identifies the street directional prefix for the service address.	A	1-2	E = East W = West N = North S = South NE = Northeast NW = Northwest SE = Southeast SW = Southwest	<p>1. If populated and SASN is not populated, then return error: FTRAVQ043 SASD IS PROHIBITED</p> <p>2. If populated and vv not = E, W, N, S, NE, NW, SE, SW, then return error: FTRAVQ044 SASD VALID VALUE = E, N, S, W, NE, NW, SE, SW ENTRY</p>	O
021	SASN - Service Address Street Name	Identifies the street name of the service address	AN & ' * - # () Space	1-50		<p>1. If not populated and AFT=B,C,D, N, then return error: FTRAVQ045 SASN IS REQUIRED WHEN AFT EQUALS B,C,D, N</p> <p>2. If not populated and WTN and ROUTE and BOX are not populated then return error: FTRAVQ046 SASN IS REQUIRED</p> <p>3. If populated and dl > 50, then return error: FTRAVQ047 SASN MAY NOT EXCEED 50 CHARACTERS</p> <p>4. If populated and special character not = Ampersand, Apostrophe, Asterisk, Hyphen, Space, Number Sign, Parentheses, then return error: FTRAVQ048 NOT A VALID SPECIAL CHARACTER FOR SASN</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
022	SATH - Service Address Street Type	Identifies the thoroughfare portion of the street name of the service address.	AN	2-7	See Separate Table for SATH Values (that are State specific in some cases)	1. If populated and SASN is not populated, then return error: FTRAVQ049 SATH IS PROHIBITED 2. If populated and vv not = entry in attached table, then return error: FTRAVQ050 SATH IS INVALID	O
023	SASS - Service Address Street Directional Suffix	Identifies the street directional suffix for the service address	A	1-2	E = East W = West N = North S = South NE = Northeast NW = Northwest SE = Southeast SW = Southwest	1. If populated and SASN is not populated, then return error: FTRAVQ051 SASS IS PROHIBITED 2. If populated and vv not = E, W, N, S, NE, NW, SE, SW, then return error: FTRAVQ052 SASS VALID VALUE = E, N, S, W, NE, NW, SE, SW	O
024	LD1 - Service Address Location Designator 1	Identifies additional specific information related to the address.	A	4-4	BLDG (Building) PIER (Pier) WNG (Wing)	1. If populated and SASN is not populated, then return error: FTRAVQ053 LD1 IS PROHIBITED 2. If populated and vv not = BLDG, WNG, PIER, then return error: FTRAVQ054 LD1 VALID VALUE = BLDG, PIER, WNG	O
025	LV1 - Service Address Location Value 1	Identifies the value associated with the first location designator of the address.	AN Hyphen space apostrophe	1-10		1. If populated and LD1 is not populated, then return error: FTRAVQ055 LV1 IS PROHIBITED 2. If populated and special character not = Apostrophe, Hyphen, Space and LD1 = BLDG, then return error: FTRAVQ056 LV1 HAS INVALID CHARACTERS 3. If populated and dl > 10, then return error: FTRAVQ057 LV1 MAY NOT EXCEED 10 CHARACTERS 4. If populated and special character not = Hyphen, Space and LD1 = WNG, PIER, then return error FTRAVQ058 LV1 HAS INVALID CHARACTERS 5. If not populated and LD1 is populated, then return error FTRAVQ059 LV1 IS REQUIRED	O
026	LD2 - Service Address Location Designator 2	Identifies additional specific information related to the address.	A	2-2	FL (Floor)	1. If populated and SASN is not populated, then return error: FTRAVQ060 LD2 IS PROHIBITED 2. If populated and vv not = FL, then return error: FTRAVQ061 LD2 VALID VALUE = FL	O
027	LV2 - Service Address	Identifies the value associated with the second	AN	1-10	Main, Attic, Penthouse, Townhouse, Ground,	1. If populated and LD2 is not populated, then return error: FTRAVQ062 LV2 IS PROHIBITED	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
	Location Value 2	location designator of the address.	- space		Basement, UpperLevel, LowerLevel, Mezzanine, Terrace, Bottom, Rear Left, Rear Right, Front Left, FrontRight, Middle, Left Rear, Right Rear, Left Front, RightFront, Garden, Garage, Superinten, Store, Walk-In, Lobby, (1-999), LBBY, FRONT, SIDE, STOP	<p>2. If populated and dl > 10, then return error: FTRAVQ063 LV2 MAY NOT EXCEED 10 CHARACTERS</p> <p>3. If not populated and LD2 is populated, then return error FTRAVQ064 LV2 IS REQUIRED</p> <p>4. If populated and vv not = Main, Attic, Penthouse, Townhouse, Ground, Basement, UpperLevel, LowerLevel, Mezzanine, Terrace, Bottom, Rear Left, Rear Right, Front Left, FrontRight, Middle, Left Rear, Right Rear, Left Front, RightFront, Garden, Garage, Superinten, Store, Walk-In, Lobby, (1-999), LBBY, FRONT, SIDE, STOP, then return error: FTRAVQ065 LV2 IS INVALID</p> <p>5. If populated and special character not = Hyphen, Space, then return error: FTRAVQ066 LV2 HAS INVALID CHARACTERS</p>	
028	LD3 - Service Address Location Designator 3	Identifies additional specific information related to the address.	A	2-4	APT (Apartment) SUIT (Suite) RM (Room) LOT (Lot) UNIT (Unit) SLIP, SPC, OFC, DEPT, STE, PH	<p>1. If populated and SASN is not populated, then return error: FTRAVQ067 LD3 IS PROHIBITED</p> <p>2. If populated and vv does not = APT, SUIT, RM, LOT, SLIP, UNIT, SPC, OFC, DEPT, STE, PH then return error: FTRAVQ068 LD3 VALID VALUE = APT, SUIT, RM, LOT, SLIP, UNIT, SPC, OFC, DEPT, STE, PH</p>	O
029	LV3 - Service Address Location Value 3	Identifies the value associated with the third location designator of the address.	AN Hyphen Space	1-10		<p>1.If populated and LD3 is not populated, then return error: FTRAVQ069 LV3 IS PROHIBITED</p> <p>2. If populated and dl > 10, then return error: FTRAVQ070 LV3 MAY NOT EXCEED 10 CHARACTERS</p> <p>3. If populated and special character not = Hyphen, Space, then return error: FTRAVQ071 LV3 HAS INVALID CHARACTERS</p> <p>4. If not populated and LD3 is populated, then return error: FTRAVQ072 LV3 IS REQUIRED</p>	O
031	CITY - City	Identifies the city, village or township, etc.	AN & ' * - () # Space	1-32		<p>1. If not populated and SASN or (ROUTE and BOX) are populated then return error: FTRAVQ073 CITY IS REQUIRED</p> <p>2. If populated and SASN and ROUTE and BOX are not populated, then return error: FTRAVQ074 CITY IS PROHIBITED</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>3. If populated and dl > 32, then return error: FTRAVQ075 CITY MAY NOT EXCEED 32 CHARACTERS</p> <p>4. If populated and special character not = Ampersand ,Apostrophe, Asterisk, Hyphen, Space Number Sign, Parentheses, then return error: FTRAVQ076 NOT A VALID SPECIAL CHARACTER FOR CITY</p>	
032	STATE - State	Identifies the abbreviation for the state or province	A	2-2	AL, AZ, CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV	<p>1.If populated and vv does not = AL, AZ, CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV then return error: FTRAVQ077 NOT A VALID STATE FOR FRONTIER</p> <p>2. If not populated, then return error: FTRAVQ078 STATE IS REQUIRED</p> <p>3.If populated and vv not = capital letters, then return error: FTRAVQ079 STATE FIELD MUST BE CAPITAL LETTERS</p>	R
033	ZIP - Zip/Postal Code	Identifies the ZIP code, ZIP code + extension or postal code.	AN -	5-12		<p>1. If populated and SASN and (ROUTE and BOX) are not populated, then return error: FTRAVQ080 ZIP CODE IS PROHIBITED</p> <p>2. If populated and (dl < 5 or > 12), then return error: FTRAVQ081 ZIP MAY ONLY BE 5-12 CHARACTERS</p> <p>4. If populated and special character does not equal hyphen, then return error: FTRAVQ082 ONLY SPECIAL CHARACTER ALLOWED IN ZIP IS HYPHEN</p>	O
40	QR – Quantity Requested	Identifies the quantity of telephone numbers or loops requested in this inquiry.	N	1	1,2,3,4,5	<p>1. If not populated and (EXPIND = D or EXPIND is blank) and TXTYP = B and TXACT = E, then return error: FTRAVQ083 QR IS REQUIRED</p> <p>2. If populated and vv does not equal 1, 2, 3, 4, 5, then return error: FTRAVQ084 QUANTITY OF NUMBERS REQUESTED MUST BE 1, 2, 3, 4, 5</p>	O
041	TNTYPE – Telephone Number Type	Indicates the type of telephone number requested in this inquiry.	AN	1-12	D=Specific Number N=New Random Number S=Sequential Numbers G=Good (Easy to Remember)	<p>1. If not populated and (EXPIND = D or EXPIND is blank) and (TXTYP = B and TXACT = E, X) then return error: FTRAVQ086 TNTYPE IS REQUIRED</p> <p>2.If populated and vv does not = D, N, S, G, return error FTRAVQ088 TNTYPE VALID VALUES = D, N, S, G</p>	O



Fid Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
042	REQNUM - Requested Number	Indicates the NPA/NXX, telephone number(s) or range of telephone numbers requested.	N	10-10		<p>1.If not populated and (EXPIND = D or EXPIND is blank) and TXTYP = B and TXACT = U, X, then return error: FTRAVQ089 REQNUM IS REQUIRED</p> <p>2. If populated and dl is not equals 10, then return error: FTRAVQ091 REQNUM SHOULD BE 10 CHARACTERS</p> <p>3. If populated and dc does not equal numeric, then return error: FTRAVQ092 REQNUM MAY ONLY BE NUMERIC</p>	O
048	NPA/NXX – NPA/NXX	Identifies a specific NPA/NXX within the local serving office.	AN	6-6		<p>1. If populated and dl does not equal 6, then return error: FTRAVQ094 NPANXX MUST BE 6 CHARACTERS</p>	O
056	WTN – Working Telephone Number	Identifies the working telephone number at the end user's location.	N	10-10		<p>1. If not populated and TXACT = T, then return error: FTRAVQ095 WTN IS REQUIRED WHEN TXACT IS T</p> <p>2. If not populated and SASN and (ROUTE and BOX) are not populated, then return error: FTRAVQ096 WTN IS REQUIRED</p> <p>3. If populated and (dl does not equal 10) or (dc does not equal numeric), then return error: FTRAVQ097 WTN MAY ONLY BE 10 NUMERIC</p>	O
060a	EXPIND – Expand Options Indicator	Indicates whether using conv or dir version of trans. Direct ver utilizes only one inquiry and response.	A	1	D=Direct (5 TNs or Less)	<p>1.If populated and vv does not = D, return error FTRAVQ098 EXPIND MAY ONLY BE D</p>	O

APPENDIX A: ERROR MESSAGE TABLE

Error Message Number	Error Message Text
FTRAVQ001	DATE/TIME SENT IS REQUIRED
FTRAVQ002	DATE/TIME SENT MUST BE 14 NUMERIC CHARACTERS
FTRAVQ003	DATE/TIME SENT MONTH MUST BE 01-12
FTRAVQ004	DATE/TIME SENT DAY MUST BE 01-31
FTRAVQ005	DATE/TIME SENT HOUR MUST BE 00-23
FTRAVQ006	DATE/TIME SENT MINUTES MUST BE 00-59
FTRAVQ007	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12
FTRAVQ008	DATE/TIME SENT SECOND MUST BE 00-59
FTRAVQ009	TXTYP MAY ONLY BE A, B FOR THIS TRANSACTION
FTRAVQ010	TXACT IS REQUIRED
FTRAVQ011	



Error Message Number	Error Message Text
FTRAVQ012	CC IS REQUIRED
FTRAVQ013	CC MAY NOT EXCEED 4 CHARACTERS
FTRAVQ014	
FTRAVQ015	CTVAL MAY ONLY BE A
FTRAVQ016	TOS MAY ONLY BE 1---, 11--, 2--- OR 21--
FTRAVQ017	ROUTE IS REQUIRED
FTRAVQ018	ROUTE IS REQUIRED
FTRAVQ019	ROUTE MAY NOT EXCEED 6 CHARACTERS
FTRAVQ020	NOT A VALID SPECIAL CHARACTER FOR ROUTE
FTRAVQ021	ROUTE IS NOT ALLOWED WHEN WTN IS POPULATED
FTRAVQ022	BOX NOT ALLOWED WITHOUT ROUTE
FTRAVQ023	BOX MAY NOT EXCEED 9 CHARACTERS
FTRAVQ024	NOT A VALID SPECIAL CHARACTER FOR BOX
FTRAVQ025	BOX REQUIRED WHEN ROUTE IS POPULATED
FTRAVQ026	AFT IS REQUIRED
FTRAVQ027	SASN IS REQUIRED WHEN AFT IS B, D
FTRAVQ028	SANO IS PROHIBITED WHEN AFT IS B, D
FTRAVQ029	TXACT MAY ONLY BE A, T FOR TXTYP=A
FTRAVQ030	AFT MAY ONLY BE B, C, D, N
FTRAVQ031	AFT IS PROHIBITED
FTRAVQ032	SANO IS REQUIRED
FTRAVQ033	SANO IS PROHIBITED
FTRAVQ034	SANO MAY NOT EXCEED 10 CHARACTERS
FTRAVQ035	NOT A VALID SPECIAL CHARACTER FOR SANO
FTRAVQ036	SANO IS PROHIBITED WITH THIS TXTYP/TXACT COMBINATION
FTRAVQ037	SANO IS PROHIBITED
FTRAVQ038	HYPHEN MUST BE FOLLOWED BY A NUMERIC FOR SANO
FTRAVQ039	SASF IS PROHIBITED
FTRAVQ040	NOT A VALID SPECIAL CHARACTER FOR SASF
FTRAVQ041	VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC CHARACTER FOR SASF
FTRAVQ042	SASF MAY NOT EXCEED 4 CHARACTERS
FTRAVQ043	SASD IS PROHIBITED
FTRAVQ044	SASD VALID VALUE = E, N, S, W, NE, NW, SE, SW
FTRAVQ045	SASN IS REQUIRED WHEN AFT EQUALS B,C,D, N
FTRAVQ046	SASN IS REQUIRED
FTRAVQ047	SASN MAY NOT EXCEED 50 CHARACTERS
FTRAVQ048	NOT A VALID SPECIAL CHARACTER FOR SASN
FTRAVQ049	SATH IS PROHIBITED
FTRAVQ050	SATH IS INVALID
FTRAVQ051	SASS IS PROHIBITED
FTRAVQ052	SASS VALID VALUE = E, N, S, W, NE, NW, SE, SW
FTRAVQ053	LD1 IS PROHIBITED



Error Message Number	Error Message Text
FTRAVQ054	LD1 VALID VALUES = BLDG, PIER, WNG
FTRAVQ055	LV1 PROHIBITED
FTRAVQ056	LV1 HAS INVALID CHARACTERS
FTRAVQ057	LV1 MAY NOT EXCEED 10 CHARACTERS
FTRAVQ058	LV1 HAS INVALID CHARACTERS
FTRAVQ059	LV1 IS REQUIRED
FTRAVQ060	LD2 IS PROHIBITED
FTRAVQ061	LD2 VALID VALUE = FL
FTRAVQ062	LV2 IS PROHIBITED
FTRAVQ063	LV2 MAY NOT EXCEED 10 CHARACTERS
FTRAVQ064	LV2 IS REQUIRED
FTRAVQ065	LV2 VALUE IS INVALID
FTRAVQ066	LV2 HAS INVALID CHARACTERS
FTRAVQ067	LD3 IS PROHIBITED
FTRAVQ068	LD3 VALID VALUE = APT, SUIT, RM, LOT, SLIP, UNIT, SPC, OFC, DEPT, STE, PH
FTRAVQ069	LV3 IS PROHIBITED
FTRAVQ070	LV3 MAY NOT EXCEED 10 CHARACTERS
FTRAVQ071	LV3 HAS INVALID CHARACTERS
FTRAVQ072	LV3 IS REQUIRED
FTRAVQ073	CITY IS REQUIRED
FTRAVQ074	CITY IS PROHIBITED
FTRAVQ075	CITY MAY NOT EXCEED 32 CHARACTERS
FTRAVQ076	NOT A VALID SPECIAL CHARACTER FOR CITY
FTRAVQ077	NOT A VALID STATE FOR FRONTIER
FTRAVQ078	STATE IS REQUIRED
FTRAVQ079	STATE FIELD MUST BE CAPITAL LETTERS
FTRAVQ080	ZIP CODE IS PROHIBITED
FTRAVQ081	ZIP MAY ONLY BE 5-12 CHARACTERS
FTRAVQ082	ONLY SPECIAL CHARACTER ALLOWED IN ZIP IS HYPHEN
FTRAVQ083	QR IS REQUIRED
FTRAVQ084	QUANTITY OF NUMBERS REQUESTED MUST BE 1, 2, 3, 4, 5
FTRAVQ085	TXACT MUST = E, U, X FOR TXTYP=B
FTRAVQ086	TNTYPE IS REQUIRED
FTRAVQ087	
FTRAVQ088	TNTYPE VALID VALUES = D, N, S, G
FTRAVQ089	REQNUM IS REQUIRED
FTRAVQ090	TOS IS PROHIBITED
FTRAVQ091	REQNUM SHOULD BE 10 CHARACTERS
FTRAVQ092	REQNUM MAY ONLY BE NUMERIC
FTRAVQ093	
FTRAVQ094	NPANXX MUST BE 6 CHARACTERS
FTRAVQ095	WTN IS REQUIRED WHEN TXACT IS T



Error Message Number	Error Message Text
FTRAVQ096	WTN IS REQUIRED
FTRAVQ097	WTN MAY ONLY BE 10 NUMERICS
FTRAVQ098	EXPIND MAY ONLY BE D
FTRAVQ099	TXTYP IS REQUIRED
FTRAVQ100	TXNUM IS REQUIRED
FTRAVQ101	RESID IS PROHIBITED
FTRAVQ102	
FTRAVQ103	
FTRAVQ104	
FTRAVQ105	SAPR PROHIBITED WHEN SASN IS NOT POPULATED
FTRAVQ106	SAPR MUST BE 1-6 ALPHA NUMERIC

APPENDIX B - CHANGE CONTROL LOG

DATE	FIELD	REVISION NUMBER	CHANGE
07/15/2022	All	October 2022 Release	Update version to 9.30.25
03/21/2023	All	June 2023 Release	Update version to 9.30.26
7/13/2024	All	October 2024 Release	Update version to 9.30.28
11/27/2024	All	February 2025 Release	Update version to 9.30.29