



CLEC LSR Validation Tool

Add / Change To Existing Wholesale Broadband Platform

Voice Line

(REQTYP DB & EB)

In This Document:

Revised:

6/28/2024

DB-C Add Broadband to Existing Platform Voice Line Post Migration
DB-C Change Product on Existing BB Platform Voice Line Post Migration
DB-C Change to ADD Static IP Block to Existing Static IP BB Platform Product Post Migration
EB-C Add Broadband to Existing Resale Voice Line Post Migration
EB-C Change Product on Existing BB Resale Post Migration
EB-C Change to ADD Static IP Block to Existing Static IP BB Resale Product Post Migration
Change Log

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.



CLEC LSR Validation Tool

Add / Change To Existing Platform Service

DB-C Add Broadband to Existing Platform Voice Line Post Migration

DB-C, LNA=C FA=N

This validation sheet provides information about ordering Wholesale Brandband onto an existing Wholesale Platform voice line. Wholesale Broadband service is Asymmetrical.

Note: CTF refers to CA, FL, TX acquired 4/2016

LSR FORM

TOS

Populate the TOS value as shown on this chart

TOS POS 1 value cannot be 2 when a Static IP product is ordered

	F13-CTF	Acq WV	CT	Legacy
Business	17BL	1BBL	1BBL	1BBL
Residential	27BL	2BBL	2BBL	2BBL

NC/NCI CODES

Populate the NC and NCI fields using the appropriate values as shown on this chart

Territory/Area	Loopstart		Ground Start	
	NC	NCI	NC	NCI
F13-CTF	SNAL	02QC3.OOE	SNAL	02QC2.OOC
Acquired WV	N/A	N/A	N/A	N/A
Connecticut	SPSL	02LS2	SPSC	02GS2
Legacy	N/A	N/A	N/A	N/A

EU FORM

EATN

Existing Account Telephone Number of Voice Line

PS FORM

LTOS

	F13-CTF	Acq WV	CT	Legacy
Business	17BL	--BL	1BBL	1BBL
Residential	27BL	--BL	2BBL	2BBL

BROADBAND CODES (PS Form)

Click on this link for WABB product codes and job aids

[Wholesale Broadband Menu](#)

SDP

SDP: E Add Wholesale Broadband

DATA Wholesale BB Feature Code

Required: Enter the product code Dynamic or Static Broadband service

DATA Wholesale BB Equipment Code

A Frontier-supplied modem is **required** on Asymmetrical service (authentication requirements)

Modems are available for purchase or lease

Enter the code on the PS Form

Modem Type	Required/Optional	Suitable Products
Basic Modem	Required	Asymmetrical 6M and under
Bonded/Fiber Modem	Required	Asymmetrical 9M and up

Term Offer Code

Required

Enter the offer code for selected term of service

Term Offer Code	Asymmetrical - Available Until 8/21/2024	Asymmetrical - Available 7/1/2024	Symmetrical
Month-t-Month	#18WM	#24WM	#22WM
1 Year	#18WN	#24W1	#22W1
2 Year	#18WR	#24W2	#22W2
3 Year	Not Available	#24W3	#22W3

DATA Static IP Block

Conditional

When Static IP is desired, add the order code for the desired IP Block size.



CLEC LSR Validation Tool

Add / Change To Existing Platform Service

Note: LSR Remarks must provide justification for intended use of IP addresses.

|



CLEC LSR Validation Tool

Add / Change To Existing Platform Service

DB-C Change Product on Existing BB Platform Voice Line Post Migration

DB-C, LNA=C, FA=D/FA=N

This validation sheet provides information about changing the speed of existing broadband service that shares a Wholesale

LSR FORM

TOS

TOS POS 1 value cannot be 2 when a Static IP product is ordered

TOS: 1BBL

TOS: 2BBL

NC/NCI CODES

Populate the NC and NCI fields using the appropriate values as shown on this chart

Territory/Area	Loopstart		Ground Start	
	NC	NCI	NC	NCI
F13-CTF	SNAL	02QC3.OOE	SNAL	02QC2.OOC
Acquired WV	N/A	N/A	N/A	N/A
Connecticut	SPSL	02LS2	SPSC	02GS2
Legacy	N/A	N/A	N/A	N/A

EU FORM

EATN

Existing Account Telephone Number of Voice Line

PS FORM

LNA

LNA = C

LTOS

Territory/Area	Business		Residential	
	Hunting	Non-Hunting	Hunting	Non-Hunting
F13-CTF	1ABL	17BL	2ABL	27BL
Acquired WV	--BL	--BL	--BL	--BL
Connecticut	1ABL	1BBL	2ABL	2BBL
Legacy	1APL	1BPL	2APL	2BPL

BROADBAND CODES

Click on this link for WABB product codes and job aids

[Wholesale Broadband Menu](#)

SDP

SDP: C Change Wholesale Broadband with no change to CPE

SDP: F Change Wholesale Broadband with change to CPE

DATA Wholesale BB Feature Code

Required

FA=D Existing Wholesale Broadband Feature

FA=N New Wholesale Broadband Feature

DATA Wholesale BB Equipment Code

Conditional

A Frontier-supplied modem is **required** on Asymmetrical service (authentication requirements)

When a speed change increases a speed to 9M or higher, a Bonded/Fiber modem is **required** for the service to work. Add the modem code to

Modems are available for purchase or lease

Modem Type	Required/Optional	Suitable Products
Basic Modem	Required	Asymmetrical 6M and under



CLEC LSR Validation Tool

Add / Change To Existing Platform Service

Bonded/Fiber Modem	Required	Asymmetrical 9M and up	
Term Offer Code			
Conditional			
Enter the offer code for selected term of service only when renewing the term of an expiring term			
Term Offer Code	Month-t-Month	1 Year	2 Year
Term Offer Code	#18MN	#18WN	#18MR
DATA Static IP Block			
Conditional			
One usable IP address is provisioned on Static IP service (default /30.) No code required. When more than one Static IP is desired, add the order code for the desired IP Block size Note: LSR Remarks must provide justification for intended use of IP addresses.			



CLEC LSR Validation Tool

Add / Change To Existing Platform Service

DB-C Change to ADD Static IP Block to Existing Static IP BB Platform Product Post Migration

This validation sheet provides information about adding a Static IP block to an existing Static IP broadband service that shares a DB-C, LNA=C, FA=N

LSR FORM

TOS

TOS POS 1 value cannot be 2 when a Static IP product is ordered

TOS: 1BBL

TOS: ~~2BBL~~

NC/NCI CODES

Populate the NC and NCI fields using the appropriate values as shown on this chart

Territory/Area	Loopstart		Ground Start	
	NC	NCI	NC	NCI
F13-CTF	SNAL	02QC3.OOE	SNAL	02QC2.OOC
Acquired WV	N/A	N/A	N/A	N/A
Connecticut	SPSL	02LS2	SPSC	02GS2
Legacy	N/A	N/A	N/A	N/A

EU FORM

EATN

Existing Account Telephone Number of Voice Line

PS FORM

LTOS

	F13-CTF	Acq WV	CT	Legacy
Business	1BBL	--BL	1BBL	1BBL
Residential	2BBL	--BL	2BBL	2BBL

BROADBAND CODES

Click on this link for WABB product codes and job aids

[Wholesale Broadband Menu](#)

SDP

SDP: G Add Wholesale Broadband Optional Features

DATA Wholesale BB Static IP Code

Required

Wholesale Broadband Static IP Feature Code



CLEC LSR Validation Tool Add / Change To Existing Resale Service

EB-C Add Broadband to Existing Resale Voice Line Post Migration

EB-C, LNA=C FA=N

This validation sheet provides information about ordering Wholesale Broadband onto an existing Resale voice line. Wholesale Broadband service is Asymmetrical. F13 area includes CA, FL, TX acquired in 4/2016.

LSR FORM

TOS

TOS POS 1 value cannot be 2 when a Static IP product is ordered

TOS: 1BBL

TOS: 2BBL

NC/NCI CODES

Not used on Resale LSRs

EU FORM

EATN

Existing Account Telephone Number of Voice Line

RS FORM

LTOS

Territory/Area	Business	Residential
F13-CTF	1BBL	2BBL
Acquired WV	--BL	--BL
Connecticut	1BBL	2BBL
Legacy	1BBL	2BBL

BROADBAND CODES

Click on this link for WABB product codes and job aids

[Wholesale Broadband Menu](#)

SDP

Not used on Resale

DATA Wholesale BB Feature Code

Required

FA = N Enter Wholesale Broadband Feature Code

DATA Wholesale BB Equipment Code

A Frontier-supplied modem is **required** on Asymmetrical service (authentication requirements)

Modems are available for purchase or lease - Enter the code on the RS Form

Modem Type	Required/Optional	Suitable Products
Basic Modem	Required	Asymmetrical 6M and under
Bonded/Fiber Modem	Required	Asymmetrical 9M and up

Term Offer Code

Required

Enter the offer code for selected term of service

Available Until 8/21/2024

Month to Month	1 Year	2 Year	3 Year
#18WM	#18WN	#18MR	Not Available

Available 7/1/2024

Month to Month	1 Year	2 Year	3 Year
#24WM	#24WM	#24WM	Not Available

DATA Static IP Block



CLEC LSR Validation Tool Add / Change To Existing Resale Service

Conditional

One usable IP address is provisioned on Static IP service (default /30.) No code required.

When more than one Static IP is desired, add the order code for the desired IP Block size

Note: LSR Remarks must provide justification for intended use of IP addresses.

EB-C Change Product on Existing BB Resale Post Migration

B-C, LNA=C, FA=D/FA=N

This validation sheet provides information about changing the speed of existing broadband service that shares a

LSR FORM

TOS

TOS POS 1 value cannot be 2 when a Static IP product is ordered

TOS: 1BBL

TOS: 2BBL

NC/NCI CODES

Not used on Resale LSRs

EU FORM

EATN

Existing Account Telephone Number of Voice Line

RS FORM

LTOS

Territory/Area	Business	Residential
F13-CTF	1BBL	2BBL
Acquired WV	--BL	--BL
Connecticut	1BBL	2BBL
Legacy	1BBL	2BBL

BROADBAND CODES

Click on this link for WABB product codes and job aids

[Wholesale Broadband Menu](#)

LNA

LNA = C

SDP (RS Form)

Not used on Resale

DATA Wholesale BB Feature Code (RS Form)

Required

FA=D Existing Wholesale Broadband Feature

FA=N New Wholesale Broadband Feature

DATA Wholesale BB Equipment Code

Conditional

A Frontier-supplied modem is **required** on Asymmetrical service (authentication requirements)

When a speed change increases a speed to 9M or higher, a Bonded/Fiber modem is **required** for the service to work.

Modems are available for purchase or lease

Modem Type	Required/Optional	Suitable Products
Basic Modem	Required	Asymmetrical 6M and under



CLEC LSR Validation Tool

Add / Change To Existing Resale Service

Bonded/Fiber Modem		Required	Asymmetrical 9M and up
Term Offer Code			
Conditional			
Enter the offer code for selected term of service only when renewing the term of an expiring term			
Available Until 8/21/2024			
Month to Month	1 Year	2 Year	3 Year
#18WM	#18WN	#18MR	Not Available
Available 7/1/2024			
Month to Month	1 Year	2 Year	3 Year
#24WM	#24W1	#24W2	#24W3
DATA Static IP Block			
Conditional			
Available Until 8/21/2024			
No code required for one usable IP address (default /30).			
When more than one Static IP is desired, add the order code for the desired IP Block size.			
Available 7/1/2024			
Code required for all Static IP Blocks sizes (no default).			
Note: LSR Remarks must provide justification for intended use of IP addresses.			
To retain Static IP Blocks on blocks of 5 and above*:			
FA=D Existing Static IP Block			
FA=N New Static IP Block			
* This inward and outward action must take place even when the Static IP Block code/size remains the same.			



**CLEC LSR Validation Tool
Add / Change To Existing Resale Service**

EB-C Change to ADD Static IP Block to Existing Static IP BB Resale Product Post Migration

This validation sheet provides information about adding a Static IP block to an existing Static IP broadband service
EB-C, LNA=C, FA=N

LSR FORM

TOS

TOS POS 1 value cannot be 2 when a Static IP product is ordered

TOS: 1BBL

TOS: ~~2BBL~~

NC/NCI CODES

Not used on Resale LSRs

EU FORM

EATN

Existing Account Telephone Number of Voice Line

RS FORM

LTOS

Territory/Area	Business	Residential
F13-CTF	1BBL	2BBL
Acquired WV	--BL	--BL
Connecticut	1BBL	2BBL
Legacy	1BBL	2BBL

BROADBAND CODES

Click on this link for WABB product codes and job aids

[Wholesale Broadband Menu](#)

SDP

Not used on Resale

DATA Wholesale BB Static IP Code

Required

FA=N Wholesale Broadband Static IP Feature Code



CLEC LSR Validation Tool
Add / Change To Existing Wholesale
Broadband Platform Voice Line
(REQTYP DB EB)

Change Log		
Date	Tab	Description of Change
4/15/2019	All	Initial document posting
12/27/2019	All	Page headers
3/1/2021	All	Added LTOS section
8/24/2021	All	Update embedded links
6/28/2024	All	Added copper term codes and static IP information