



# Wireless Switched Access - Disconnect 911 Trunks (Type 2C)

## REQTYP M, ACT D

### VFO Product Feature Group D

Revised: 06/07/2021

**Note:** Wireless Type 2C Trunks establish connections between the customers Mobile Telephone Switching Office (MTSO) and the 9-1-1 Selective Router Tandem.

### 001 - Access Service Request (ASR)

#### Administrative Section

Field	Description	Example
<b>CCNA</b>	Customer Carrier Name Abbreviation	XXX (Identifies the IAC Code of the Carrier)
<b>PON</b>	Purchase Order Number	<b>Note:</b> This Field is Controlled by Customer
<b>VER</b>	Version Identification	<b>Note:</b> This Field is Controlled by Customer
<b>ICSC</b>	Interexchange Customer Service Center	See Valid ICSC Entries <a href="https://wholesale.frontier.com/dcaas-staticassets/wholesale/SourceFiles/Access/ICSC_Job_Aid.pdf">https://wholesale.frontier.com/dcaas-staticassets/wholesale/SourceFiles/Access/ICSC_Job_Aid.pdf</a>
<b>ACTI</b>	Activity Indicator	D for partial disconnect of trunk group E for full disconnect of trunk group with re-routing F for full disconnect of trunk group without routing
<b>DDD</b>	Desired Due Date	Standard Interval
<b>REQTYP</b>	Requisition Type and Status	M
<b>ACT</b>	Activity	D=Disconnect
<b>LATA</b>	Local Access Transport Area	Numeric
<b>RTR</b>	Response Type Requested	F, N, or S
<b>AFO</b>	Additional Forms	Populate with a Y if more than 24 trunks being disconnected.
<b>TQ</b>	Translation Questionnaire Request	Required entry only if ACTI = E or F W=Wireless Translations X=Wireless Translations and Code Translation Routing
<b>UNIT</b>	Unit Identification	C
<b>LTP</b>	Local Transport	Required - See ASOG for Valid entries
<b>CKR</b>	Customer Circuit Reference	Customer Circuit ID
<b>QTY</b>	Quantity	number of trunks being disconnected
<b>BAN</b>	Billing Account Number	Entry of "E" for existing BAN
<b>ACTL</b>	Access Customer Terminal Location	Trunk ACTL CLLI
<b>RPON</b>	Related Purchase Order Number	If necessary



# Wireless Switched Access - Disconnect 911 Trunks (Type 2C)

## Bill Information

Field	Description	Example
BILLNM	Billing Name	Bill name for ACNA
SBILLNM	Secondary Billing Name	optional
ACNA	Access Customer Name Abbreviation	alpha
FUSF	Federal Universal Service Fee	E or N <b>Note:</b> Refer to the ASOG FUSF field Notes for Assessed or Exempted rules
TE	Tax Exemption	alpha
STREET (Bill)	Street Address (BILL)	# and street name assigned by US Postal Service
FLOOR (Bill)	Floor (BILL)	optional
ROOM (Bill)	Room (BILL)	optional
CITY (Bill)	City (BILL)	city name for street address
STATE (Bill)	State/Province (BILL)	alpha
ZIP CODE (Bill)	Zip Code (BILL)	numeric
BILLCON	Billing Contact	employee from ACNA that can be contacted for billing issues
TEL NO (Bill)	Telephone Number (BILL)	numeric

## Contact Information

Field	Description	Example
INIT	Initiator	customer's employee submitting ASR
TEL NO (INIT)	Telephone Number (Initiator)	numeric
INIT FAX NO	Initiator Facsimile Number	optional
INIT EMAIL	Initiator Electronic Mail Address	optional
DSGCON	Design/Engineering Contact	name of customer's designer
TEL NO (DSG CON)	Telephone Number (Design Contact)	numeric
DSG FAX NO	Design Facsimile Number	optional
STREET (DSG CON)	Street Address (Design Contact)	customer designer's mailing address street
FLOOR (DSG CON)	Floor (Design Contact)	optional
ROOM (DSG CON)	Room (Design Contact)	optional
CITY (DSG CON)	City (Design Contact)	customer designer's mailing address city
STATE (DSG CON)	State/Province (Design Contact)	customer designer's mailing address state
ZIP CODE (DSG CON)	Zip Code (Design Contact)	numeric
DSG EMAIL	Design Electronic Mail Address	optional
IMPCON	Implementation Contact	customer's testing contact
TEL NO (IMP CON)	Telephone Number (Implementation Contact)	numeric
D/TREC	Date and Time Received	mmddy and hour, minute & AM or PM



# Wireless Switched Access - Disconnect 911 Trunks (Type 2C)

## 004 - Trunking Service Detail

Field	Description	Example
NC	Network Channel Code	NC of existing trunk <b>Note:</b> Customers must refer to iconectiv for accurate NC/NCI/SECNCI combinations <b>or</b> refer to the NC/NCI/SECNCI job aid found at: <a href="https://wholesale.frontier.com/resources/access-services/switched-access-ordering.html">https://wholesale.frontier.com/resources/access-services/switched-access-ordering.html</a>
NCI	Network Channel Interface Code	NCI of existing trunk See NC Note Above
SECLOC	Secondary Location	Selective Router Tandem CLLI
RECCKT	Related Exchange Company Circuit Identification	DS1 to be disconnected if trunks and T1s to be disconnected
TTT	Transport Trunk Termination Code	A=Mobile to Land
QACI	Quantity Additional Circuit Information	Only required if more than 24 trunks requested
TRFTYP	Traffic Type	<b>E9=9-1-1</b>
NC1	Network Channel Code (T1)	See NC Note Above
TCIC	Trunk Circuit Identification Code	Required if ordering SS7 trunks
PSAP	Public Safety Answering Point	County name
ESN	Emergency Service Number	00001
CSL	Customer Switch Location	If disconnecting SS7 connectivity, place SS7 switch CLLI here
CST	Customer Switch Type	If CSL is populated, this field is required
CSPC	Customer Signaling Point Code	If disconnecting SS7 this field is required

## 019 - Translation Questionnaire (TQ) Common Section

Field	Description	Example
TECH CON	Customer Technical Contact (Translation)	customer's Translations tester
TEL NO (Tech Contact Translation)	Technical Contact Telephone Number (Translation)	numeric
TG ACT	Trunk Group Activity	D=Disconnect
TGTYP	Trunk Group Type	A=PH (Primary Route) H=AF (Secondary route) E=Direct Final route
TSC	Two Six Code	The TSC that traffic should overflow to if any
GLARE	Glare Master	A
DIR	Directionality	10
FACT	Feature Activity (ALT REF)	A



# Wireless Switched Access - Disconnect 911 Trunks (Type 2C)

<b>ALT REF</b>	Alternate Routing Trunk Group Reference	TSC which traffic will overflow to if needed
<b>REMARKS</b>	Remarks	Explain disconnect of trunks and reroute of traffic.

## 007 - Additional Circuit Information (ACI)

### Circuit Details

Field	Description	Example
<b>REF NUM (1)</b>	Reference Number	For every DS1 being disconnected, an ACI page must accompany the request.
<b>RECCKT</b>	Related Exchange Company Circuit Identification	DS1 to be disconnected if trunks and T1s to be disconnected
<b>HBAN</b>	High Capacity Channel Billing Account Number	E
<b>TRN</b>	Trunk Number	Prohibited if TCIC is populated
<b>TCIC</b>	Trunk Circuit Identification Code	Required if SS7 trunks
<b>CKR</b>	Customer Circuit Reference	Customer circuit ID

This is an ASR Sample. There are other ASOG fields not included in this documentation. Please refer to ASOG for all field definitions. You may also reference Frontier's Custom Business rules: <https://wholesale.frontier.com/resources/reference-library/access-reference-documents.html>



# Wireless Switched Access - Disconnect 911 Trunks (Type 2C)

## Change Log:

Date	Revision
8/21/2015	Updated to add CTF (California, Texas and Florida) ICSC codes of GT10 and GT11 effective 4-1-2016
06/07/2021	Update embedded links

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.