



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
CCNA	Customer Carrier Name Abbreviation	LSR		required	3	A
PON	Purchase Order Number	LSR		required	16	A/N
VER	Version	LSR		conditional	2	A/N
AN	Account Number	LSR		optional	20	A/N
ATN	Account Telephone Number	LSR		conditional	10	A/N
LSR NO	Local Service Request Number	LSR		required	18	A/N
ORD	Order Number	PS		optional		
CNO	Case Number	LSR		optional	12	A/N
INIT	Initiator Identification	LSR		required	25*	A/N
D/TSENT	Confirmation Date and Time Sent		Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit hour (00-23) : (colon) Two Digit Minute (00-59) : (colon) Two Digit Second (00-59) EDI Format Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit hour (01-12) Two Digit Minute (00-59) AM or PM	required	17	A/N
REP	Provider Contact Representative	n/a		required	50	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
ST	Switch Type	ISDN BRI/PRI Service	1 5ESS ® 2 DMS ® 3 EWSD ® 4 Other switch type 5 GTD5-EAX ®	conditional		
TEL NO	Telephone Number	n/a		required	14	A/N*
FEP	Fiber Environment Provisioned	n/a	From Loop Qualification A Fiber B Copper	conditional	1	A
RT	Response Type	n/a	C Firm Order Confirmation J Jeopardy Notice K Notification of Network Modifications required N Confirmation of customer requested cancellation	required	1	A
ECI	Engineering and Construction Interval	n/a		conditional	3	N
NMR	Network Modifications Required	n/a		conditional	160	A/N
PIA	Provider Initiated Activity	n/a	1 ECCKT(s) change 2 Due date change 3 ECCKT and due date change 4 Other (clarify in RT Field or remarks) 5 Service order number change 9 Telephone number change	conditional	1	N
CHC	Coordinated Hot Cut	LSR	Y Yes A Large Job B Batch Hot Cut	conditional	1	A
FDT	Frame Due Time	LSR	HHMMAM or PM HH – 01-12 MM – 00-59 AM PM	conditional	6-8	A/N
DD	Due Date	LSR	CCYYMMDD CC – 00-99; YY – 00-99; MM – 01-12; DD – 01-31	required	8	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
EBD	Effective Bill Date	n/a		optional	10	A/N
BI1	Billing Account Number Identifier 1	LSR	D Directory Listings L Loop	conditional	1	A
BAN1	Billing Account Number 1	LSR	Valid Billing Account Number	conditional	13	A/N
BI2	Billing Account Number Identifier 2	LSR	D Directory Listings L Loop	conditional	1	A
BAN2	Billing Account Number 2	LSR	Valid Billing Account Number	conditional	13	A/N
EC VER	Exchange Carrier Version	n/a	Utilized when PIA is populated (ie when provider initiates the cancel). valid entries: First Two characters AA-ZZ 00-99 Third character C Correction copy	conditional	3	A/N
RCODE	Reason Code	n/a	JEOP Code Identifies the reason the order may not meet the requested Due Date at confirmation and /or Post Confirmation. 1A Inter office facility shortage 1B Scheduling/Work Load 1C Customer not ready 1G No access to end users premises 1K Natural Disaster (Flood, etc.) 1L Frame Due Time cannot be met 1P Other 1Q Assignment problem 3B Facilities incorrect/busy	conditional	2	A/N
RDET	Reason Jeopardy Code Detail	n/a	JEOP Code Definition. Identifies the reason the order may not meet the requested Due Date at confirmation and /or Post Confirmation.	optional	60	A/N
ESDD	Estimated Due Date	n/a	Scheduled DD on Service Order	optional	10	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
AFVR	Additional Field Visit Required	n/a		optional	1	A
DSGCON	Design/Engineering Contact	n/a		conditional	15	A/N
NSP DSGCON	Network Service Provider (NSP) Design/Engineering Contact	n/a		optional	15	A/N
TEL NO	Telephone Number	LSR		conditional	10	N
ONSP	Old Network Service Provider	LSR		Optional	4	A/N
Section: Circuit Detail						
LNUM	Line Number			optional	5	N
RNUM	Reference Number	DDPS		conditional	4	N
LEGNUM	Multi-point Leg Number	RPL		conditional	3	N
ECCKT	Exchange Company Circuit ID		Identifies a provider's circuit identification Telephone Number Format: NPANXXXXXX Serial Number Format: Prefix/Service Code and Modifier/Serial Number/Suffix Code/AP Code/segment name (if applicable).	optional	41	A/N
DSN	Dialable Station Number	CRS		conditional	7	N
LTC	Line Treatment Code	CRS		conditional	2	N
NOTYP	Number Type	CRS / IS	B ISDN BRI Telephone Number M Maintenance Number T Telephone Number	optional	1	A
TNS	Telephone Numbers		Telephone Number(s) Maintenance Number ISDN BRI telephone number (s) Terminal number(s) EOP Extension off premises	optional	15	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
TSP	Telecommunication Service Priority			conditional	12	A/N
FEP	Fiber Environment Provisioned		From Loop Qualification	conditional	1	A
TERS	Terminal Numbers			optional	10	A/N
DSTN	Disassociated Telephone Number	DID/DOD/ PBX Services		conditional	10	N
LTLI	Lead Telephone Line Identifier	DID/DOD/ PBX Services		conditional	10	N
TKQ	Trunk Quantity	DID/DOD/ PBX Services		conditional	4	N
TGN	Trunk Group Number	ISDN BRI/PRI		conditional	4	N
RIN	Route Index Number	DID/DOD /PBX Services		conditional	10	N
TKID	Trunk ID	DID/DOD/ PBX Services		conditional	10	N*
DO	Digits Out	ISDN BRI/PRI Service		conditional	2	N
MATN	Main/Alternate Telephone Number	ISDN BRI/PRI Service	M Main Telephone Number A Alternate Telephone Number(s)	optional	1	A
DRTN	Distinctive Ring Telephone Number			optional	10	N
PID	Personal Identifier		Identifies the authorization number to be utilized with the telephone number provided in the SAT field.	optional	4	N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
SAT	Subscriber Access Telephone Number		Identifies the telephone number, which allows remote access to make feature configuration changes.	optional	10	N
CKR	Customer Circuit Reference		Identifies the circuit number assigned by the customer.	optional	41	A/N
ISPID	ISDN Service Profile Identification	ISDN BRI/PRI Service		conditional	14	N
CFA	Connecting Facility Assignment	LS	All element entries of the CFA are left justified with no trailing spaces. May be applicable when the customer has assignment control	optional	42	A/N
ORDL	Line Level Order Number	Local Response	Service Order number	conditional	20	A/N
NPORD	Number Portability Order Number	n/a	Service Order number	conditional	20	A/N
PORTED NBR	Ported Telephone Number	LSNP		conditional	15	A/N
RTI	Route Index	DID/DOD/PBX Services		conditional	6	A/N
DISC NBR	Disconnect Telephone Number	LS/RS		conditional	10	N
DISC ECCKT	Disconnect ECCKT			conditional	41	A/N
DISC ORD	Disconnect Order Number	n/a	Service Order number	conditional	20	A/N
SYSTEM ID	System Identification	LS		conditional	5	A/N
SHELF	Shelf	LS	NOTE: Frontier 13 Service Territory Response = 3 characters (Numeric Shelf Number only), CCNA is provided back separately in CCNA field	conditional	6	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
SLOT	Slot	LS		optional	7	A/N
RELAY RACK	Relay Rack	LS		optional	10	A/N
CTI	Connection Type Indicator	LS	A Data and voice B Voice C Data	optional	1	A
CABLE ID	Cable Identification	LS		conditional	5	A/N
CBCID	Cross Box Cable Identification	LS		conditional	10	A/N
CBCID2	Cross Box Cable Identification 2	LS		conditional	10	A/N
RECCKT	Related Exchange Company Circuit ID	PS		conditional	41	A/N
VPID	Virtual Path Indicator	LS	1st Character (logical connection location) A Provider's equipment 2nd character (quality of service) B Constant Bit Rate (CBR) E Unspecified Bit Rate (UBR)	conditional	2	A
VPI	Virtual Path Identifier	LS		conditional	4	N
VCI	Virtual Circuit Identifier	LS		conditional	5	N
VPID2	Virtual Path Indicator 2	LS	1st Character (logical connection location) A End user equipment 2nd character (quality of service) B Constant Bit Rate (CBR) E Unspecified Bit Rate (UBR)	conditional	2	A
VPI2	Virtual Path Identifier 2	LS	valid values are 0 and 8	conditional	4	N
VCI2	Virtual Circuit Identifier 2	LS	valid values are 32 and 35	conditional	5	N
UDSPEED	Upstream and Downstream Speed	LS / PS	1500k,384k 1500k,128k 384k,384k 768k,128k 3000k,768k	conditional	15	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
CHAN/PAIR	Channel/Pair	LS		conditional	5	A/N
CBP1	Cross Box Pair 1	LS		conditional	10	A/N
CBP2	Cross Box Pair 2	LS		conditional	10	A/N
PGI	Pair Gain Indicator			optional	1	A
DEMARC	Demarc Designation			optional	12	A/N
OOD	Out of Range Indicator			optional	1	A
NID	Network Interface Device			optional	1	A
Section: Directory						
ATN	Account Telephone Number	LS		optional	10	N
DOR	Date of Receipt		Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31)	optional	10	A/N
DLORD	Directory Listing Order Number			optional	20	A/N
DBI1	Directory Billing Account Number Identifier 1			optional	1	A
DBAN1	Directory Billing Account Number 1			optional	13	A/N
DLCONT INIT	Name of Contact at Providing Company			optional	15	A/N
DLCONT TN	Directory Contact Telephone Number			optional	14	N
DACONT INIT	Name of Contact at Providing Company			optional	15	A/N
DACONT TN	Directory Contact Telephone Number			optional	14	N
DLQTYR	Number of Listings Received			optional	3	N
SQTYR	Service Address Quantity Received			optional	1	N
LTN	Listed Telephone Number	DL		optional	12	A/N
LACTCODE	Listing Action Code	n/a	Valid characters are N, D, I, Z.	optional	1	A/N



Local Response (LR)

Effective: 02/23/2025

Field	Description	Form	Notes	Required/ Optional / Conditional	Length	Characteristics
LFID	Listing Field Identifier	n/a		optional	4	A/N
ALI	Alpha/numeric Listing Identifier Code	n/a	ALI generated for the listing.	optional	6	A/N
LISTNM	Listed Name	n/a	Listing name generated for the listing	optional	50	A/N
LA	Listed Address	n/a	Echo the Listed Address on DL form, or the EU address if DL form is blank	optional	127	A/N
Section: Hunt Group						
LOCNUM	Location Number	LS		optional	3	N
HNUM	Hunt Group Number	n/a	New Hunt Group number assigned before SO is sent to Switch	conditional	3*	N
HID	Hunt Group Identifier	HGI	Hunt group identifier	conditional	12	A/N
TLI	Telephone Line Identifier	HGI	Line number Telephone number	conditional	14	A/N
HTSEQ	Hunting Sequence	HGI		conditional	10	A/N
HTN	Hunting Telephone Number	HGI		conditional	17	A/N
Section: Remarks						
REMARKS	Remarks	LSR		optional	500	A/N
Section: SECLOC						
LNUM	Line Number	PS		optional	5	N
LNEX	Line Number Extension Number	ISDN BRI/PRI Service		optional	5	N
DLCI	Data Link Connection Identifier			conditional	4	N
RECCKT	Related Exchange Company Circuit ID	PS		optional	41	A/N
LST	Local Service Termination	LSR		optional	11	A/N
RDLCI	Related Data Link Connection Identifier	RFR		conditional	4	N

Form Note: **Frontier does not pass edits on LR response fields. Field length showing is normal response, not maximum.



Local Response (LR)

Effective: 02/23/2025

Appendix A – Change Log

Date	Release	Field	Change Description
07/15/2022	October 2022 Release	All	Update version to 9.30.25
03/20/2023	June 2023 Release	All	Update version to 9.30.26
7/13/2024	October 2024 Release	All	Update version to 9.30.28
11/18/2024	February 2025 Release	All	Update version to 9.30.29

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

© 2024 Frontier Communications Parent, Inc. All rights reserved.