



Version 9.30.29

LSR FORM

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

© 2024 Frontier Communications Parent, Inc. All rights reserved.



Contents

Section ADMINISTRATIVE 5

 CCNA - Customer Carrier Name Abbreviation 5

 PON – Purchase Order Number 5

 VER – Version 6

 LOCQTY – Location Quantity 6

 HTQTY – Hunt Group Quantity 6

 AN – Account Number 7

 ATN – Account Telephone Number 7

 D/TSENT – Date/ time sent 8

 DSPTCH – Dispatch Required 9

 DDD – Desired Due Date 9

 APPTIME – Appointment Time - DDD 10

 DDDO- Desired Due Date Out 10

 NOR – Number of Requests 11

 APPTIME- Appointment Time - DDDO 11

 DFDT – Desired Frame Due Time 12

 PROJECT – Project Identification 13

 PROJINDR – Project Indicator 13

 CHC-Coordinated Hot Cut 13

 REQTYP – Request Type 14

 P – Product Arrangement 15

 SLI –Sub Loop Indicator 15

 ACT – Activity 16

 ADET – Activity Detail 17

 SUP – Supplement Type 18

 EXP – Expedite 21

 APPTRESID – Appointment Response Identifier 21

 CC – Company Code 22

 PID - Personal Identifier 22

 NNSP – New Network Service Provider Identification 22

 ONSP – Old Network Service Provider 23

 AENG – Additional Engineering 23

 SCA – special Construction Authorization 24

 AGAUTH – Agency Authorization Status 24

 ACTL – Access Customer Terminal Location 24

 SACTL – Secondary Access Customer Terminal Location 25



LST – Local service termination 26

LSO – Local Service Office..... 26

TOS – Type of Service 27

AC- Account Structure Change 31

SPEC- Service and Product Enhancement Code 31

NC- Network Channel Code 32

NCI – Network Channel Interface Code 34

SECNCI – Secondary Network Channel Interface Code 34

RPON – Related PON 34

RPVER – Related PON Version 35

RORD – Related Order Number 35

LSP AUTH – Local Service Provider Authorization 35

LSP AUTH DATE – Local Service Provider Authorization date 36

LSP AUTH NAME – Local Service Provider Authorization Name 36

LSPAN – Local Service Provider Authorization Number 36

CUST – Customer Name 37

NPDI – Number Portability Direction 37

BILL Section 39

 B11 –Billing Account Identifier 1 39

 BAN1 – Billing Account Number 1 40

 B12 – Billing Account Number Identifier 2 40

 BAN2 – Billing Account Number 2 42

 ACNA – Access Customer Name Abbreviation 42

 EBD – Effective Billing Date 43

 NRI 43

 BILLNM – Billing Name 43

 SBILLNM – Secondary Billing Name 43

 TE –Tax Exempt 44

 STREET- Street Bill Address 44

 FLOOR – Bill Floor 44

 ROOM/MAIL STOP- Bill Room/Mail stop 44

 CITY-Bill City 44

 STATE – Bill State 45

 ZIP – Bill ZIP/Postal Code 45

 BILLCON – Billing Contact 45

 TEL NO – Bill Contact Telephone Number 45

Contact Section 45



INIT – Initiator Identification45

TEL NO – Initiator Telephone Number46

EMAIL – Electronic Mail46

FAX NO – Facsimile Number46

IMPCON – Implementation Contact46

TEL NO – Implementation Contact Telephone Number47

PAGER – Implementation Contact Pager Number47

ALT IMPCON – Alternate Implementation Contact48

TEL NO – Alternate Implementation Contact Telephone Number48

PAGER – Alternate Implementation Contact Pager Number48

REMARKS Section49

 REMARKS – Remarks49

APPENDIX A: ERROR MESSAGE TABLE50

APPENDIX B – CHANGE CONTROL LOG64



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
Section ADMINISTRATIVE							
001	CCNA - Customer Carrier Name Abbreviation	Identifies the COMMON LANGUAGE IAC code for the customer	A	3-3		<p>1. If not populated, then return error: FTRLR001 CUSTOMER CARRIER NAME ABBREVIATION REQUIRED</p> <p>2. If populated and vv = CUS and CC is not populated, then return error: FTRLR002 CCNA OF 'CUS' REQUIRES AN ENTRY IN CC</p> <p>3. If populated and dl not = 3 characters, then return error: FTRLR003 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS</p> <p>4. If populated and dc not = alpha, then return error: FTRLR004 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC</p> <p>5. If populated and vv = CUS and position 2 of TOS = F, P, then return error: FTRLR319 VALUE OF CUS PROHIBITED WITH TOS SELECTED</p> <p>6. If populated and vv = CUS and position 2 of PS.LTOS = P, then return error: FTRLR033 CCNA VALID VALUE = CUS IS PROHIBITED</p> <p>Note: 1.The format and structure of this field is defined by ATIS in document 0300251, Codes for Identification of Service Providers for Information Exchange or by COMMON LANGUAGE in BR 751-100-112. 2.For an occasional customer who has not and probably will not obtain a CCNA, enter 'CUS' in this field 3. Valid IAC codes are outlined maintained by Telcordia Technologies</p>	R
002	PON – Purchase Order Number	Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.	AN	4-16		<p>1. If populated and (dl < 4 or > 16), then return error: FTRLR006 PURCHASE ORDER NUMBER MUST BE 4 TO16 CHARACTERS</p> <p>2. If not populated, then return error: FTRLR007 PURCHASE ORDER NUMBER IS REQUIRED</p> <p>3. If populated and special character not = hyphen, then return error: FTRLR008 ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN</p> <p>4.If populated and vv contains lower case alpha characters, return error FTRLR213 PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS</p>	R
003	BOPI					FRONTIER DOES NOT SUPPORT	P



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
004	VER – Version	Identifies the customer's version number.	N	2-2	00-99	<p>1. If not populated and SUP is populated, then return error: FTRLR009 VERSION REQUIRED WITH SUP</p> <p>2. If populated and dl not = 2 characters, then return error: FTRLR010 VERSION DATA LENGTH MUST BE 2 CHARACTERS</p> <p>3.If populated and dc does not = numeric, return error FTRLR180 VER MUST BE NUMERIC</p> <p>4. If VER is populated and SUP is populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = ' TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLR454 VER MUST BE INCREMENTED ON SUP ORDERS</p> <p>5.If not populated, return error FTRLR037 VERSION REQUIRED</p> <p>Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number.</p>	R
005	LOCQTY – Location Quantity	Identifies the number of service locations for the service requested.	N	1-3		<p>1.If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: FTRLR011 LOCATION QUANTITY IS REQUIRED</p> <p>2. If populated and dc not = numeric, then return error: FTRLR012 LOCATION QUANTITY MUST BE NUMERIC CHARACTERS</p> <p>3. If populated and dl > 3, then return error: FTRLR338 LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS</p>	C
006	HTQTY – Hunt Group Quantity	Identifies the quantity of hunt telephone numbers associated with this service request.	N	2-2		<p>1.If populated and REQTYP does not = DB, EB, NB, PB, QB and ACT does not = C, M, N, T, V, then return error: FTRLR013 HTQTY IS PROHIBITED FOR REQTYP/ACT</p> <p>2. If not populated and HGI form is present, then return error: FTRLR053 HTQTY IS REQUIRED</p> <p>3. If populated and HGI form is not present, then return error: FTRLR055 HTQTY IS PROHIBITED</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>4. If populated and PS.SDP = C, D, E, F, G, then return error: FTRLSR066 HTQTY IS PROHIBITED</p> <p>5. If populated and (dl > 2 or dc not = numeric), then return error: FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC</p>	
007	AN – Account Number	Identifies the main account number assigned by the NSP.	N	10		<p>1.If populated and REQTYP does not = CB and ACT does not = V, return error FTRLSR483 AN PROHIBITED</p> <p>2.If populated and dl does not = 10 or dc is not numeric, return error FTRLSR484 AN VALID VALUE = 10 DIGIT NUMERIC</p> <p>3.If not populated and REQTYP = CB and ACT = V, return error FTRNP532 AN REQUIRED</p> <p>Note: The CSR ATN should be populated in the AN field when REQTYP=CB and ACT=V.</p>	O
008	ATN – Account Telephone Number	Identifies the account telephone number assigned by the NSP.	AN	1 or 10	N, XXXXXXXXXX	<p>1.If populated and REQTYP = AB, BB, CB, JB, then return error: FTRLSR014 ATN NOT ALLOWED FOR REQTYP</p> <p>2. If not populated and REQTYP = DB and ACT = V and PS.RL is populated and EU.EATN is not populated, then return error: FTRLSR108 ATN IS REQUIRED</p> <p>3. If not populated and REQTYP = DB,EB and ACT = N, then return error: FTRLSR109 ATN IS REQUIRED</p> <p>4. If not populated and REQTYP = DB,EB and ACT = T or (ACT = C and PS.LNA or RS.LNA = T), then return error: FTRLSR112 ATN IS REQUIRED</p> <p>5. If populated and vv = N and (PS.TNS or RS.TNS not = N on any occurrence), then return error: FTRLSR118 ATN VALID VALUE = N IS PROHIBITED</p> <p>6. If populated and vv not = DL.LTN and AC = A, then return error: FTRLSR120 ATN MUST EQUAL LTN WHEN AC = A</p> <p>7. If not populated and AC = A, then return error: FTRLSR121 ATN IS REQUIRED</p> <p>8. If populated and vv not = N and (dl not = 10 or dc not = numeric), then return error: FTRLSR131 ATN VALID VALUE = N OR 10 NUMERIC</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						9.If populated and vv = N and ACT does not = N, return error FTRLR467 ATN MUST BE 10 DIGIT NUMERIC	
009	AAN					FRONTIER DOES NOT SUPPORT	P
010	NATN					FRONTIER DOES NOT SUPPORT	P
011	NAN					FRONTIER DOES NOT SUPPORT	P
012	SC					FRONTIER DOES NOT SUPPORT	P
013	PG_OF_					FRONTIER DOES NOT SUPPORT	P
014	RESID					FRONTIER DOES NOT SUPPORT	P
015	D/TSENT – Date/ time sent	Identifies the date and time the transaction is sent.	VFO / LSR-UOM N EDI AN	VFO / LSR-UOM 16-16 EDI 14-14	VFO/LSR-UOM Format: Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit hour (00-23) : (colon) Two Digit Minute (00-59) : (colon) Two Digit Second (00-59) EDI Format Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit hour (01-12) Two Digit Minute (00-59) AM or PM	1.Required if REQ TYP does not=CB or ACT does not=V. Otherwise if not populated return error FTRLR206 DATE/TIME SENT IS REQUIRED ** Note: Optional when the first position of the REQ TYP field is "C" and the order is for a simple port, otherwise required. 2. If populated and dc contains : (colon) and dl not = 16, then return error: FTRLR445 DATE/TIME SENT MUST BE 16 CHARACTERS 3. If populated and dc contains : (colon) and positions 5, 6 (MM) not = 01-12, then return error: FTRLR446 DATE/TIME SENT MONTH MUST BE 01-12 4. If populated and dc contains : (colon) and positions 7, 8 not = 01-31, then return error: FTRLR447 DATE/TIME SENT DAY MUST BE 01 – 31 5. If populated and dc contains : (colon) and positions 9,10 not = 00-23, then return error: FTRLR448DATE/TIME SENT HOUR MUST BE 00-23 6. If populated and dc contains : (colon) and positions 12, 13 not = 00-59, then return error: FTRLR449 DATE/TIME SENT MINUTES MUST BE 00-59 7. If populated and dc contains : (colon) and positions 15, 16 not = 00-59, then return error: FTRLR435 DATE/TIME SENT SECONDS MUST BE 00-59 8. If populated and dc doesn't contain : (colon) and dl not = 14, then return error: FTRLR207 DATE/TIME SENT MUST BE 14 CHARACTERS 9. If populated and dc doesn't contain : (colon) and positions 5, 6 (MM) not = 01-12, then return error: FTRLR208 DATE/TIME SENT MONTH MUST BE 01-12	R



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>10. If populated and dc doesn't contain : (colon) and positions 7, 8 not = 01-31, then return error: FTRLR209 DATE/TIME SENT DAY MUST BE 01 – 31</p> <p>11. If populated and dc doesn't contain : (colon) and positions 9,10 not = 01-12, then return error: FTRLR210 DATE/TIME SENT HOUR MUST BE 01-12</p> <p>12. If populated and dc doesn't contain : (colon) and positions 11, 12 not = 00-59, then return error: FTRLR211 DATE/TIME SENT MINUTES MUST BE 00-59</p> <p>13. If populated and dc doesn't contain : (colon) and dc not = numeric in positions 1 through 12, then return error: FTRLR212 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12</p> <p>14. If populated and dc doesn't contain : (colon) and position 13 and 14 not = to AM or PM, then return error: FTRLR219 AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/SENT</p> <p>15. If populated and dc contains : (colon) and dc not = numeric in positions 1 through 8, then return error: FTRLR295 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8</p>	
016	DSPTCH – Dispatch Required	Indicates a dispatch is required.	A	1	Y	<p>1.If populated and vv does not = Y, return error FTRLR473 DSPTCH VALID VALUE = Y</p> <p>2.If populated and REQTYP does not = AB or BB and TNT field not populated, return error FTRLR326 DSPTCH PROHIBITED</p>	O
017	DDD – Desired Due Date	Identifies the customer's desired due date.	N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and SUP not = 1 and DDD is not > or equal to current date (characters 1-8 of D/SENT), then return error: FTRLR015 DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE</p> <p>2. If populated and dl not = 8 characters, then return error: FTRLR016 DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS</p> <p>3. If populated and dc not = numeric, then return error: FTRLR017 DESIRED DUE DATE DATA MUST BE NUMERIC</p> <p>4. If populated and positions 5-6 (MM) are not 01-12, then return error: FTRLR018 DESIRED DUE DATE MONTH MUST BE 01 - 12</p> <p>5. If populated and positions 7-8 (DD) are not 01-31, then return error: FTRLR019 DESIRED DUE DATE DAY MUST BE 01 TO 31</p>	R



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>6. If not populated, then return error: FTRLR020 DESIRED DUE DATE IS REQUIRED</p> <p>Note: 1) DDD cannot exceed 60 calendar days 2) DDD is not guaranteed. CDD will be provided when FOC is returned.</p>	
018	APPTIME – Appointment Time - DDD	Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises.	AN - :	17-17	Format 08:00:00-12:00:00; 13:00:00-17:00:00;	<p>1. If populated and dc contains : (colon) and vv not = 08:00:00-12:00:00, 13:00:00-17:00:00, then return error: FTRLR436 APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00</p>	O
019	DDDO- Desired Due Date Out	Identifies the customer's desired due date for suspension or disconnection of service.	N	8- 8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and SUP is not populated and DDDO is not > or equal to current date (characters 1-8 of D/TSENT), then return error: FTRLR005 DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE</p> <p>2. If populated and vv is not in format CCYYMMDD, then return error: FTRLR022 DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED</p> <p>3. If populated and dl not = 8 characters, then return error: FTRLR023 DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS</p> <p>4. If populated and dc not = numeric, then return error: FTRLR024 DESIRED DUE DATE OUT DATA MUST BE NUMERIC</p> <p>5. If populated and positions 5-6 (MM) not = 01-12, then return error: FTRLR025 DESIRED DUE DATE OUT MONTH MUST BE 01 - 12</p> <p>6. If populated and positions 7-8 (DD) not = 01-31, then return error: FTRLR026 DESIRED DUE DATE OUT DAY MUST BE 01 - 31</p> <p>7. If populated and REQ TYP = AB, BB, CB or JB, then return error: FTRLR320 DDDO NOT ALLOWED FOR REQ TYP</p> <p>8. If populated and (PS.LNA or RS. LNA = T) and DDDO > DDD and EU.STATE not = CT, then return error: FTRLR159 DDDO MUST BE LESS THAN OR EQUAL TO DDD</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>9. If populated and position 1 of REQ TYP = D, E and ACT = T and position 4 of TOS = F and DDDO > DDD, then return error: FTRLSR162 DDDO MUST BE LESS THAN OR EQUAL TO DDD</p> <p>10. If populated and (position 1 of REQ TYP not = D, E, N, P, Q or ACT not = T) and (ACT not = C or (PS.LNA or RS.LNA not = T)), then return error: FTRLSR168 DDDO IS PROHIBITED</p> <p>11. If populated and position 1 of REQ TYP = N, Q or (position 1 of REQ TYP = P and EU.STATE not = CT) and ACT = T and vv > DDD, then return error: FTRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD</p>	
020	NOR – Number of Requests	Identifies this LSR and the total quantity of Local Service Requests within a related group of orders being submitted.	N	4-4	Positions 1,2 – 01-99 Positions 3, 4 – 02-99	<p>1. If populated and positions 3 and 4 are not = to or > than positions 1 and 2, then return error: FTRLSR027 NOR INVALID DATA IN LAST 2 POSITIONS</p> <p>2. If populated and RPON is not populated, then return error: FTRLSR028 NOR PROHIBITED WHEN RPON IS NOT PRESENT</p> <p>3. If not populated and RPON is populated, then return error: FTRLSR029 NOR IS REQUIRED WHEN RPON IS PRESENT</p> <p>4. If populated and dl not = 4 characters, then return error: FTRLSR030 NOR LENGTH MUST BE 4 CHARACTERS</p> <p>5. If populated and vv positions 1 and 2 not = 01-99 or vv position 3 and 4 not = 02-99, then return error: FTRLSR324 NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99</p>	O
021	APPTIME-Appointment Time - DDDO	Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises.	AN - :	17-17	Format 08:00:00-12:00:00 08:00:00-11:00:00 13:00:00-17:00:00 15:00:00-19:00:00	<p>1. If populated and REQ TYP = AB, BB, CB or JB, then return error: FTRLSR330 APPTIME DDDO NOT ALLOWED FOR REQ TYP</p> <p>2. If populated and SLI = B, then return error: FTRLSR176 APPTIME DDDO IS PROHIBITED WHEN SLI = B</p> <p>3. If populated and DDDO is not populated, then return error: FTRLSR249 APPTIME DDDO IS PROHIBITED</p> <p>4. If populated and dc contain : (colon) and vv not = 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00, then return error: FTRLSR437 APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
022	DFDT – Desired Frame Due Time	Identifies desired frame cutover time.	AN	6-6	HHMMAM or PM HH – 01-12 MM – 00-59 AM PM	<p>1. If not populated, and NOT (REQTYP = C and ACT = V) and CHC=Y ,A or B, then return error: FTRLSR032 DFDT IS REQUIRED WHEN CHC IS Y, A or B</p> <p>2. If populated and REQTYP = AB and CHC is not populated and LS.CI not = E and NPA NXX is not Frontier 13, then return error: FTRLSR289 DFDT PROHIBITED</p> <p>3. If not populated and REQTYP = AB and (LS.CI = E) and NPA NXX is not Frontier 13, then return error: FTRLSR349 DFDT IS REQUIRED WHEN CI IS E</p> <p>4. If populated and REQTYP = BB and CHC is not populated and (LSNP.NPT not = D or SLI = B) and NPA NXX is not Frontier 13, then return error: FTRLSR322 DFDT PROHIBITED</p> <p>5. If populated and dl not = 6 characters, then return error: FTRLSR021 DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS</p> <p>6. If populated and vv is not in format HHMMAM or HHMMPM, then return error: FTRLSR031 DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM</p> <p>7. If populated and positions 1-2 (HH) not = 01-12, then return error: FTRLSR036 DESIRED FRAME DUE TIME HOUR MUST BE 01 - 12</p> <p>8. If populated and positions 3-4 not = 00-59, then return error: FTRLSR043 DESIRED FRAME DUE TIME MINUTE MUST BE 00 - 59</p> <p>9. If populated and positions 5-6 not = AM or PM, then return error: FTRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA</p> <p>10. If populated and CHC = Y and (vv < 0700AM or > 0700PM) and EU.STATE not = CT, then return error: FTRLSR186 DFDT MUST BE BETWEEN 0700AM AND 0700PM</p> <p>11. If populated and vv not = 1100PM and REQTYP = AB, BB and CHC = A, then return error: FTRLSR132 DFDT MUST BE 1100PM</p> <p>12. If populated and vv not = 1145PM and REQTYP = AB, BB and CHC = B, then return error: FTRLSR140 DFDT MUST BE 1145PM</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						13. If populated and CHC = Y and (vv < 0800AM or > 0500PM) and EU.STATE = CT, then return error: FTRLSR244 DFDT MUST BE BETWEEN 0800AM AND 0500PM Note: 1)DFDT for Connecticut requests must be between 0800AM and 0500PM 2)Out-of-hours requests must be negotiated with a Frontier Account Manager.	
023	DFDTO					FRONTIER DOES NOT SUPPORT	P
024	PROJECT – Project Identification	Identifies the project to which the request is to be associated.	AN * & ‘ @ : , \$ - # () % . + “ ;	1-16		1. If populated and dl > 16 characters, then return error: FTRLSR041 PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS 2. If populated and special characters not = asterisk ampersand, apostrophe, At Sign, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, then return error: FTRLSR042 INVALID SPECIAL CHARACTER(S) IN PROJECT 3.If not populated and NP.PORTEDNBR or TNS field of associated service specific form populated with > 10 characters, and CHC does not = A, return error FTRLSR475 PROJECT REQUIRED 4. If not populated and EU.AAI=NEW ADDR, return error FTRLSR260 PROJECT REQUIRED WHEN EU.AAI = NEW ADDR Note: Project ID is alphanumeric created by the CLEC	O
025	PROJINDR – Project Indicator	Identifies that the project is either a customer or provider project.	A	1	C – Customer V – Provider	1. If not populated and PROJECT is populated, then return error: FTRLSR039 PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT 2. If populated and vv not = C, V, then return error: FTRLSR040 PROJECT INDICATOR MAY ONLY BE C OR V 3. If populated and PROJECT is not populated, then return error: FTRLSR189 PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT	O
026	LSCP					FRONTIER DOES NOT SUPPORT	P
027	CHC- Coordinated Hot Cut	Identifies that the customer is requesting near seamless cutover activity.	A	1	Y=Yes A=Large Job B=Batch Hot Cut	1. If populated and vv not = Y, A, B, then return error: FTRLSR045 DATA MAY ONLY BE Y OR A OR B 2. If populated and vv = A, B and ((REQTYP not = AB, BB) or (position 2 and 3 of TOS not = 1-) or (SLI not = S)) and NPA NXX is not Frontier 13 or EU.STATE not = CT, then return error: FTRLSR223 CHC VALUE OF A OR B INVALID	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>3. If populated and vv = A and REQ TYP = AB, BB, ACT=V and DFDT does not = 1100PM, then return error: FTRLSR328 CHC VALUE REQUIRES DFDT OF 1100PM</p> <p>4. If populated and vv = B and REQ TYP = AB, BB, ACT=V and DFDT does not = 1145PM, then return error: FTRLSR329 CHC VALUE REQUIRES DFDT OF 1145PM</p> <p>5. If not populated and position 1 of REQ TYP = D and PS.RL = Y and NPA NXX is Acquired WV, then return error: FTRLSR252 CHC IS REQUIRED</p> <p>6. If populated and position 1 of REQ TYP = D and PS.RL not = Y, then return error: FTRLSR253 CHC IS PROHIBITED</p> <p>7. If not populated and position 1 of REQ TYP = F and ACT = V, then return error: FTRLSR392 CHC IS REQUIRED FOR REQ TYP/ACT</p> <p>8. If populated and position 1 of REQ TYP = F and ACT not = V, then return error: FTRLSR393 CHC IS PROHIBITED FOR REQ TYP/ACT</p> <p>9.If not populated and EU.STATE=CT and the DFDT is populated, return error FTRLSR232 CHC REQUIRED</p>	
028	REQ TYP – Request Type	Identifies the type of service being requested	A	2-2	AB =Loop BB =Loop w/LNP CB =LNP DB = Wholesale Platform / Wholesale VoIP EB =Resale FB = Unbundled local switching (Port) JB = Directory Listing KB = Resale private line LB = Resale frame relay including Resale Asynchronous transfer mode (ATM) NB = DID/DOD/PBX PB = CENTREX Resale QB = ISDN	<p>1.If populated and vv does not = AB, BB, CB, DB, EB, JB, FB, KB, LB, NB, PB, QB, return error: FTRLSR046 REQ TYP IS PROHIBITED</p> <p>2. If not populated, then return error: FTRLSR214 REQ TYP IS A REQUIRED FIELD</p> <p>3. If populated and vv = EB and (position 2 of TOS = H, K, E) or (position 2 of TOS = J and NPA NXX is not Frontier 13), return error: FTRLSR254 REQ TYP EB PROHIBITED FOR TOS</p> <p>4.If populated and vv = FB and NPANXX is Legacy Frontier service territory, return error FTRLSR034 REQ TYP INVALID FOR SERVICE TERRITORY</p> <p>5.If populated and vv does not = AB, BB and CHC=A,B, return error FTRLSR035 REQ TYP MUST = AB, BB</p> <p>6. If populated and vv = DB and position 2 of TOS = H, J, K, return error FTRLSR228 REQ TYP DB PROHIBITED FOR TOS</p>	R



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						7. If REQTYT is DB and the ACT is not D or C w/LNA =D and the 2nd character of the TOS =E, C, T, then error FTRLSR327 ACTIVITY PROHIBITED	
029	P – Product Arrangement	Identifies the arrangement for the product ordered.	A	1-1	A=Resale B=Unbundled port C= Combined loop and unbundled local switching (port) D=Platform	1.If populated and REQTYT not = NB, QB, then return error: FTRLSR187 PRODUCT ARRANGEMENT NOT VALID FOR REQTYT 2. If not populated and position 1 of REQTYT = N, Q, return error: FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYT 3. If populated and vv not = A, B, C, D, then return error: FTRLSR288 PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D 4.If populated and vv does not = A and NPA NXX is Legacy, return error FTRLSR290 PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY	O
030	SLI –Sub Loop Indicator	Identifies the type of sub-loop the customer is requesting.	A	1	A= F(1) Sub-loop (Feeder) B= F(2) Sub-loop (Distribution) C= F(2) Sub-loop with virtual circuit H= House & Riser Cable S= Standard V= F(2) Sub-loop with virtual circuit and voice	1.If populated and REQTYT not = AB, BB, DB, then return error: FTRLSR047 SUB LOOP INDICATOR IS PROHIBITED 2.If not populated and REQTYT=AB, BB, return error FTRLSR048 SUB LOOP INDICATOR IS REQUIRED 3. If populated and vv not = B, C, H, V, S, then return error: FTRLSR049 SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S 4. If populated and vv not = S and position 1 of REQTYT = D, then return error: FTRLSR255 SLI VALID VALUE = S WHEN REQTYT = D 5. If not populated and position 1 of REQTYT = D and PS.SDP = A and Position 3 LSR.TOS does not = B, P and Position 4 LSR.TOS does not = S, L, then return error: FTRLSR256 SLI IS REQUIRED 6. If populated and position 1 of REQTYT = D and PS.SDP not = A and NPA NXX is Acquired WV, then return error: FTRLSR257 SLI IS PROHIBITED 7.If populated and vv does not = S and CHC=A,B, return error FTRLSR058 SLI MUST BE S 8.If not populated and (REQTYT=DB and ACT does not = J) and NPA NXX is Frontier 13 and position 3 LSR.TOS does not = B, P or position 4 LSR.TOS does not = S, L, V, return error FTRLSR221 SLI IS REQUIRED	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
031	ACT – Activity	Identifies the activity involved in this service request	A	1	<p>N= New installation and/or account</p> <p>C= Change an existing account, e.g., rearrangement, partial disconnect or addition (Physical Change)</p> <p>D=Disconnection</p> <p>J=Standalone Directory Listings (Valid for REQ TYP EB, DB, PB, NB, QB)</p> <p>M=Inside move of the physical termination within a building</p> <p>T= Outside Move of end user location</p> <p>R= Record activity is for ordering administrative changes (Records Only Change, Excludes Listing Only Change on REQ TYP EB,DB,NB,PB,QB –See ACT J)</p> <p>V= Conversion or migration of service as specified</p> <p>W= Conversion as is (No changes to account)</p> <p>Y= Suspend (non-pay suspend)</p> <p>B= Restore</p> <p>S= Seasonal/Vacation Suspend (Where Available by Tariff)</p> <p>S= Suspend for Non-Pay (REQ TYP DB - OR, NV, SC & Business Accts in CA)</p>	<p>1.If populated and REQ TYP = AB and ACT not = N,V,C,D,T,R,M, return error: FTRLSR050 ACT MAY ONLY BE N, V, C, D, T, R, M</p> <p>2. If populated and REQ TYP = CB and NP.NPT = D and ACT does not = V, then return error: FTRLSR051 ACT MAY ONLY BE V</p> <p>3. If populated and REQ TYP = BB and ACT not = V, then return error: FTRLSR054 ACTIVITY MUST BE V FOR REQ TYP BB</p> <p>4. If not populated, then return error: FTRLSR215 ACT IS A REQUIRED FIELD.</p> <p>5. If populated and vv not = C, D, N and SLI = C, V, then return error: FTRLSR335 ACT MUST BE C, D OR N WHEN SLI IS C OR V</p> <p>6. If populated and position 2 of TOS = Z and vv =N, then return error: FTRLSR321 ACT N PROHIBITED WITH SELECTED TOS</p> <p>7. If populated and vv = B, S and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED</p> <p>8. If populated and vv does not = C, D, R, J and position 1 of REQ TYP = F and position 2 of TOS = Y, then return error: FTRLSR398 ACT INVALID FOR REQ TYP</p> <p>9. If populated and vv = S, T and position 4 of TOS = R, then return error: FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS</p> <p>10.If populated and vv does not = N, C, J, M, T, D, R, V, W, S, B, Y, return error FTRLSR218 ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y</p> <p>11.If populated and vv does not = C,D,V and REQ TYP=AB, position 2 of TOS=P, and SLI=B, return error FTRLSR332 ACT MUST = C,D,V</p> <p>12.If populated and vv does not = N,C,D,R,V and REQ TYP=AB position 2 of TOS=R and SLI=B, return error FTRLSR340 ACT MUST = N,C,D,R,V</p> <p>13.If populated and vv = W and 1st position or REQ TYP does not = E, K, L, N, P or (Q unless PPT Value CSI = D, F), return error FTRLSR478 ACT W PROHIBITED</p>	R



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>14.If populated and vv = J and REQTYP does not = EB,DB,PB,NB, QB, return error FTRLSR480 ACT J PROHIBITED FOR REQTYP</p> <p>15.If populated and vv does not = N,D,C,V, and REQTYP = JB, return error FTRLSR481 INVALID ACT FOR REQTYP</p> <p>16.If populated and vv = Y and REQTYP = DB, return error FTRLSR533 ACT PROHIBITED WITH REQTYP</p> <p>17. If populated and vv = B, Y, S and REQTYP = FB, QB, LB, KB, NB, PB, return error FTRLSR524 ACT PROHIBITED WITH REQTYP</p> <p>18. If populated and vv = W and REQTYP = DB, return error FTRLSR468 ACT PROHIBITED FOR REQTYP IN SERVICE TERRITORY</p> <p>19.If populated and vv = S, position 1 of LSR.TOS does not = 2, REQTYP does not = DB, and EU.STATE = CA and NPA NXX is Frontier 13, return error FTRLSR261 SUSPEND ACTIVITY PROHIBITED</p> <p>20.If populated and vv = S, REQTYP does not = DB, and EU.STATE = NV, SC, return error FTRLSR262 SUSPEND ACTIVITY PROHIBITED</p> <p>21. If REQTYP=QB and the 2nd Character of the TOS =H and ((the ACT is not equal to D) or (ACT = C and LNA=D)), return error: FTRLSR265 ACTIVITY PROHIBITED</p> <p>22. 23. If REQTYP=LB and ((the ACT is not equal to D) or (ACT = C and LNA=D)), then error FTRLSR311 ACTIVITY PROHIBITED</p> <p>23. If Populated and the vv = S and the POS 1 of TOS =1 and the Reqtyp = EB, return error FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP</p> <p>24. If populated and vv = W and REQTYP = EB and 4th Character of TOS=B return error FTRLSR089 ACT PROHIBITED WITH REQTYP AND TOS COMBINATION</p>	
032	ADET – Activity Detail	Identifies the activity detail that will occur for a specific request.	A	1-1	A= End User Service Address Correction (e911)	<p>1.If populated and vv not = A, then return error: FTRLSR294 ADET VALID VALUE = A</p> <p>2.If populated and REQTYP=CB,JB, return error FTRLSR485 ADET PROHIBITED FOR REQTYP</p>	O
033	MI					FRONTIER DOES NOT SUPPORT	P



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
034	SUP – Supplement Type	A supplement is any new iteration of a local service request. The entry in the SUP field identifies the reason the supplement is being issued. The LSR will have the same PON number as the original submission, with incremental version.	N	1	<p>1= Cancel – A Sup 1 should be used to cancel a pending request.</p> <p>2= New Desired Due Date – Indicates that a pending order requires only a change of desired due date which was confirmed on a previous LR.</p> <p>3= Other – Any other change to the request not defined by a SUP code 2, 4, 5, 6 or 7. (Excludes REQ TYP and CCNA Changes)</p> <p>4= CLEC Facility Modification – A change to the Cable/Pair or Slot/Shelf values</p> <p>5= Change to NC/NCI</p> <p>6= Engineering query requested</p> <p>7= Network Modification Charges Accepted</p>	<p>1.If populated and SUP = 4, 5 and REQ TYP not = AB, BB and (SLI not = S or is not populated), then return error: FTRL SR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S</p> <p>2. If populated and vv not = 1, 2, 3, 4, 5, 6, 7, then return error: FTRL SR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7.</p> <p>3. If populated and vv = 6 and REQ TYP = CB, EB, JB, FB, KB, LB, NB, PB, QB, return error: FTRL SR227 SUP 6 PROHIBITED FOR REQ TYP</p> <p>4. If populated and vv = 6 and position 1 of REQ TYP = D and (ACT not = C, N, T, V or PS.LNA not = N, T), then return error: FTRL SR297 SUP VALID VALUE = 6 IS PROHIBITED</p> <p>5. If populated and vv = 6, 7 and PS.SDP = C, E, F, G, M, then return error: FTRL SR301 SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M</p> <p>6. If sup is not populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', 'TRANSMISSION_SUSPENDED' and message category = '850' or 'LSR REQUEST' then return error FTRL SR452 RESEND NOT SUPPORTED</p> <p>7. If sup is not populated PON/CCNA already exists in database (this means order already exist) and current VER not = VER of last received order in the database and current status = ' TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION_FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRL SR453 SUP IS REQUIRED</p> <p>8. If sup is populated and there already exists an 865 in Database with Definition=LSRBCM, LSRPCM ,865-Billing Completion or 865-Provisioning Completion (this means BCN/PCN order already exists) and current status = 'SAVE', ' TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION_FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '865' or 'LSR RESPONSE' then return error FTRL SR460 SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>9. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:REQTYP not equals LSR:REQTYP of last received order and current status = ' TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION_FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRL461 REQ TYP CANNOT CHANGE ON SUPPLEMENT ORDERS</p> <p>10. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:ACT not equals LSR:ACT of last received order and current status = ' TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION_FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRL462 ACT CANNOT CHANGE ON SUPPLEMENT ORDERS</p> <p>11. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:SUP vv = 1 of last received order and current status = ' TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION_FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRL463 SUP IS PROHIBITED ON CANCEL ORDERS</p> <p>12.If populated and vv =3 and REMARKS is not populated, return error FTRL486 SUP 3 REQUIRES REMARKS</p> <p>13.If populated and vv = 4 and REQ TYP does not = AB,BB, return error FTRL487 SUP = 4 PROHIBITED</p> <p>14.If populated and vv = 5 and REQ TYP does not = AB,BB,KB,LB, return error FTRL488 SUP = 5 PROHIBITED</p> <p>15.If populated an vv=6,7 and REQ TYP does not = AB,BB,DB, return error FTRL491 SUP INVALID FOR REQ TYP</p> <p>16.If populated and vv does not = 1,2,3 and REQ TYP=CB, return error FTRL492 SUP VALID VALUE = 1,2,3 WHEN REQ TYP=CB</p>	



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>17. If populated and vv = 6, 7 and EU.STATE=CT, return error FTRLR233 SUP INVALID</p> <p>Note: SUP 1 Cancel – Indicates that the pending order is to be canceled in its entirety.;A SUP 1 may be sent at any time prior to completion of the order.; Submitting the SUP1 request will retire the original request, no further action will be required. 2. SUP 2 – New desired due date – Indicates that the pending order requires only a change of desired due date.;A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a “3” in the SUP field.When submitting a supplement to a request, a full refresh of the original LSR is required. Full refresh indicates that all unchanged information on the original request is included on the supplement along with a due date change.;A SUP 2 may be sent only after a Local Response (error or FOC) is received.;If a LR (Local Response) was sent on the preceding PON and VER, and the order has not been provisioned, then the SUP 2 is a valid request. ;If the order has been completed, the SUP 2 request will be rejected/errored back to the customer. ;A new LSR will be required to disconnect or change to any previously provisioned service(s). 3. SUP 2 – New Desired Due Date – The new due date is specified in the DDD field on the LSR. If the request is to establish a due date less than the due date already provided, the EXP field can be populated. The EXP field should not be populated on an original request unless the APPTRESID is populated. It should be used only on Supplemental orders (after a Local Response has been sent). 4. SUP 3 – Other- Any other change to the request.This may affect the previously agreed upon due date.;Partial cancellations should also be entered with a “3” in the SUP field. For example, removing 2 lines from an existing 5 line LSR.;A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a “3” in the SUP field.; If the request is to establish a due date less than the standard interval, the EXP field must be populated.;This entry is also to be used for supplements that are a result of provider changes.;When submitting a supplement to a request, a full refresh of the original LSR is required. Full refresh indicates that all unchanged information on the original request is included on the supplement along with changed information. REQTYP and CCNA changes on SUP are Prohibited. 5. SUP 3 – Other – Any other change to the request not defined by a SUP code 2, 4, 5, 6 or 7. This would include changes to the original request (i.e. PIC changes, IOSCs, TN etc), or if the change for a desired due date is in conjunction with other changes to the pending order. REQTYP and CCNA changes on SUP are Prohibited. 6. SUP 3 – Other – If the SUP field is populated with a 3 the remarks field must state what is changing on the LSR. In addition to the changed fields, the remainder of the request must be identical to the original request issued. 7. SUP 3 – Other – Use supplement 3 to resubmit a rejected PON with corrections. 8. A SUP 3 may not be sent to change the REQTYP or CCNA 9. SUP 4 – CLEC Facility Modification – Indicates the customer is requesting a change to the facility assignment(s) originally provided.If a LR (Local Response) was sent on the preceding PON, and the order has not been provisioned, then the SUP 4 is a valid request. 10. SUP 4 – CLEC Facility Modification – Any change to either the Shelf or Slot fields or the Cable and Pair fields should use a SUP 4. ;This may include a change to the desired due date in conjunction with the Shelf/Slot or Cable/Pair change.;A request for a change to the facility assignment(s) in conjunction with other changes to a pending order should be submitted with a “3” in the SUP field.; This may affect the previously agreed upon due date. 11. SUP 5 – Change to NC/NCI – If a LR (Local Response) was sent on the preceding PON, and the order has not been provisioned, then the SUP 5 is a valid request. 12. SUP 5 – Change to NC/NCI – Any change to the NC or NCI fields should use a SUP 5. ;This may include a change to the Cable or Pair fields to correspond with the new NC/NCI</p>	



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>codes.; This may include a change to the desired due date in conjunction with the NC/NCI change.;A request for a change to the NC, NCI and SECNCI fields in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.This may affect the previously agreed upon due date.</p> <p>13. SUP 6 – Engineering query requested Indicates the customer is requesting the provider to furnish an estimate of the cost associated with the routine network modifications required to alleviate a no facilities condition. An engineering query may be requested when the customer has received a no facilities jeopardy notification and would like the provider to determine if routine network modifications are available to alleviate the no facilities condition and any associated charges.</p> <p>14. SUP 7 – Network Modification Charges Accepted – Indicates the customer authorizes the provider to perform the routine network modifications required to alleviate a no facilities condition and accepts the associated charges.</p>	
035	EXP – Expedite	Indicates that expedited treatment is requested and any charges generated in provisioning this request (e.g., additional engineering charges or labor charges if applicable) will be accepted.	A	1	Y=Expedite Charges Authorized	<p>1.If populated and (ACT = D or position 2 of TOS = F), then return error: FTRLR060 EXPEDITE IS PROHIBITED</p> <p>2. If populated and vv does not = Y, return error FTRLR061 EXP VALID VALUE=Y</p> <p>3. If populated and CHC = A, B, then return error: FTRLR062 EXP PROHIBITED WHEN THE CHC = A or B</p> <p>4. If populated and LS.CI = E, then return error: FTRLR350 EXP PROHIBITED WHEN CI IS E</p> <p>5. If populated and position 2 of TOS = F, then return error: FTRLR334 EXP PROHIBITED FOR TOS VALUE</p> <p>6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = A, B, C, D, E, F, G, M then return error: FTRLR306 EXP IS PROHIBITED</p> <p>7.If populated and (the SUP field is not populated or the APPTRESID is not populated), return error FTRLR259 EXP FIELD PROHIBITED</p> <p>Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number.</p>	O
035a	APPTRESID – Appointment Response Identifier	Identifies the appointment response number assigned by the provider to relate associated transactions	AN	10		<p>1.If populated and REQ TYP not = AB, BB, DB, EB, then return error: FTRLR344 APPTRESID NOT VALID FOR REQ TYP</p> <p>2. If populated and (dl > 10 or dc not = alpha, numeric), then return error: FTRLR345 APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						3. If populated and position 1 of REQ TYP = D, E and ACT = R, then return error: FTRLSR323 APPTRESID IS PROHIBITED Note: Once a firm LSR is submitted, the Appointment Time may not be updated with new APPTRESID number on supplemental activity.	
036	ER					FRONTIER DOES NOT SUPPORT	P
037	AFO					FRONTIER DOES NOT SUPPORT	P
038	RVER					FRONTIER DOES NOT SUPPORT	P
039	MEU					FRONTIER DOES NOT SUPPORT	P
040	RTR					FRONTIER DOES NOT SUPPORT	P
041	CC – Company Code	Identifies the exchange carrier generating the inquiry.	AN	4-4		1.If populated and CCNA not = CUS, then return error: FTRLSR063 COMPANY CODE IS PROHIBITED 2. If populated and dl not = 4, then return error: FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS 3. If populated and special characters present, then return error: FTRLSR240 SPECIAL CHARACTERS NOT ALLOWED IN CC 4. If not populated and CCNA = CUS, then return error: FTRLSR333 COMPANY CODE IS REQUIRED	O
042	RCC					FRONTIER DOES NOT SUPPORT	P
043	PID - Personal Identifier	Identifies the end user's personal identification number	AN	1-5		1.If populated and (dl > 5 or dc not = alpha, numeric), return error FTRLSR285 PID MUST NOT EXCEED 5 ALPHA NUMERIC CHARACTERS 2. If populated and LSR.NPDI field does not = C, then return error FTRLSR331 PID FIELD PROHIBITED WHEN NPDI DOES NOT EQUAL C NOTES: 1)This field may be used when the end user's account has been password protected. 2)This field may be validated for simple port service requests as mandated in FCC Order 07-188.	O
044	NNSP – New Network Service Provider Identification	Identifies the Number Portability Administration Center (NPAC) Service Provider Identifier (SPID) of the new Network	AN	4-4		1. If not populated and REQ TYP = CB, BB and ACT=V, return error FTRLSR266 NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED 2. If populated and dl not = 4 characters, then return error: FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
		Service Provider (NSP).				<p>3. If populated and vv not = alpha, numeric, then return error: FTRLR241 NNSP IS ALPHA/NUMERIC</p> <p>4. If populated and REQTYT = BB and LSNP.NPT not = D, P (any occurrence), then return error: FTRLR291NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED</p> <p>5. If populated and REQTYT = JB, then return error: FTRLR313 NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYT</p>	
045	ONSP – Old Network Service Provider	Identifies the NPAC SPID of the current Network Service Provider.	AN	1-4		<p>1.If populated and position 1 of REQTYT not = D, E, F, N, P, then return error: FTRLR056 ONSP ISPROHIBITED FOR REQTYT</p> <p>2. If not populated and position 1 of REQTYT = D, E, F, and (PS.NPI or RS.NPI = C, E), then return error: FTRLR325 ONSP IS REQUIRED</p> <p>3. If populated and position 1 of REQTYT = D, E, F, and (PS.NPI and RS.NPI not = C, E), then return error: FTRLR341 ONSP IS PROHIBITED</p> <p>4. If not populated and position 1 of REQTYT = N and DDPS.NPI = C, D, E, then return error: FTRLR401 ONSP IS REQUIRED FOR NPI</p> <p>5. If populated and position 1 of REQTYT = N and DDPS.NPI not = C, D, E, then return error: FTRLR402 ONSP IS PROHIBITED FOR NPI</p> <p>6. If not populated and position 1 of REQTYT = P and CRS.NPI = C, D, E, then return error: FTRLR403 ONSP IS REQUIRED FOR NPI</p> <p>7. If populated and position 1 of REQTYT = P and CRS.NPI not = C, D, E, then return error: FTRLR404 ONSP IS PROHIBITED FOR NPI</p>	O
046	OCCNA					FRONTIER DOES NOT SUPPORT	P
047	OCC					FRONTIER DOES NOT SUPPORT	P
048	AENG – Additional Engineering	Indicates that if additional engineering is required, an estimate of the charges is to be forwarded to the initiator of the request.	A	1	Y	<p>1.If not populated and SUP = 6, then return error: FTRLR250 AENG REQUIRED WHEN SUP=6</p> <p>2. If populated and SUP not = 6, then return error: FTRLR237 AENG IS PROHIBITED WHEN SUP NOT = 6</p> <p>3. If populated and vv not = Y, then return error: FTRLR238 AENG CAN ONLY BE Y</p>	O
049	ALBR					FRONTIER DOES NOT SUPPORT	P



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
050	SCA – special Construction Authorization	Indicates pre-authorization for special construction.	A	1	Y=Special construction is authorized	<p>1.If populated and vv not = Y, then return error: FTRLSR224 SCA CAN ONLY BE Y</p> <p>2. If not populated and SUP = 7, then return error: FTRLSR225 SCA REQUIRED WITH SUP 7</p> <p>3. If populated and SUP not = 7, then return error: FTRLSR226 SCA ONLY VALID WITH SUP 7</p> <p>4.If populated and REQTYP=CB and ACT=V, return error FTRLSR493 SCA PROHIBITED</p>	O
051	AGAUTH – Agency Authorization Status	Indicates that the customer is acting as an end user's agent and has authorization on file.	A	1	Y=Authorization on file Z=Dual authorization on file (voice & data)	<p>1.If not populated, return error: FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED</p> <p>2. If populated and vv does not = Y, Z, return error FTRLSR353 AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z</p> <p>3. If populated and vv = Z and REQTYP not = BB, then return error: FTRLSR354 INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP</p>	R
052	PORTTYP					FRONTIER DOES NOT SUPPORT	P
053	ACTL – Access Customer Terminal Location	Identifies the CLLI code of the customer facility terminal location or designated collocation area. The CLLI code will have been previously assigned.	AN - space	11-11		<p>1.If not populated and REQTYP = AB and ACT = N, V and position 2 of TOS = 1, 2, 3, 4, F, P, R, W, X and SLI not = H, then return error: FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED</p> <p>2. If not populated and REQTYP = BB and ACT = V and position 2 of TOS = 1, 2, 3, 4, F, W, X, then return error: FTRLSR268 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED</p> <p>3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR269 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED</p> <p>4.If populated and REQTYP = CB, EB, JB, return error FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED</p> <p>5. If populated and dl not = 11 characters, then return error: FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS</p> <p>6. If populated and special characters not = space or hyphen, then return error: FTRLSR181 ACTL HAS INVALID CHARACTERS</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>7. If not populated LS.CI = E, then return error: FTRL348 ACTL REQUIRED WHEN CI IS E</p> <p>8. If populated and position 1 of REQ TYP = D and PS.SDP not = A, then return error: FTRL356 ACTL IS PROHIBITED</p> <p>9. If not populated and position 1 of REQ TYP = F and ((ACT = N, V) or (ACT = C and PS.LNA = N)), then return error: FTRL405 ACTL IS REQUIRED FOR REQ TYP/ACT</p> <p>10. If not populated and REQ TYP = AB and ACT=D or ACT=C with LNA=D, return error FTRL465 ACTL REQUIRED</p> <p>11.If not populated and REQ TYP=AB,BB, return error FTRL355 ACTL REQUIRED</p>	
054	SACTL – Secondary Access Customer Terminal Location	Identifies the CLLI code of the secondary customer facility terminal location or designated collocation area. The CLLI code will have been previously assigned.	AN - SPACE	11-11		<p>1.If not populated and ACT = N and position 2 of TOS = F, then return error: FTRL074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED</p> <p>2. If populated and ACT not = N and position 2 of TOS not = F, then return error: FTRL075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED</p> <p>3. If populated and dl not = 11 characters, then return error: FTRL076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS</p> <p>4. If populated and special character not = hyphen, space, then return error: FTRL242 SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN OR SPACE</p> <p>5.If not populated and REQ TYP=AB,BB, ACT does not =D and position 2 of TOS=F, return error FTRL494 SACTL REQUIRED</p> <p>6.If populated and positions 1-8 of vv does not = positions 1-8 of ACTL and REQ TYP=AB, position 2 of TOS=F and SLI=S, return error FTRL495 POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL</p>	O
055	AI					FRONTIER DOES NOT SUPPORT	P
056	APOT					FRONTIER DOES NOT SUPPORT	P



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
057	LST – Local service termination	Identifies the CLLI code of the end office switch from which service is being requested.	AN - SPAC E	1-11		<p>1.If populated and dl > 11 characters, then return error: FTRLRSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS</p> <p>2. If populated and vv special characters not = hyphen, space, then return error: FTRLRSR243 LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE</p> <p>3. If not populated and position 1 of REQTYTYP = F and ACT = N, C and position 2 of TOS = Y, then return error: FTRLRSR407 LST IS REQUIRED FOR REQTYTYP/ACT</p> <p>4.If not populated and REQTYTYP=FB and ACT does not = D, return error FTRLRSR496 LST REQUIRED</p> <p>5.If populated and REQTYTYP=CB, return error FTRLRSR497 LST PROHIBITED</p>	O
058	LSO – Local Service Office	Identifies the NPA/NXX of the local or alternate serving central office of the customer location or primary location of the end user.	N	6-6		<p>1.If populated and dl does not = 6 characters, then return error: FTRLRSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS</p> <p>2. If populated and dc contains special characters, then return error: FTRLRSR251 LSO CANNOT CONTAIN SPECIAL CHARACTERS</p> <p>3. If not populated and position 1 of REQTYTYP = E and position 4 of TOS = F, then return error: FTRLRSR358 LSO IS REQUIRED</p> <p>4.If not populated and REQTYTYP=AB, LB, return error FTRLRSR498 LSO REQUIRED</p> <p>5.If not populated and REQTYTYP=NB, ACT does not =D,W DDPS.TNS is blank or N, return error FTRLRSR501 LSO REQUIRED</p> <p>6.If populated and dc is not numeric, return error FTRLRSR502 LSO MUST BE NUMERIC</p> <p>7.If not populated and REQTYTYP=QB, ACT does not =D,W IS.TNS and IS.ECCKT is blank or N, return error FTRLRSR503 LSO REQUIRED</p> <p>8.If populated and REQTYTYP=CB and ACT=V, return error FTRLRSR507 LSO PROHIBITED</p> <p>9.If populated and REQTYTYP=JB, return error FTRLRSR359 LSO PROHIBITED WHEN REQTYTYP=JB</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
059	TOS – Type of Service	Identifies the type of service for the line ordered.	AN	2-4	<p>1st Character: 1=Business 2=Residence 3=Government 4=Coin (CT Only)</p> <p>2nd Character: A=Multiline (Hunting) B=Single Line/Multi-line (no hunt) C=Coin D=Advance Services E=CENTREX (Resale & UNE) F=Data/Voice Shared Loop H=ISDN (BRI) J=PBX (Trunk) K=ISDN (PRI) P=Line Split Q=DID/DOD R=Line Share T=Coin Smart (WV Only) W= 2 Wire Digital Design Metallic Loop Standard X= 2 Wire Digital Design Metallic Loop with ISDN Electronics Y= TR008 Port Arrangement Z=UNE NID -Hyphen=REQTYP JB Only 1= 2 wire analog loop 2= 2 wire digital loop 3= 4 wire analog loop 4= 4 wire digital loop 5= House & Riser cable service (WV & F13 Only) 6= NID to NID 7= 2wire analog M-loop (F13 Only)</p> <p>3rd Character: B=Wholesale Broadband F= Flat Rate M= Measured Rate -Hyphen=Not Applicable G= Message (WV Only) P=Wholesale Platform Voice (Legacy Only) 1= ISDN Qualified (WV Only) 2= ADSL – R Qualified (WV Only) 3= ADSL – C Qualified (WV Only)</p>	<p>1.If populated and REQTYP = JB and character positions 2, 3, 4 not = - (hyphen), then return error: FTRLSR080 TYPE OF SERVICE IS INVALID</p> <p>2. If populated position 1 does not = 1, 2, 3, and EU.STATE is not CT, then return error: FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3</p> <p>3. If populated and position 2 of vv = C, T and position 1 of vv not = 1, then return error: FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1</p> <p>4.If populated and position 2 of vv = T and NPA NXX is not Acquired WV, return error FTRLSR083 TOS POSITION 2 INVALID</p> <p>5. If populated and position 2 of vv does not = A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7, return error FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7</p> <p>6. If populated and position 3 of vv does not = M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P, then return error: FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P</p> <p>7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,B - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B - (hyphen), 1, 2, S, L,</p> <p>8. If not populated, and NOT (REQTYP = C and ACT = V) then return error: FTRLSR202 TOS IS REQUIRED</p> <p>9. If populated and position 4 vv = 1,2 and NPA NXX is not Frontier 13 and EU.STATE not = CT, return error FTRLSR511 TOS POSITION 4 INVALID</p> <p>10. If populated and position 1 of vv = 3 and REQTYP = DB, return error: FTRLSR360 TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB</p> <p>11.If populated and position 2 vv = 7 and NPA NXX is not Frontier 13, return error FTRLSR508 TOS POSITION 2 INVALID</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
					<p>4= HDSL – Qualified (WV Only) 5= CSS (Customer Specified Signaling) (WV Only) 6= DSL – Class (WV Only)</p> <p>4th Character: B= Pots Connect F=Foreign Exchange (FXS) G=Semi-public (WV, CT & Legacy Only) L=Broadband Lineshare N=Normal P=Prison/Inmate R=RCF S=Standalone Broadband V=VoIP W=WATS/800 Service -Hyphen=Not Applicable 1=Non-designed (CT, F13 Only) 2=Designed (CT, F13 Only)</p>	<p>12. If populated and position 3 vv = G,1,2,3,4,5,6 and NPA NXX is Frontier 13, return error FTRL509 TOS POSITION 3 INVALID</p> <p>13. If populated and position 3 of vv not = F, M and position 1 of REQ TYP = Q and position 2 of vv = H and P = A, then return error: FTRL408 TOS VALID VALUE FOR POSITION 3 = F, M</p> <p>14. If populated and position 3 of vv not = hyphen and position 1 of REQ TYP = Q and position 2 of vv = H and P = D, return error: FTRL409 TOS VALID VALUE FOR POSITION 3 = HYPHEN</p> <p>15. If populated and position 4 vv = G and NPA NXX is not Acquired WV or EU.STATE not =CT, return error FTRL510 TOS POSITION 4 INVALID</p> <p>16.If populated position 2 vv = hyphen and REQ TYP does not = JB, return error FTRL512 TOS POSITION 2 = HYPHEN PROHIBITED IF REQ TYP DOES NOT = JB</p> <p>17.If populated position 3 vv does not = M and REQ TYP = FB, return error FTRL513 TOS POSITION 3 MUST = M WHEN REQ TYP=FB</p> <p>18.If populated position 2 vv = R and DL form is populated, return error FTRL514 DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R</p> <p>19.If populated position 2 vv does not = A,D,E,J,P,Q and HGI.HA is populated, return error FTRL515 TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED</p> <p>20.If populated position 2 vv = P and position 3 vv does not = M and NPA NXX is Frontier 13, return error FTRL516 TOS INVALID</p> <p>21.If populated position 2 vv =R, position 3 vv = M and REQ TYP=AB, return error FTRL517 TOS POSITION 3 CANNOT = M WHEN REQ TYP=AB AND TOS POSITION 2 = R</p> <p>22.If populated position 2 vv does not = J,Q and REQ TYP=NB, return error FTRL518 TOS POSITION 2 MUST = J,Q WHEN REQ TYP=NB</p> <p>23.If populated position 1 vv does not =1 and AC=C, return error FTRL519 TOS POSITION 1 VALUE MUST = 1 WHEN AC=C</p>	



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>24.If populated position 1 vv does not =2 and AC=B, return error FTRLSR520 TOS POSITION 1 VALUE MUST = 2 WHEN AC=B</p> <p>25.If populated position 2 does not =C and REQ TYP=EB,NB,PB, QB, ACT=N and DL Form is not populated, return error FTRLSR523 DL FORM REQUIRED</p> <p>26.If populated position 2 vv = J and NPA NXX is Frontier 13 and REQ TYP does not = EB, return error FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQ TYP FOR SERVICE TERRITORY</p> <p>27.If not populated and REQ TYP = CB and ACT = V and ELT = E, P, then return error FTRLSR141 TOS REQUIRED</p> <p>28. If populated position 1 does not = 1, 2, 3, 4 and EU.STATE=CT, then return error FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4</p> <p>29.If populated and position 3 vv = 1,2,3,4,5,6 and EU.STATE=CT, return error FTRLSR095 TOS POSITION 3 INVALID</p> <p>30.If populated and position 2 = 5, 7 and EU.STATE=CT, return error FTRLSR230 POSITION 2 TOS INVALID FOR STATE</p> <p>31.If populated and REQ TYP = DB and EU.STATE=CT and position 2 of LSR.TOS not = A, B, 6 return error FTRLSR231 TOS POSITION 2 INVALID FOR REQ TYP</p> <p>32. If populated and 4th position does not = 1, 2 and REQ TYP = AB, BB and (EU.STATE=CT or NPA NXX is Frontier 13), return error FTRLSR248 TOS POSITION 4 MUST EQUAL 1 OR 2</p> <p>33.If populated and position 3 = B and position 1 does not = 1, 2, return error FTRLSR267 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND</p> <p>34.If populated and (position 3 = B or position 4 = L) and (REQ TYP does not = DB) and (REQ TYP does not = EB and ACT=C, B, S and LNA=C, B, S)), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQ TYP</p>	



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>35.If populated and position 3 = B and position 2 does not = A, B, 7, return error FTRLSR271 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND</p> <p>36.If populated and position 3 = B and position 4 does not = S, L, return error FTRLSR272 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND</p> <p>37.If populated and position 4 = S and position 3 does not = B, return error FTRLSR273 THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND</p> <p>38.If populated and position 3 = P and REQ TYP does not = DB, return error FTRLSR293 TOS POSITION 3 INVALID FOR REQ TYP</p> <p>39.If populated and position 3 = P and NPA NXX is not Legacy, return error FTRLSR300 TOS INVALID FOR SERVICE TERRITORY</p> <p>40.If populated and position 3 of vv = P and (position 1 does not = 1, 2 and position 2 does not = A, B and position 4 does not = R, L, Hyphen) and NPA NXX is Legacy, return error FTRLSR314 TOS COMBINATION INVALID</p> <p>41.If populated and REQ TYP=DB, ACT=N, T and (Position 3 of TOS does not = B or Position 4 of TOS does not = S) and DL form is not populated, return error FTRLSR299 DL FORM REQUIRED</p> <p>42.If populated and (position 2 = '3' or '4' or 'K', and REQ TYP = 'AB' or 'BB' and NPA NXX is Frontier 13) and position 4 not = 2, return error FTRLSR469 TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP</p> <p>43.If populated and (position 1 = 4 or position 2 = C) and position 4 does not = N, Hyphen (-) and REQ TYP = EB, return error FTRLSR362 TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE</p> <p>44. If populated and position 4 of vv = V and REQ TYP does not = DB, return error: FTRLSR275 TOS POS 4 = V NOT VALID FOR REQ TYP</p> <p>45. If Populated and the position 4 of vv = V and the position 2 of vv is not = to A or B, and position 3 of vv is not equal to F, return error FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP</p>	



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>46. If populated and position 4 of vv = B and REQ TYP does not = EB, return error: FTRLSR038 REQ TYPE MUST EQUAL EB IF TOS POS 4 = B</p> <p>47. If populated and (POS 4= B and POS 3 does not = M) and REQ TYP= is EB, return error FTRLSR216 TOS POS 3 MUST EQUAL "M"</p> <p>48. If populated and (POS 4 = B and POS 1 does not = 1) and REQ TYP = EB, return error FTRLSR222 TOS POS 1 MUST EQUAL '1'</p> <p>Note: 1)Associated use of '1' with Service Code and Modifier (SCMD): F13 SCMD: TXNU, ARSU, ARFU, TXXU, TXFU, IBSU, UBSU, TXXS, TXFS CT SCMD: TXNU, LXFP, UBNU and AGXU with No mileage 2)Associated use of '2' with Service Code and Modifier (SCMD): F13 SCMD: TYNU, DHSU, TYSU, TYFU, IPSU, IPFU, DWSU, DWFU, AQSU, AQFU, HISU, FZDU, QIDU, ASDU CT SCMD: TYNU, UBNU and AGXU with mileage, LYXP, All Sub loops</p>	
060	AC- Account Structure Change	Identifies a rearrangement of account telephone numbers or a change to the type of service classification while migrating service.	A	1	<p>A= Auxiliary Line to Main Line</p> <p>B= Business Service to Residence Service</p> <p>C= Residence Service to Business Service</p> <p>D= Coin/PAL Service to Business Service</p> <p>E= Business Service to Coin/PAL Service</p>	<p>1.If populated and REQ TYP not = EB, DB, then return error: FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQ TYP</p> <p>2. If populated and REQ TYP = DB, EB and ACT not = C, V, then return error: FTRLSR364 AC IS PROHIBITED</p> <p>3. If populated and REQ TYP = DB, EB and ACT = C and (PS.LNA or RS.LNA = T), then return error: FTRLSR365 AC IS PROHIBITED WHEN LNA = T</p> <p>4. If populated and vv not = A and position 1 of REQ TYP = D and ACT = C and position 2 of PS.LTOS = L, then return error: FTRLSR366 AC VALID VALUE = A</p>	O
061	SPEC- Service and Product Enhancement Code	Identifies a specific product or service offering.	AN	5-7		<p>1.If populated and (dl < 5 or > 7), then return error: FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5 TO 7 CHARACTERS</p> <p>2. If populated and position 1 of REQ TYP = E, K, L, N, P, then return error: FTRLSR367 SPEC IS PROHIBITED FOR REQ TYP</p> <p>3. If not populated and position 1 of REQ TYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: FTRLSR411 SPEC IS REQUIRED FOR REQ TYP/ACT</p> <p>4. If populated and vv not = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S and position 1 of REQ TYP = Q and ACT = N, T, V and P = D and</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>position 2 of TOS = H, then return error: FTRLR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S</p> <p>5.If populated and vv not = UALRLX, UALRRX, UALRTX, UALRLT, UALRTR, UALNLC, UALNQX and LSR.REQTYP = AB, BB, LSR.ACT not = D, R and EU.STATE=CT, return error FTRLR234 MUST POPULATE VALID SPEC</p>	
062	NC- Network Channel Code	Identifies the network channel code for the circuit(s) involved. The network channel code describes the channel being requested.	AN -	4-4		<p>1. If not populated and REQTYTYP = AB and LS.LNA = N (any occurrence), then return error: FTRLR274 NETWORK CHANNEL CODE IS REQUIRED</p> <p>2. If not populated and REQTYTYP = AB, BB and position 2 of TOS = F, then return error: FTRLR276 NETWORK CHANNEL CODE IS REQUIRED</p> <p>3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: FTRLR277 NETWORK CHANNEL CODE IS REQUIRED</p> <p>4. If populated and dl not = 4, then return error: FTRLR090 NETWORK CHANNEL CODE MUST BE 4 CHARACTERS</p> <p>5. If populated and special characters not = Hyphen, then return error: FTRLR044INVALID SPECIAL CHARACTERS</p> <p>6. If not populated and REQTYTYP = AB and LS.CI = E, then return error: FTRLR352 NETWORK CHANNEL CODE IS REQUIRED</p> <p>7. If populated and position 1 of REQTYTYP = E, K, L, P and NPA NXX is not Frontier 13 or EU.STATE does not = CT, then return error: FTRLR368 NC IS PROHIBITED FOR REQTYTYP</p> <p>8. If not populated and position 1 of REQTYTYP = D and position 2 of PS.LTOS = P and position 3 of PS.LTOS does not = B and position 4 of PS.LTOS does not = S and PS.SDP = A, then return error: FTRLR369 NC IS REQUIRED</p> <p>9. If not populated and position 1 of REQTYTYP = F and position 2 of PS.LTOS = J, then return error: FTRLR413 NC IS REQUIRED FOR LTOS</p> <p>10.If not populated and REQTYTYP = NB and position 2 of LSR.TOS = J, and LSR.P=D, and NPA NXX is not Frontier 13, then return error: FTRLR414 NC IS REQUIRED</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>11.If not populated and REQTYTYP = QB and POS 2 of LSR.TOS = H, and LSR .P =D, then return error: FTRLRSR415 NC IS REQUIRED</p> <p>12.If not populated and (REQTYTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S, V), return error FTRLRSR534 NC IS REQUIRED</p> <p>13. If not populated and REQTYTYP = AB,BB and NPA NXX is Frontier 13 or EU.STATE=CT, return error FTRLRSR220 NC REQUIRED</p> <p>14.If populated and 1st character of vv = H and REQTYTYP = AB, BB, and EU.STATE = CT, return error FTRLRSR239 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR</p> <p>15.If not populated and REQTYTYP = DB and ACT = C, and position 3 of PS.LTOS = B and Position 4 of PS.LTOS = L and NPA NXX is Frontier 13 or EU.STATE = CT, return error FTRLRSR263 NC IS REQUIRED</p> <p>16.If not populated and reqtyp = QB and POS 2 of LSR.TOS = K, return error FTRLRSR264 NC IS REQUIRED</p> <p>17. If populated and vv = LX-- and NC/NCI Combination is Analog Loop, and (REQTYTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and NPA NXX is Frontier 13, return error code FTRLRSR438 ANALOG LOOP PRODUCT NOT AVAILABLE</p> <p>18. If populated and vv = LX-- and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and NPA NXX is Acquired WV or Legacy, return error code FTRLRSR439 ANALOG LOOP PRODUCT NOT AVAILABLE</p> <p>19. If populated and vv = LX-- or TX-- and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and EU.STATE = CT, return error code FTRLRSR440 ANALOG LOOP PRODUCT NOT AVAILABLE</p> <p>20. If populated and vv = LX-N, HF-6, HF-D and the NCI vv = 04QB6.33 and the ACT is not D, return error FTRLRSR336 PRODUCT NOT AVAILABLE</p>	



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
063	PBT					FRONTIER DOES NOT SUPPORT	P
064	NCI – Network Channel Interface Code	Identifies the interface characteristics of the circuit at the ACTL/primary location.	AN -	5-12		<p>1.If not populated and NC is populated and position 1 of REQ TYP not = N, then return error: FTRLSR091 NETWORK CHANNEL INTERFACE CODE IS REQUIRED</p> <p>2. If populated and position 1 of REQ TYP = N, then return error: FTRLSR092 NETWORK CHANNEL INTERFACE CODE IS PROHIBITED</p> <p>3. If populated and (dl < 5 or > 12), then return error: FTRLSR093 NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5 TO 12 CHARACTERS</p> <p>4. If populated and special characters not = Hyphen , then return error: FTRLSR094 INVALID SPECIAL CHARACTERS IN NCI</p> <p>5.If populated and vv = 01QBF.LLX and EU.STATE = CT, return error FTRLSR235 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR</p> <p>6.If populated and vv = 04DS6.44 and EU.STATE = CT, return error FTRLSR236 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR</p>	O
065	CHANNEL					FRONTIER DOES NOT SUPPORT	P
066	SECNCI – Secondary Network Channel Interface Code	Identifies the interface characteristics of the circuit at the Secondary Access Customer Terminal Location (SACTL) or end user location.	AN -	5-12		<p>1.If populated and (dl < 5 or > 12), then return error: FTRLSR096 SECNCI MAY ONLY BE 5 to 12 CHARACTERS</p> <p>2. If populated and special characters not = Hyphen, period, then return error: FTRLSR097 INVALID SPECIAL CHARACTERS IN SECNCI</p> <p>3. If populated and NC is not populated and position 2 of TOS not = Y, then return error: FTRLSR292 SECNCI IS PROHIBITED</p>	O
067	RPON – Related PON	Identifies the PON of a related service request.	AN -	4-16		<p>1.If populated and NOR is not populated, then return error: FTRLSR098 RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT</p> <p>2. If not populated and NOR is populated, then return error: FTRLSR099 RELATED PON REQUIRED WHEN NOR IS PRESENT</p> <p>3. If populated and (dl < 4 or > 16), then return error: FTRLSR100 RELATED PON MUST BE 4 TO 16 CHARACTERS</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>4. .If populated and special characters not = Hyphen, then return error: FTRLR101 INVALID SPECIAL CHARACTERS IN RPON</p> <p>5. If populated and PS.SDP = C, D, E, F, then return error: FTRLR370 RPON IS PROHIBITED</p> <p>Note: RPON field requires a unique value to be populated that also appears identically on each PON in the RPON group</p>	
067a	RPVER – Related PON Version	Identifies the version of a RPON group for tracking and distribution of all related orders when a CLEC submits a Supplemental change.	N	2-2	00-99	<p>1.If populated and RPON is not populated, then return error: FTRLR102 RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT</p> <p>2. If not populated and RPON is populated, then return error: FTRLR103 RPVER IS REQUIRED WHEN RPON IS PRESENT</p> <p>3. If populated and vv not = 00-99, then return error: FTRLR104 RELATED PON VERSION MUST BE IN THE RANGE OF 00 to 99</p> <p>Note: 1.The value of the RPVER field must be the same on all PONs within the same RPON group across LSR's. 2.Subsequent versions must be equal or sequential. Example: sending entire group, must increment RPVER by one. 3. Supplements: a. SUP 1 or SUP 2 – Must be processed for each PON in the related PON group within a 24-hour period, RPVER must be incrementally increased on each PON in the group b. SUP 3 – If no change to the DDD, a SUP 3 may be processed for only the changing PON(s) in the related PON group and must carry the same RPVER as the previous version</p>	O
068	RORD – Related Order Number	Identifies a related provider order number.	AN	1-20		<p>1.If populated and dl > 20, then return error: FTRLR105 RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS</p> <p>2. If populated and dc contains special characters, then return error: FTRLR246 RORD CAN ONLY BE ALPHA/NUMERIC</p>	O
069	LSP AUTH – Local Service Provider Authorization	Identifies the carrier code of the Local Service Provider that is providing existing service and has authorized the change to a new service provider.	AN	4-4		<p>1.If not populated and REQTYP = AB and position 2 of TOS = F and ACT = D, N, V, then return error: FTRLR106 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED</p> <p>2. If not populated and REQTYP = AB and position 2 of TOS = P and CCNA does not = ACNA, then return error: FTRLR279 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED</p> <p>3. If populated and dl > 4, then return error: FTRLR107 LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>4. If not populated and REQ TYP = BB and position 2 of TOS = F and ACT = V, then return error: FTRLSR229 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED</p> <p>5. If populated and dc contains special characters, then return error: FTRLSR247 LSP AUTH IS ALPHA NUMERIC</p> <p>6. If not populated and position 1 of REQ TYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P and CCNA not = ACNA, then return error: FTRLSR371 LSP AUTH IS REQUIRED</p>	
070	LSP AUTH DATE – Local Service Provider Authorization date	Identifies the date that appears on the LSP authorization previously provided to the new service provider.	N	8/8	CC = 00-99 YY= 00-99 MM = 01-12 DD = 01-31	<p>1.If populated and positions 5-6 (MM) not = 01-12, then return error: FTRLSR110 LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01 TO 12</p> <p>2. If populated and positions 7 8 (DD) not =01-31, then return error: FTRLSR111 DAY MUST BE 01 TO 31</p> <p>3. If populated and dl not = 8, then return error: FTRLSR204 LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT ALLOWED</p> <p>4. If populated and dc not = numeric, then return error: FTRLSR205 LSP AUTHORIZATION DATE MAY ONLY NUMERIC – ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED</p>	O
071	LSP AUTH NAME – Local Service Provider Authorization Name	Identifies the name of the person who signed the authorization letter.	AN , - . space	1-15		<p>1.If populated and dl > 15, then return error: FTRLSR113 LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1 TO 15 CHARACTERS</p> <p>2. If populated and special characters not = Apostrophe, Comma, Hyphen, period, Space, then return error: FTRLSR190 LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS</p> <p>3.If not populated and ACT does not = D and LSP AUTH is populated, return error FTRLSR525 LSP AUTH NAME REQUIRED</p> <p>4.If populated and ACT=D or LSP AUTH is not populated, return error FTRLSR526 LSP AUTH NAME PROHIBITED</p>	O
071a	LSPAN – Local Service Provider Authorization Number	Identifies the LSP authorization number	AN -	1-16		<p>1.If populated and vv exceeds 16 characters, return error FTRLSR114 LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						2.If populated and vv contains special character other than hyphen(-), return error FTRLR201 ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN	
072	CIC					FRONTIER DOES NOT SUPPORT	P
073	CUST – Customer Name	Identifies the name of the customer who originated this request when that customer has not been assigned a Customer Carrier Name Abbreviation (CCNA) code.	AN	1-25		1.If not populated and CCNA=CUS, return error FTRLR527 CUST REQUIRED 2.If populated and CCNA does not =CUS, return error FTRLR528 CUST PROHIBITED	O
074	NPDI – Number Portability Direction	Identifies the direction of LNP conversion activity on this request.	A	1	B= Wireless to Wireline C= Wireline to Wireless D= Wireline to Wireline	1.If populated and REQTYT = CB and vv not = C, D, then return error: FTRLR115 NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYT 2. If populated and REQTYT = BB and vv not = D, then return error: FTRLR116 NUMBER PORTABILITY DIRECTION MAY ONLY BE D FOR THIS REQTYT 3. If not populated and REQTYT = BB, CB, then return error: FTRLR117 NUMBER PORTABILITY DIRECTION REQUIRED 4. If populated and REQTYT not = BB, CB, DB, EB, FB, NB, PB, QB, then return error: FTRLR315 NUMBER PORTABILITY DIRECTION PROHIBITED 5. If not populated and position 1 of REQTYT = D, E and (PS.NPI or RS.NPI = C, E), then return error: FTRLR372 NPDI IS REQUIRED 6. If populated and vv not = B, D and position 1 of REQTYT = D, E and (PS.NPI or RS.NPI = C, E), then return error: FTRLR373 NPDI VALID VALUE = B, D 7. If not populated and position 1 of REQTYT = F and PS.NPI = C, E, then return error: FTRLR416 NPDI IS REQUIRED FOR NPI 8. If populated and vv not = B, D and position 1 of REQTYT = F and PS.NPI = C, E, then return error: FTRLR417 NPDI VALID VALUE = B, D	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>9. If not populated and position 1 of REQ TYP = N and DDPS.NPI = C, E, then return error: FTRLSR418 NPDI IS REQUIRED FOR NPI</p> <p>10. If populated and vv not = B, D and position 1 of REQ TYP = N and DDPS.NPI = C, E, then return error: FTRLSR419 NPDI VALID VALUE = B, D</p> <p>11. If not populated and position 1 of REQ TYP = P and CRS.NPI = C, E, then return error: FTRLSR420 NPDI IS REQUIRED FOR NPI</p> <p>12. If populated and vv not = B, D and position 1 of REQ TYP = P and CRS.NPI = C, E, then return error: FTRLSR421 NPDI VALID VALUE = B, D</p> <p>13. If not populated and position 1 of REQ TYP = Q and IS.NPI = C, E, then return error: FTRLSR422 NPDI IS REQUIRED FOR NPI</p> <p>14. If populated and vv not = B, D and position 1 of REQ TYP = Q and IS.NPI = C, E, then return error: FTRLSR423 NPDI VALID VALUE = B, D</p> <p>15. If populated and position 1 of REQ TYP = D, F and no occurrence of PS.NPI not = C, E, then return error: FTRLSR424 NPDI IS PROHIBITED FOR NPI</p> <p>16. If populated and position 1 of REQ TYP = E and no occurrence of RS.NPI not = C, E, then return error: FTRLSR425 NPDI IS PROHIBITED FOR NPI</p> <p>17. If populated and position 1 of REQ TYP = N and no occurrence of DDPS.NPI not = C, E, then return error: FTRLSR426 NPDI IS PROHIBITED FOR NPI</p> <p>18. If populated and position 1 of REQ TYP = P and no occurrence of CRS.NPI not = C, E, then return error: FTRLSR427 NPDI IS PROHIBITED FOR NPI</p> <p>19. If populated and position 1 of REQ TYP = Q and no occurrence of IS.NPI not = C, E, then return error: FTRLSR428 NPDI IS PROHIBITED FOR NPI</p>	
075	FA					FRONTIER DOES NOT SUPPORT	P
076	AFEATURE					FRONTIER DOES NOT SUPPORT	P
077	AFEATURE DETAIL					FRONTIER DOES NOT SUPPORT	P



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
078	DLQTY					FRONTIER DOES NOT SUPPORT	P
BILL Section							
079	B11 –Billing Account Identifier 1	Identifies the service type of the billing account number populated in the BAN1 field.	A	1	D-Directory L-Loop P-Port for TR008	<p>1.If populated and vv = D and REQTYTYP = AB and ACT = V and EU. ELT is not populated and DL form is not present, then return error: FTRLRSR119 WHEN BI1 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT</p> <p>2. If populated and vv not = D and BI2 not = D and REQTYTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: FTRLRSR122 BI1 WITH VALUE OF D REQUIRED</p> <p>3. If populated and vv not = D and BI2 not = D and REQTYTYP = CB and (DL form is populated or EU.ELT= A), then return error: FTRLRSR123 BI1 WITH DATA OF D REQUIRED WHEN REQTYTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>4. If populated and vv not = D and REQTYTYP = BB and ACT = V and BI2 not = D and (DL LACT is populated or EU.ELT = A), then return error: FTRLRSR302 BI1 WITH DATA OF D REQUIRED WHEN REQTYTYP=BB and ACT=V BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>5. If populated and vv not = D and BI2 not = D and REQTYTYP = CB and (DL.LACT is populated or EU.ELT = A), then return error: FTRLRSR217 BI1 WITH DATA OF D REQUIRED WHEN REQTYTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>6. If populated and vv does not = D, L, P, return error FTRLRSR124 BI1 VALID VALUE = D, L, P</p> <p>7. If populated and vv not = D and REQTYTYP = JB and ACT = V and BI2 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: FTRLRSR296 BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D</p> <p>8. If populated and vv = D and REQTYTYP = AB and ACT = N, C and DL form is not present, then return error: FTRLRSR346 DL FORM REQUIRED FOR REQTYTYP/ACT COMBINATION WHEN BI1 IS D</p> <p>9. If populated and position 1 of REQTYTYP = E, K, L, N, P, Q, then return error: FTRLRSR374 BI1 IS PROHIBITED FOR REQTYTYP</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>10. If populated and REQ TYP = CB and ACT = V and EU. ELT = B or blank, then return error: FTRLSR065 BI1 IS PROHIBITED WHEN THE REQ TYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK</p> <p>11. If populated vv = D and BI2 = D return error: FTRLSR450 BI1 AND BI2 MAY NOT EQUAL D ON THE SAME ORDER.</p> <p>12. If not populated and BI2 is not populated and REQ TYP = AB and ACT = N, V and any occurrence of LACT is populated return error FTRLSR458 BI1 IS REQUIRED</p>	
080	BAN1 – Billing Account Number 1	Identifies the billing account to which the recurring and non-recurring charges for this request will be billed	N	1 or 10	N or valid TN format NNNNNNNNNN	<p>1.If populated and vv = N and BI1 not = D, P, then return error: FTRLSR125 BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P</p> <p>2. If populated and BI1 is not populated, then return error: FTRLSR126 BILLING ACCOUNT NUMBER 1 PROHIBITED</p> <p>3. If populated and vv = N and REQ TYP = JB and ACT = C, D, return error FTRLSR127 BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQ TYP=JB AND ACT= C,D</p> <p>4. If populated and dl =1 and vv not = N, then return error: FTRLSR128 BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER</p> <p>5. If populated and dl not = 1 or 10, return error: FTRLSR129 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH</p> <p>6. If not populated and BAN2 not populated and REQ TYP = JB, then return error: FTRLSR280 BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQ TYP = JB</p> <p>7. If populated and dc contains special characters, then return error: FTRLSR286 BAN1 CANNOT CONTAIN SPECIAL CHARACTERS</p> <p>8. If BI1 is populated and BAN1 is not populated return error FTRLSR456 BAN1 IS REQUIRED WHEN BI1 IS PRESENT</p>	O
081	BI2 – Billing Account	Identifies the service type of the billing account	A	1	D-Directory L-Loop P-Port for TR008	1.If populated and vv = D and REQ TYP = AB and ACT = V and EU.ELT is not populated and DL form is not present, then return error: FTRLSR130	O



	<p>Number Identifier 2</p>	<p>number populated in the BAN2 field.</p>				<p>WHEN BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED</p> <p>2. If populated and vv does not = D, L, P, return error FTRLSR133 BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P</p> <p>3. If populated and vv not = D and BI1 not = D and REQ TYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: FTRLSR307 BI2 WITH VALUE OF D REQUIRED</p> <p>4. If populated and vv not = D and BI1 not = D and REQ TYP = CB and (DL form is populated or EU.ELT = A), then return error: FTRLSR308 BI2 WITH DATA OF D REQUIRED WHEN REQ TYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>5. If populated and vv not = D and REQ TYP = BB and ACT = V and BI1 not = D and (DL form is populated or EU.ELT = A), then return error: FTRLSR309 BI2 WITH DATA OF D REQUIRED WHEN REQ TYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>6. If populated and vv not = D and BI1 not = D and REQ TYP= CB and (DL Form is populated or EU.ELT = A), then return error: FTRLSR310 BI2 WITH DATA OF D REQUIRED WHEN REQ TYP = CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>7. If populated and vv not = D and REQ TYP = JB and ACT = V and BI1 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: FTRLSR312 BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI1 IS NOT EQUAL TO D</p> <p>8. If populated and vv = D and REQ TYP = AB and ACT = N, C and DL form is not present, then return error: FTRLSR347 DL FORM REQUIRED FOR REQ TYP/ACT COMBINATION WHEN BI2 IS D</p> <p>9. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR375 BI2 IS PROHIBITED FOR REQ TYP</p> <p>10. If populated and REQ TYP = CB and ACT = V and EU. ELT = B or blank, then return error: FTRLSR258 BI2 IS PROHIBITED WHEN THE REQ TYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK</p>	
--	----------------------------	--	--	--	--	--	--



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>11. If populated vv = D and BI1 = D return error: FTRLSR451 BI2 AND BI1 MAY NOT EQUAL D ON THE SAME ORDER.</p> <p>12. If not populated and BI1 is not populated and REQ TYP = AB and ACT = C, D, N, V and any occurrence of LACT is populated return error FTRLSR459 BI2 IS REQUIRED</p>	
082	BAN2 – Billing Account Number 2	Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.	N	1 or 10	N or valid TN format NNNNNNNNNN	<p>1.If populated and BI2 is not populated, then return error: FTRLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED</p> <p>2. If populated and vv = N and REQ TYP = JB and ACT = C, D, return error FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQ TYP=JB AND ACT= C,D</p> <p>3. If populated and dl =1 and vv not = N, then return error: FTRLSR136 BILLING ACCOUNT NUMBER 2 VALID VALUE MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER</p> <p>4. If populated and dl not = 1, 10, return error: FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH</p> <p>5. If populated and vv = N and BI2 not = D, P, then return error: FTRLSR303 BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P</p> <p>6. If not populated and BAN1 not populated and REQ TYP = JB, then return error: FTRLSR304 BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQ TYP = JB</p> <p>7. If populated and dc contains special characters, then return error: FTRLSR305 BAN2 CANNOT CONTAIN SPECIAL CHARACTERS</p> <p>8. If BI2 is populated and BAN2 is not populated return error FTRLSR457 BAN2 IS REQUIRED WHEN BI2 IS PRESENT</p>	O
083	ACNA – Access Customer Name Abbreviation	Identifies the COMMON LANGUAGE code of the customer to which the bill is to be rendered.	A	3-3		<p>1.If not populated and REQ TYP = AB and ACT = N, D, C and position 2 of TOS = P, then return error: FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED</p> <p>2. If not populated and REQ TYP = AB, and ACT = D, N, V and position 2 of TOS is F, then return error: FTRLSR281 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>3. If populated and dl not = 3, then return error: FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS</p> <p>4. If populated and dc not = alpha, then return error: FTRLSR283 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS</p> <p>5. If not populated and REQTYP= BB and ACT = V and position 2 of TOS = F, then return error: FTRLSR282 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED</p> <p>6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P, then return error: FTRLSR376 ACNA IS REQUIRED</p>	
084	EBD – Effective Billing Date	Identifies the effective date to begin or cease billing when the billing date is different from the desired due date.	AN	10	CCYYMMDD CC = 00-99 YY= 00-99 MM = 01-12 DD=01-31	<p>1.If populated and dl not = 8 characters, then return error: FTRLSR182 EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS</p> <p>2. If populated and dc not = numeric, then return error: FTRLSR183 EBDEFFECTIVE BILLING DATE DATA MUST BE NUMERIC</p> <p>3. If populated and positions 5 to 6 (MM) are not 01 to12, then return error: FTRLSR184 EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO12</p> <p>4. If populated and positions 7-8 (DD) not = 01-31, then return error: FTRLSR185 EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31</p>	O
085	NRI					FRONTIER DOES NOT SUPPORT (FTRLSR464)	P
086	BILLNM – Billing Name	Identifies the name of the person, office or company to whom the customer has designated that the bill be sent.	AN & ' \$ - # () % . " space	1-25		<p>1.If populated and dl > 25, then return error: FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS</p> <p>2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign, period, quotation marks, space, then return error: FTRLSR143 INVALID SPECIAL CHARACTERS IN BILL NAME</p> <p>3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR378 BILLNM IS PROHIBITED FOR REQTYP</p>	O
087	SBILLNM – Secondary Billing Name	Identifies the name of a department or group within the designated	AN & ' \$ - # (_ % . " space	1-25		<p>1.If populated and dl > 25, then return error: FTRLSR144 SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS</p> <p>2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign,</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
		BILLNM field entry.				period, quotation marks, space, then return error: FTRLSR145 INVALID SPEICAL CHARACTERS IN SECONDARY BILL NAME 3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR379 SBILLNM IS PROHIBITED FOR REQ TYP	
087a	TE –Tax Exempt		A	1	F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	1.If populated and vv not = F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P return error message FTRLSR146 TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	O
088	STREET-Street Bill Address	Identifies the street address.	AN & ' , - / space	1-25		1.If populated and dl > 25, then return error: FTRLSR147 STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters does not = ampersand, apostrophe, comma, hyphen, virgule, space, then return error: FTRLSR148 INVALID SPECIAL CHARACTERS IN STREET 3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR380 STREET IS PROHIBITED FOR REQ TYP	O
089	FLOOR – Bill Floor	Identifies the floor.	AN , space	1-10		1.If populated and dl > 10, then return error: FTRLSR149 BILL FLOOR MAY NOT EXCEED 10 CHARACTERS 2. If populated and special characters not = Comma, Space, then return error: FTRLSR150 INVALID SPECIAL CHARACTERS IN FLOOR 3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR381 FLOOR IS PROHIBITED FOR REQ TYP	O
090	ROOM/MAIL STOP- Bill Room/Mail stop	Identifies the room or mail stop.	AN - , space	1-10		1.If populated and dl > 10, then return error: FTRLSR151 BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS 2. If populated and special characters not = hyphen, comma, space, then return error: FTRLSR152 INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP 3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR382 ROOM/MAIL STOP IS PROHIBITED FOR REQ TYP	O
091	CITY-Bill City	Identifies the city, village, township, etc.	AN & ' - # () * space	1-32		1.If populated and dl > 32, then return error: FTRLSR153 BILL CITY MUST BE 1 TO 32 CHARACTERS 2. If populated and special characters not = ampersand, asterisk, apostrophe, hyphen, space, number sign, parentheses, then return error: FTRLSR154 INVALID SPECIAL CHARACTERS IN CITY 3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR383 CITY IS PROHIBITED FOR REQ TYP	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
092	STATE – Bill State	Identifies the abbreviation for the state or province.	A	2		<p>1.If populated and dc not = alpha, then return error: FTRLSR155 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS</p> <p>2. If populated and dl not = 2, then return error: FTRLSR284 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS</p> <p>3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR384 STATE IS PROHIBITED FOR REQ TYP</p>	O
093	ZIP – Bill ZIP/Postal Code	Identifies the ZIP code, ZIP code + extension or postal code.	AN	1-12		<p>1.If populated and dl > 12, then return error: FTRLSR156 BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS</p> <p>2. If populated and special character not = space, then return error: FTRLSR188 ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS</p> <p>3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR385 ZIP IS PROHIBITED FOR REQ TYP</p>	O
094	BILLCON – Billing Contact	Identifies the name of the person or office to be contacted on billing matters.	AN , - . space	1-25		<p>1.If populated and dl > 25, then return error: FTRLSR157 BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS</p> <p>2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR158 INVALID SPECIAL CHARACTERS IN BILLCON</p> <p>3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR386 BILLCON IS PROHIBITED FOR REQ TYP</p>	O
095	TEL NO – Bill Contact Telephone Number	Identifies the telephone number.	AN	10-14 Allow hyphen s	TN format NNN-NNN-NNNN	<p>1.If populated and (dl < 10 or > 14), then return error: FTRLSR203 BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS</p> <p>2. If populated and special character not = hyphen, then return error: FTRLSR191 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER</p> <p>3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR387 TEL NO IS PROHIBITED FOR REQ TYP</p>	O
096	VTA					FRONTIER DOES NOT SUPPORT	P
Contact Section							
097	INIT – Initiator Identification	Identifies the customer's representative who originated this request.	AN , - . space	1-25		<p>1.If populated and dl > 25, then return error: FTRLSR160 INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS</p> <p>2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR161 INVALID SPECIAL CHARACTERS IN INIT</p>	C



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						3. If not populated and REQ TYP does not equal CB and ACT does not equal V, then return error: FTRLSR192 INITIATOR REQUIRED	
098	TEL NO – Initiator Telephone Number	Identifies the telephone number of the initiator	AN -	10-14 Allow hyphen		1.If not populated, then return error: FTRLSR193 INITIATOR TELEPHONE NUMBER REQUIRED 2. If populated and (dl < 10 or > 14), then return error: FTRLSR194 INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS 3. If populated and special characters not = hyphen, then return error: FTRLSR195 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER	R
099	EMAIL – Electronic Mail	Identifies the electronic mail address of the initiator.	AN	1-60		1.If populated and dl>60, return error FTRLSR529 EMAIL CANNOT EXCEED 60 CHARACTERS 2.If not populated and LSR.SUP = 6, return error FTRLSR471 EMAIL REQUIRED	O
100	FAX NO – Facsimile Number	Identifies the fax number of the initiator	N	10		1.If populated and dl does not = 10 or dc is not numeric, return error FTRLSR530 FAX NO MUST BE 10 DIGIT NUMERIC	O
101	IMPCON – Implementation Contact	Identifies the customer's representative or office responsible for control of installation and completion.	AN ' , - . space	1-15		1.If not populated and CHC = Y, A, B, then return error: FTRLSR163 IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B 2. If populated and dl > 15, then return error: FTRLSR164 IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS 3. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR165 INVALID SPECIAL CHARACTERS IN IMPCON 4. If not populated and REQ TYP = AB and (LS.CI = E or LS.LNA = N), then return error: FTRLSR351 IMPLEMENTATION CONTACT IS REQUIRED 5. If not populated and position 1 of REQ TYP = D and PS.LNA = N, T, then return error: FTRLSR388 IMPCON IS REQUIRED 6. If not populated and position 1 of REQ TYP = E and RS.LNA = N, T, or if RS.LNA=V and the 4 th character of the TOS=B then return error: FTRLSR389 IMPCON IS REQUIRED 7. If not populated and REQ TYP = FB and PS.LNA = N, return error FTRLSR429 IMPCON IS REQUIRED FOR LNA	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>8. If not populated and position 1 of REQTYT = K and RPL.LNA = N, then return error: FTRLSR430 IMPCON IS REQUIRED FOR LNA</p> <p>9. If not populated and position 1 of REQTYT = L and RFR.LNA = N, then return error: FTRLSR431 IMPCON IS REQUIRED FOR LNA</p> <p>10. If not populated and position 1 of REQTYT = N and DDPS.TNA = N, then return error: FTRLSR432 IMPCON IS REQUIRED FOR TNA</p> <p>11. If not populated and position 1 of REQTYT = P and CRS.LNA = N, then return error: FTRLSR433 IMPCON IS REQUIRED FOR LNA</p> <p>12. If not populated and position 1 of REQTYT = Q and IS.LNA = N, then return error: FTRLSR434 IMPCON IS REQUIRED FOR LNA</p> <p>13.If not populated and LSR.SUP = 6, return error FTRLSR470 IMPLEMENTATION CONTACT IS REQUIRED</p>	
102	TEL NO – Implementation Contact Telephone Number	Indicates the telephone number of the implementation contact.	N -	10-14		<p>1.If not populated and IMPCON is populated, then return error: FTRLSR166 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED</p> <p>2. If populated and IMPCON is not populated, then return error: FTRLSR167 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED</p> <p>3. If populated and (dl < 10 or > 14), then return error: FTRLSR196 IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS</p> <p>4. If populated and special characters not = hyphen, then return error: FTRLSR197 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER</p>	
102a	PAGER – Implementation Contact Pager Number	Indicates the pager number of the implementation contact	AN & ' * : , \$ - # () % . + " ; / space	10-25		<p>1.If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: FTRLSR169 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC</p> <p>2. If populated and (dl < 10 or > 25), then return error: FTRLSR170 IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>3. If populated and special character not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule, then return error: FTRLSR171 INVALID SPECIAL CHARACTERS IN PAGER</p> <p>4. If populated and IMPCON is not populated, then return error: FTRLSR316 PAGER PROHIBITED WHEN IMPCON NOT POPULATED</p>	
103	ALT IMPCON – Alternate Implementation Contact	Identifies the customer's alternative representative or office responsible for control of installation and completion.	AN , - . space	1-15		<p>1.If populated and dl > 15, then return error: FTRLSR172 ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS</p> <p>2. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR173 INVALID SPECIAL CHARACTERS IN ALT IMPCON</p> <p>3. If populated and position 1 of REQ TYP = E, K, L, N, P, Q, then return error: FTRLSR390 ALT IMPCON IS PROHIBITED FOR REQ TYP</p>	O
104	TEL NO – Alternate Implementation Contact Telephone Number	Identifies the telephone number of the alternate implementation contact.	N -	10-14		<p>1.If populated and ALT IMPCON is not populated, then return error: FTRLSR174 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED</p> <p>2. If not populated and ALT IMPCON is populated, then return error: FTRLSR175 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED</p> <p>3. If populated and (dl < 10 or > 14), then return error: FTRLSR198 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS</p> <p>4. If populated and special characters not = hyphen, then return error: FTRLSR199 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER</p>	O
104a	PAGER – Alternate Implementation Contact Pager Number	Indicates the pager number of the alternate implementation contact	AN & ' * : , \$ - # () % . + " ; / space	10-25		<p>1.If populated and (dl < 10 or > 25), then return error: FTRLSR177 ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS</p> <p>2. If populated and vv contains Virgule and it is not preceded and followed by a numeric, then return error: FTRLSR245 PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC.</p>	O



Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						3. If populated and special characters not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space and, then return error: FTRLR298 INVALID SPECIAL CHARACTERS 4. If populated and ALT IMPCON is not populated, then return error: FTRLR317 PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED	
105	DSGCON					FRONTIER DOES NOT SUPPORT	P
106	DRC					FRONTIER DOES NOT SUPPORT	P
107	TEL NO					FRONTIER DOES NOT SUPPORT	P
108	FAX NO					FRONTIER DOES NOT SUPPORT	P
109	EMAIL					FRONTIER DOES NOT SUPPORT	P
110	STREET					FRONTIER DOES NOT SUPPORT	P
111	FLOOR					FRONTIER DOES NOT SUPPORT	P
112	ROOM/MAIL STOP					FRONTIER DOES NOT SUPPORT	P
113	CITY					FRONTIER DOES NOT SUPPORT	P
114	STATE					FRONTIER DOES NOT SUPPORT	P
115	ZIP					FRONTIER DOES NOT SUPPORT	P
REMARKS Section							
116	REMARKS – Remarks	Identifies the first occurrence of a free flowing field that can be used to expand upon and clarify other data on this request.	AN & ' ; , \$ - # () % . + “ ; / space	1-500		1.If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: FTRLR178 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC 2. If populated and dl > 500, then return error: FTRLR179 REMARKS MAY NOT EXCEED 500 CHARACTERS 3. If populated and special characters not = ampersand, apostrophe, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sigh, period, plus sign, quotation marks, semicolon, space, virgule, at sign(@) , then return error: FTRLR200 INVALID SPECIAL CHARACTERS IN REMARKS 4. If not populated and SUP = 3, then return error: FTRLR318 REMARKS REQUIRED WHEN SUP 3	O



APPENDIX A: ERROR MESSAGE TABLE

Error Message Number	Error Message Text
FTRLSR001	CUSTOMER CARRIER NAME ABBREVIATION REQUIRED
FTRLSR002	CCNA OF 'CUS' REQUIRES AN ENTRY IN CC
FTRLSR003	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS
FTRLSR004	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC
FTRLSR005	DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
FTRLSR006	PURCHASE ORDER NUMBER MUST BE 4-16 CHARACTERS
FTRLSR007	PURCHASE ORDER NUMBER IS REQUIRED
FTRLSR008	ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN
FTRLSR009	VERSION REQUIRED WITH SUP
FTRLSR010	VERSION DATA LENGTH MUST BE 2 CHARACTERS
FTRLSR011	LOCATION QUANTITY IS REQUIRED
FTRLSR012	LOCATION QUANTITY MUST BE NUMERIC CHARACTERS
FTRLSR013	HTQTY IS PROHIBITED FOR REQ TYP/ACT
FTRLSR014	ATN NOT ALLOWED FOR REQ TYP
FTRLSR015	DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
FTRLSR016	DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS
FTRLSR017	DESIRED DUE DATE DATA MUST BE NUMERIC
FTRLSR018	DESIRED DUE DATE MONTH MUST BE 01-12
FTRLSR019	DESIRED DUE DATE DAY MUST BE 01-31
FTRLSR020	DESIRED DUE DATE IS REQUIRED
FTRLSR021	DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS
FTRLSR022	DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED
FTRLSR023	DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS
FTRLSR024	DESIRED DUE DATE OUT DATA MUST BE NUMERIC
FTRLSR025	DESIRED DUE DATE OUT MONTH MUST BE 01-12
FTRLSR026	DESIRED DUE DATE OUT DAY MUST BE 01-31
FTRLSR027	NOR INVALID DATA IN LAST 2 POSITIONS
FTRLSR028	NOR PROHIBITED WHEN RPON IS NOT PRESENT
FTRLSR029	NOR IS REQUIRED WHEN RPON IS PRESENT
FTRLSR030	NOR LENGTH MUST BE 4 CHARACTERS
FTRLSR031	DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM
FTRLSR032	DFDT IS REQUIRED WHEN CHC IS Y, A or B
FTRLSR033	CCNA VALID VALUE = CUS IS PROHIBITED
FTRLSR034	REQ TYP INVALID FOR SERVICE TERRITORY
FTRLSR035	REQ TYP MUST = AB, BB
FTRLSR036	DESIRED FRAME DUE TIME HOUR MUST BE 01 – 12
FTRLSR037	VERSION REQUIRED
FTRLSR038	REQ TYPE MUST EQUAL EB IF TOS POS 4 = B
FTRLSR039	PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT
FTRLSR040	PROJECT INDICATOR MAY ONLY BE C OR V



Error Message Number	Error Message Text
FTRLSR041	PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS
FTRLSR042	INVALID SPECIAL CHARACTER (S) IN PROJECT
FTRLSR043	DESIRED FRAME DUE TIME MINUTE MUST BE 00 – 59
FTRLSR044	INVALID SPECIAL CHARACTERS
FTRLSR045	DATA MAY ONLY BE Y OR A OR B
FTRLSR046	REQTYP IS PROHIBITED
FTRLSR047	SUB LOOP INDICATOR IS PROHIBITED
FTRLSR048	SUB LOOP INDICATOR IS REQUIRED
FTRLSR049	SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S
FTRLSR050	ACT MAY ONLY BE N, V, C, D, T, R, M
FTRLSR051	ACT MAY ONLY BE V
FTRLSR052	DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA
FTRLSR053	HTQTY IS REQUIRED
FTRLSR054	ACTIVITY MUST BE V FOR REQ TYP BB
FTRLSR055	HTQTY IS PROHIBITED
FTRLSR056	ONSP IS PROHIBITED FOR REQ TYP
FTRLSR057	SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S
FTRLSR058	SLI MUST BE S
FTRLSR059	SUP MUST BE 1, 2, 3, 4 , 5, 6 or 7
FTRLSR060	EXPEDITE IS PROHIBITED
FTRLSR061	EXP VALID VALUE=Y
FTRLSR062	EXP PROHIBITED WHEN THE CHC = A or B
FTRLSR063	COMPANY CODE IS PROHIBITED
FTRLSR064	COMPANY CODE DATA MUST BE 4 CHARACTERS
FTRLSR065	BI1 IS PROHIBITED WHEN THE REQ TYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
FTRLSR066	HTQTY IS PROHIBITED
FTRLSR067	NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS
FTRLSR068	TOS POSITION 2 PROHIBITED WITH REQ TYP FOR SERVICE TERRITORY
FTRLSR069	AGENCY AUTHORIZATION STATUS IS REQUIRED
FTRLSR070	HTQTY VALID VALUE = 2 NUMERIC
FTRLSR071	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR072	ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED
FTRLSR073	ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
FTRLSR074	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR075	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED
FTRLSR076	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
FTRLSR077	FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4
FTRLSR078	LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS
FTRLSR079	LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS
FTRLSR080	TYPE OF SERVICE IS INVALID
FTRLSR081	FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3
FTRLSR082	FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1



Error Message Number	Error Message Text
FTRLSR083	TOS POSITION 2 INVALID
FTRLSR084	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7
FTRLSR085	THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P
FTRLSR086	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B,- (hyphen), 1, 2, S, L
FTRLSR087	ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQ TYP
FTRLSR088	SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS
FTRLSR089	ACT PROHIBITED WITH REQ TYP AND TOS COMBINATION
FTRLSR090	NETWORK CHANNEL CODE MUST BE 4 CHARACTERS
FTRLSR091	NETWORK CHANNEL INTERFACE CODE IS REQUIRED
FTRLSR092	NETWORK CHANNEL INTERFACE CODE IS PROHIBITED
FTRLSR093	NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5-12 CHARACTERS
FTRLSR094	INVALID SPECIAL CHARACTERS IN NCI
FTRLSR095	TOS POSITION 3 INVALID
FTRLSR096	SECNCI MAY ONLY BE 5-12 CHARACTERS
FTRLSR097	INVALID SPECIAL CHARACTERS IN SECNCI
FTRLSR098	RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT
FTRLSR099	RELATED PON REQUIRED WHEN NOR IS PRESENT
FTRLSR100	RELATED PON MUST BE 4 TO 16 CHARACTERS
FTRLSR101	INVALID SPECIAL CHARACTERS IN RPON
FTRLSR102	RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT
FTRLSR103	RPVER IS REQUIRED WHEN RPON IS PRESENT
FTRLSR104	RELATED PON VERSION MUST BE IN THE RANGE OF 00-99
FTRLSR105	RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS
FTRLSR106	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR107	LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS
FTRLSR108	ATN IS REQUIRED
FTRLSR109	ATN IS REQUIRED
FTRLSR110	LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01-12
FTRLSR111	DAY MUST BE 01 TO 31
FTRLSR112	ATN IS REQUIRED
FTRLSR113	LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1-15 CHARACTERS
FTRLSR114	LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS
FTRLSR115	NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQ TYP
FTRLSR116	NUMBER PORTABILITY DIRECTION MAY ONLY BE D FOR THIS REQ TYP
FTRLSR117	NUMBER PORTABILITY DIRECTION REQUIRED
FTRLSR118	ATN VALID VALUE = N IS PROHIBITED
FTRLSR119	WHEN BI1 OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT
FTRLSR120	ATN MUST EQUAL LTN WHEN AC = A
FTRLSR121	ATN IS REQUIRED
FTRLSR122	BI1 WITH VALUE OF D REQUIRED



Error Message Number	Error Message Text
FTRLSR123	BI1 WITH DATA OF D REQUIRED WITH REQTP=CB, WHEN REQTP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR124	BI1 VALID VALUE = D, L, P
FTRLSR125	BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P
FTRLSR126	BILLING ACCOUNT NUMBER 1 PROHIBITED
FTRLSR127	BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTP=JB AND ACT= C,D
FTRLSR128	BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER
FTRLSR129	BAN1 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
FTRLSR130	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED
FTRLSR131	ATN VALID VALUE = N OR 10 NUMERIC
FTRLSR132	DFDT MUST BE 1100PM
FTRLSR133	BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P
FTRLSR134	BILLING ACCOUNT NUMBER 2 PROHIBITED
FTRLSR135	BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTP=JB AND ACT= C,D
FTRLSR136	IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER
FTRLSR137	BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
FTRLSR138	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR139	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
FTRLSR140	DFDT MUST BE 1145PM
FTRLSR141	TOS REQUIRED
FTRLSR142	BILLING NAME MAY NOT EXCEED 25 CHARACTERS
FTRLSR143	INVALID SPEICAL CHARACTERS IN BILL NAME
FTRLSR144	SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS
FTRLSR145	INVALID SPEICAL CHARACTERS IN SECONDARY BILL NAME
FTRLSR146	TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P
FTRLSR147	STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS
FTRLSR148	INVALID SPECIAL CHARACTERS IN STREET
FTRLSR149	BILL FLOOR MAY NOT EXCEED 10 CHARACTERS
FTRLSR150	INVALID SPECIAL CHARACTERS IN FLOOR
FTRLSR151	BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS
FTRLSR152	INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP
FTRLSR153	BILL CITY MUST BE 1 TO 32 CHARACTERS
FTRLSR154	INVALID SPECIAL CHARACTERS IN CITY
FTRLSR155	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
FTRLSR156	BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS
FTRLSR157	BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS
FTRLSR158	INVALID SPECIAL CHARACTERS IN BILLCON
FTRLSR159	DDDO MUST BE LESS THAN OR EQUAL TO DDD
FTRLSR160	INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS
FTRLSR161	INVALID SPECIAL CHARACTERS IN INIT
FTRLSR162	DDDO MUST BE LESS THAN OR EQUAL TO DDD



Error Message Number	Error Message Text
FTRLSR163	IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B
FTRLSR164	IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS
FTRLSR165	INVALID SPECIAL CHARACTERS IN IMPCON
FTRLSR166	IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
FTRLSR167	IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
FTRLSR168	DDDO IS PROHIBITED
FTRLSR169	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR170	IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS
FTRLSR171	INVALID SPECIAL CHARACTERS IN PAGER
FTRLSR172	ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS
FTRLSR173	INVALID SPECIAL CHARACTERS IN ALT IMPCON
FTRLSR174	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
FTRLSR175	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
FTRLSR176	APPTIME DDDO IS PROHIBITED WHEN SLI = B
FTRLSR177	ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS
FTRLSR178	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR179	REMARKS MAY NOT EXCEED 500 CHARACTERS
FTRLSR180	VER MUST BE NUMERIC
FTRLSR181	ACTL HAS INVALID CHARACTERS
FTRLSR182	EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS
FTRLSR183	EBD EFFECTIVE BILLING DATE DATA MUST BE NUMERIC
FTRLSR184	EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO 12
FTRLSR185	EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31
FTRLSR186	DFDT MUST BE BETWEEN 0700AM AND 0700PM
FTRLSR187	PRODUCT ARRANGEMENT NOT VALID FOR REQ TYP
FTRLSR188	ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS
FTRLSR189	PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT
FTRLSR190	LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS
FTRLSR191	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER
FTRLSR192	INITIATOR REQUIRED
FTRLSR193	INITIATOR TELEPHONE NUMBER REQUIRED
FTRLSR194	INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR195	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER
FTRLSR196	IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR197	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER
FTRLSR198	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR199	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER
FTRLSR200	INVALID SPECIAL CHARACTERS IN REMARKS
FTRLSR201	ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN
FTRLSR202	TOS IS REQUIRED
FTRLSR203	BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS



Error Message Number	Error Message Text
FTRLSR204	LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT ALLOWED
FTRLSR205	LSP AUTHORIZATION DATE MAY ONLY NUMERIC- ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED
FTRLSR206	DATE/TIME SENT IS REQUIRED
FTRLSR207	DATE/TIME SENT MUST BE 14 CHARACTERS
FTRLSR208	DATE/TIME SENT MONTH MUST BE 01-12
FTRLSR209	DATE/TIME SENT DAY MUST BE 01 – 31
FTRLSR210	DATE/TIME SENT HOUR MUST BE 01-12
FTRLSR211	DATE/TIME SENT MINUTES MUST BE 00-59
FTRLSR212	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12
FTRLSR213	PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS
FTRLSR214	REQTYP IS A REQUIRED FIELD
FTRLSR215	ACT IS A REQUIRED FIELD
FTRLSR216	TOS POS 3 MUST EQUAL “M”
FTRLSR217	BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR218	ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y
FTRLSR219	AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT
FTRLSR220	NC REQUIRED
FTRLSR221	SLI IS REQUIRED
FTRLSR222	TOS POS 1 MUST EQUAL '1'
FTRLSR223	CHC VALUE OF A OR B INVALID
FTRLSR224	SCA CAN ONLY BE Y
FTRLSR225	SCA REQUIRED WITH SUP 7
FTRLSR226	SCA ONLY VALID WITH SUP 7
FTRLSR227	SUP 6 PROHIBITED FOR REQTYP
FTRLSR228	REQTYP DB PROHIBITED FOR TOS
FTRLSR229	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR230	POSITION 2 TOS INVALID FOR STATE
FTRLSR231	TOS POSITION 2 INVALID FOR REQTYP
FTRLSR232	CHC REQUIRED
FTRLSR233	SUP 6, 7 PROHIBITED
FTRLSR234	MUST POPULATE VALID SPEC
FTRLSR235	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR236	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR237	AENG IS PROHIBITED WHEN SUP NOT = 6
FTRLSR238	AENG CAN ONLY BE Y
FTRLSR239	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR240	SPECIAL CHARACTERES NOT ALLOWED IN CC
FTRLSR241	NNSP IS ALPHA/NUMERIC
FTRLSR242	SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN , SPACE
FTRLSR243	LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE
FTRLSR244	DFDT MUST BE BETWEEN 0800AM AND 0500PM



Error Message Number	Error Message Text
FTRLSR245	PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR246	RORD CAN ONLY BE ALPHA/NUMERIC
FTRLSR247	LSP AUTH IS ALPHA NUMERIC
FTRLSR248	TOS POSITION 4 MUST EQUAL 1 OR 2
FTRLSR249	APPTIME DDDO IS PROHIBITED
FTRLSR250	AENG REQUIRED WHEN SUP = 6
FTRLSR251	LSO CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR252	CHC IS REQUIRED
FTRLSR253	CHC IS PROHIBITED
FTRLSR254	REQTYP EB PROHIBITED FOR TOS
FTRLSR255	SLI VALID VALUE = S WHEN REQTYP = DB
FTRLSR256	SLI IS REQUIRED
FTRLSR257	SLI IS PROHIBITED
FTRLSR258	BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
FTRLSR259	EXP FIELD PROHIBITED
FTRLSR260	PROJECT REQUIRED WHEN EU.AAI = NEW ADDR
FTRLSR261	SUSPEND ACTIVITY PROHIBITED
FTRLSR262	SUSPEND ACTIVITY PROHIBITED
FTRLSR263	NC IS REQUIRED
FTRLSR264	NC IS REQUIRED
FTRLSR265	ACTIVITY PROHIBITED
FTRLSR266	NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED
FTRLSR267	FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND
FTRLSR268	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR269	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR270	WHOLESALE BROADBAND INVALID FOR REQTYP
FTRLSR271	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND
FTRLSR272	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND
FTRLSR273	THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND
FTRLSR274	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR275	TOS POS 4 = V NOT VALID FOR REQTYP
FTRLSR276	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR277	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR278	
FTRLSR279	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR280	BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB, ACT = N
FTRLSR281	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR282	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR283	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
FTRLSR284	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
FTRLSR285	PID MUST NOT EXCEED 5 ALPHA NUMERIC CHARACTERS
FTRLSR286	BAN1 CANNOT CONTAIN SPECIAL CHARACTERS



Error Message Number	Error Message Text
FTRLSR287	ACT VALID VALUE = L IS PROHIBITED
FTRLSR288	PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D
FTRLSR289	DFDT PROHIBITED
FTRLSR290	PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY
FTRLSR291	NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED
FTRLSR292	SECNCI IS PROHIBITED
FTRLSR293	TOS POSITION 3 INVALID FOR REQ TYP
FTRLSR294	ADET VALID VALUE = A
FTRLSR295	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8
FTRLSR296	BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D
FTRLSR297	SUP VALID VALUE = 6 IS PROHIBITED
FTRLSR298	INVALID SPECIAL CHARACTERS
FTRLSR299	DL FORM REQUIRED
FTRLSR300	TOS INVALID FOR SERVICE TERRITORY
FTRLSR301	SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M
FTRLSR302	BI1 WITH DATA OF D REQUIRED WHEN REQ TYP=BB and ACT=V, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR303	BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P
FTRLSR304	BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQ TYP = JB
FTRLSR305	BAN2 CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR306	EXP IS PROHIBITED
FTRLSR307	BI2 WITH VALUE OF D REQUIRED
FTRLSR308	BI2 WITH DATA OF D REQUIRED NORTH WHEN REQ TYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR309	BI2 WITH DATA OF D REQUIRED WHEN REQ TYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR310	BI2 WITH DATA OF D REQUIRED WHEN REQ TYP = CBBI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR311	ACTIVITY PROHIBITED
FTRLSR312	BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI1 IS NOT EQUAL TO D
FTRLSR313	NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQ TYP
FTRLSR314	TOS COMBINATION INVALID
FTRLSR315	NUMBER PORTABILITY DIRECTION PROHIBITED
FTRLSR316	PAGER PROHIBITED WHEN IMPCON NOT POPULATED
FTRLSR317	PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED
FTRLSR318	REMARKS REQUIRED WHEN SUP 3
FTRLSR319	VALUE OF CUS PROHIBITED WITH TOS SELECTED
FTRLSR320	DDDO NOT ALLOWED FOR REQ TYP
FTRLSR321	ACT N PROHIBITED WITH SELECTED TOS
FTRLSR322	DFDT PROHIBITED
FTRLSR323	APPTRESID IS PROHIBITED



Error Message Number	Error Message Text
FTRLSR324	NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99
FTRLSR325	ONSP IS REQUIRED
FTRLSR326	DSPTCH PROHIBITED
FTRLSR327	ACTIVITY PROHIBITED
FTRLSR328	CHC VALUE REQUIRES DFDT OF 1100PM
FTRLSR329	CHC VALUE REQUIRES DFDT OF 1145PM
FTRLSR330	APPTIME DDDO NOT ALLOWED FOR REQTY
FTRLSR331	PID FIELD PROHIBITED WHEN NPDI DOES NOT EQUAL C AND POS 1 OF TOS DOES NOT EQUAL 2
FTRLSR332	ACT MUST = C,D,V
FTRLSR333	COMPANY CODE IS REQUIRED
FTRLSR334	EXP PROHIBITED FOR TOS VALUE
FTRLSR335	ACT MUST BE C, D OR N WHEN SLI IS C OR V
FTRLSR336	PRODUCT NOT AVAILABLE
FTRLSR337	
FTRLSR338	LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS
FTRLSR339	
FTRLSR340	ACT MUST = N,C,D,R,V
FTRLSR341	ONSP IS PROHIBITED
FTRLSR342	
FTRLSR343	
FTRLSR344	APPTRESID NOT VALID FOR REQTY
FTRLSR345	APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS
FTRLSR346	DL FORM REQUIRED FOR REQTY/ACT COMBINATION WHEN BI1 IS D
FTRLSR347	DL FORM REQUIRED FOR REQTY/ACT COMBINATION WHEN BI2 IS D
FTRLSR348	ACTL REQUIRED WHEN CI IS E
FTRLSR349	DFDT IS REQUIRED WHEN CI IS E
FTRLSR350	EXP PROHIBITED WHEN CI IS E
FTRLSR351	IMPLEMENTATION CONTACT IS REQUIRED
FTRLSR352	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR353	AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z
FTRLSR354	INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTY
FTRLSR355	ACTL REQUIRED
FTRLSR356	ACTL IS PROHIBITED
FTRLSR357	
FTRLSR358	LSO IS REQUIRED
FTRLSR359	LSO PROHIBITED WHEN REQTY=JB
FTRLSR360	TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTY = DB
FTRLSR361	
FTRLSR362	TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE
FTRLSR363	
FTRLSR364	AC IS PROHIBITED
FTRLSR365	AC IS PROHIBITED WHEN LNA = T



Error Message Number	Error Message Text
FTRLSR366	AC VALID VALUE = A
FTRLSR367	SPEC IS PROHIBITED FOR REQ TYP
FTRLSR368	NC IS PROHIBITED FOR REQ TYP
FTRLSR369	NC IS REQUIRED
FTRLSR370	RPON IS PROHIBITED
FTRLSR371	LSP AUTH IS REQUIRED
FTRLSR372	NPDI IS REQUIRED
FTRLSR373	NPDI VALID VALUE = B, D
FTRLSR374	BI1 IS PROHIBITED FOR REQ TYP
FTRLSR375	BI2 IS PROHIBITED FOR REQ TYP
FTRLSR376	ACNA IS REQUIRED
FTRLSR377	
FTRLSR378	BILLNM IS PROHIBITED FOR REQ TYP
FTRLSR379	SBILLNM IS PROHIBITED FOR REQ TYP
FTRLSR380	STREET IS PROHIBITED FOR REQ TYP
FTRLSR381	FLOOR IS PROHIBITED FOR REQ TYP
FTRLSR382	ROOM/MAIL STOP IS PROHIBITED FOR REQ TYP
FTRLSR383	CITY IS PROHIBITED FOR REQ TYP
FTRLSR384	STATE IS PROHIBITED FOR REQ TYP
FTRLSR385	ZIP IS PROHIBITED FOR REQ TYP
FTRLSR386	BILLCON IS PROHIBITED FOR REQ TYP
FTRLSR387	TEL NO IS PROHIBITED FOR REQ TYP
FTRLSR388	IMPCON IS REQUIRED
FTRLSR389	IMPCON IS REQUIRED
FTRLSR390	ALT IMPCON IS PROHIBITED FOR REQ TYP
FTRLSR391	DDDO MUST BE LESS THAN OR EQUAL TO DDD
FTRLSR392	CHC IS REQUIRED FOR REQ TYP/ACT
FTRLSR393	CHC IS PROHIBITED FOR REQ TYP/ACT
FTRLSR394	SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQ TYP
FTRLSR395	TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP
FTRLSR396	PRODUCT ARRANGEMENT IS REQUIRED FOR REQ TYP
FTRLSR397	
FTRLSR398	ACT INVALID FOR REQ TYP
FTRLSR399	
FTRLSR400	ACT VALID VALUE = S, T IS PROHIBITED FOR TOS
FTRLSR401	ONSP IS REQUIRED FOR NPI
FTRLSR402	ONSP IS PROHIBITED FOR NPI
FTRLSR403	ONSP IS REQUIRED FOR NPI
FTRLSR404	ONSP IS PROHIBITED FOR NPI
FTRLSR405	ACTL IS REQUIRED FOR REQ TYP/ACT
FTRLSR406	ACTL IS REQUIRED FOR REQ TYP/ACT
FTRLSR407	LST IS REQUIRED FOR REQ TYP/ACT



Error Message Number	Error Message Text
FTRLSR408	TOS VALID VALUE FOR POSITION 3 = F, M
FTRLSR409	TOS VALID VALUE FOR POSITION 3 = HYPHEN
FTRLSR410	
FTRLSR411	SPEC IS REQUIRED FOR REQ TYP/ACT
FTRLSR412	SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S
FTRLSR413	NC IS REQUIRED FOR LTOS
FTRLSR414	NC IS REQUIRED
FTRLSR415	NC IS REQUIRED
FTRLSR416	NPDI IS REQUIRED FOR NPI
FTRLSR417	NPDI VALID VALUE = B, D
FTRLSR418	NPDI IS REQUIRED FOR NPI
FTRLSR419	NPDI VALID VALUE = B, D
FTRLSR420	NPDI IS REQUIRED FOR NPI
FTRLSR421	NPDI VALID VALUE = B, D
FTRLSR422	NPDI IS REQUIRED FOR NPI
FTRLSR423	NPDI VALID VALUE = B, D
FTRLSR424	NPDI IS PROHIBITED FOR NPI
FTRLSR425	NPDI IS PROHIBITED FOR NPI
FTRLSR426	NPDI IS PROHIBITED FOR NPI
FTRLSR427	NPDI IS PROHIBITED FOR NPI
FTRLSR428	NPDI IS PROHIBITED FOR NPI
FTRLSR429	IMPCON IS REQUIRED FOR LNA
FTRLSR430	IMPCON IS REQUIRED FOR LNA
FTRLSR431	IMPCON IS REQUIRED FOR LNA
FTRLSR432	IMPCON IS REQUIRED FOR TNA
FTRLSR433	IMPCON IS REQUIRED FOR LNA
FTRLSR434	IMPCON IS REQUIRED FOR LNA
FTRLSR435	DATE/TIME SENT SECONDS MUST BE 00-59
FTRLSR436	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00
FTRLSR437	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00
FTRLSR438	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR439	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR440	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR441	
FTRLSR442	
FTRLSR443	
FTRLSR444	
FTRLSR445	DATE/TIME SENT MUST BE 16 CHARACTERS
FTRLSR446	DATE/TIME SENT MONTH MUST BE 01-12
FTRLSR447	DATE/TIME SENT DAY MUST BE 01 – 31
FTRLSR448	DATE/TIME SENT HOUR MUST BE 01-24
FTRLSR449	DATE/TIME SENT MINUTES MUST BE 00-59



Error Message Number	Error Message Text
FTRLSR450	BI1 AND BI2 MAY NOT APPEAR ON THE SAME ORDER
FTRLSR451	BI2 AND BI1 MAY NOT APPEAR ON THE SAME ORDER
FTRLSR452	RESEND NOT SUPPORTED
FTRLSR453	SUP IS REQUIRED
FTRLSR454	VER MUST BE INCREMENTED ON SUP ORDERS
FTRLSR455	
FTRLSR456	BAN1 IS REQUIRED WHEN BI1 IS PRESENT
FTRLSR457	BAN2 IS REQUIRED WHEN BI2 IS PRESENT
FTRLSR458	BI1 IS REQUIRED
FTRLSR459	BI2 IS REQUIRED
FTRLSR460	SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.
FTRLSR461	REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS
FTRLSR462	ACT CANNOT CHANGE ON SUPPLEMENT ORDERS
FTRLSR463	SUP IS PROHIBITED ON CANCEL ORDERS
FTRLSR464	NRI PROHIBITED
FTRLSR465	ACTL REQUIRED
FTRLSR466	
FTRLSR467	ATN MUST BE 10 DIGIT NUMERIC
FTRLSR468	ACT W PROHIBITED FOR REQ TYP DB
FTRLSR469	TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP
FTRLSR470	IMPLEMENTATION CONTACT IS REQUIRED
FTRLSR471	EMAIL REQUIRED
FTRLSR472	
FTRLSR473	DSPTCH VALID VALUE = Y
FTRLSR474	
FTRLSR475	PROJECT REQUIRED
FTRLSR476	
FTRLSR477	
FTRLSR478	ACT W PROHIBITED
FTRLSR479	
FTRLSR480	ACT J PROHIBITED FOR REQ TYP
FTRLSR481	INVALID ACT FOR REQ TYP
FTRLSR482	
FTRLSR483	AN PROHIBITED
FTRLSR484	AN VALID VALUE = 10 DIGIT NUMERIC
FTRLSR485	ADET PROHIBITED FOR REQ TYP
FTRLSR486	SUP 3 REQUIRES REMARKS
FTRLSR487	SUP = 4 PROHIBITED
FTRLSR488	SUP = 5 PROHIBITED
FTRLSR489	
FTRLSR490	
FTRLSR491	SUP INVALID FOR REQ TYP



Error Message Number	Error Message Text
FTRLSR492	SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB
FTRLSR493	SCA PROHIBITED
FTRLSR494	SACTL REQUIRED
FTRLSR495	POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL
FTRLSR496	LST REQUIRED
FTRLSR497	LST PROHIBITED
FTRLSR498	LSO REQUIRED
FTRLSR499	
FTRLSR500	
FTRLSR501	LSO REQUIRED
FTRLSR502	LSO MUST BE NUMERIC
FTRLSR503	LSO REQUIRED
FTRLSR504	
FTRLSR505	
FTRLSR506	
FTRLSR507	LSO PROHIBITED
FTRLSR508	TOS POSITION 2 INVALID
FTRLSR509	TOS POSITION 3 INVALID
FTRLSR510	TOS POSITION 4 INVALID
FTRLSR511	TOS POSITION 4 INVALID
FTRLSR512	TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB
FTRLSR513	TOS POSITION 3 MUST = M WHEN REQTYP=FB
FTRLSR514	DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R
FTRLSR515	TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED
FTRLSR516	TOS INVALID
FTRLSR517	TOS POSITION 3 CANNOT = M WHEN REQTYP=AB AND TOS POSITION 2 = R
FTRLSR518	TOS POSITION 2 MUST = J,Q WHEN REQTYP=NB
FTRLSR519	TOS POSITION 1 VALUE MUST = 1 WHEN AC=C
FTRLSR520	TOS POSITION 1 VALUE MUST = 2 WHEN AC=B
FTRLSR521	
FTRLSR522	
FTRLSR523	DL FORM REQUIRED
FTRLSR524	ACT PROHIBITED WITH REQTYP
FTRLSR525	LSP AUTH NAME REQUIRED
FTRLSR526	LSP AUTH NAME PROHIBITED
FTRLSR527	CUST REQUIRED
FTRLSR528	CUST PROHIBITED
FTRLSR529	EMAIL CANNOT EXCEED 60 CHARACTERS
FTRLSR530	FAX NO MUST BE 10 DIGIT NUMERIC
FTRLSR531	
FTRLSR532	AN REQUIRED
FTRLSR533	ACT PROHIBITED WITH REQTYP



Error Message Number	Error Message Text
FTRLSR534	NC IS REQUIRED
FTRLSR535	



APPENDIX B – CHANGE CONTROL LOG

DATE	FIELD	REVISION NUMBER	CHANGE
07/16/2021	All	October 2021 Release	Update version to 9.30.24
07/30/2021	ACT – 031	October 2021 Release	Change Rule: From: 7. If populated and vv = B, S and position 1 of REQTYT = D, E and position 2 of TOS = E or position 3 of TOS = B, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED To: 7. If populated and vv = B, S and position 1 of REQTYT = D, E and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED
07/30/2021	EXP – 035	October 2021 Release	Change Rule: From: 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = C, D, E, F, G, then return error: FTRLSR306 EXP IS PROHIBITED To: 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = A, B, C, D, E, F, G, M then return error: FTRLSR306 EXP IS PROHIBITED
10/01/2021	ACT – 031	October 2021 Release POST 45-Day Final Revision	Change Rule: From: 7. If populated and vv = B, S and position 1 of REQTYT = D, E and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED To: 7. If populated and vv = B, S and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED
10/01/2021	TOS – 059	October 2021 Release POST 45-Day Final Revision	Change Rule: From: 34.If populated and (position 3 = B or position 4 = L) and REQTYT does not = DB or (REQTYT does not = EB and ACT=C and LNA=C), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYT To: 34.If populated and (position 3 = B or position 4 = L) and (REQTYT does not = DB) and (REQTYT does not = EB and ACT=C, B, S and LNA=C, B, S)), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYT
07/15/2022	All	Oct 2022 Release	Update version to 9.30.25
07/25/2022	APPTRESID – 035a	October 2022 Release	Add Field Note: Once a firm LSR is submitted, the Appointment Time may not be updated with new APPTRESID number on supplemental activity.
07/25/2022	ACT – 031	October 2022 Release	Add New Rules: 22. If REQTYT=QB and the 2nd Character of the TOS =H and the ACT is not equal to D or (ACT C with LNA=D), return error: FTRLSR265 ACTIVITY PROHIBITED 23. If REQTYT=LB and the ACT is not equal to D or (ACT C with LNA=D), then error FTRLSR311 ACTIVITY PROHIBITED 24. If Populated and the vv = S and the POS 1 of TOS =1 and the Reqtyp = EB, return error FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYT
03/17/2023	All	June 2023 Release	Update version to 9.30.26
04/05/2023	REQTYT – 028	June 2023 Release	Add New Rule: 7. If REQTYT is DB and the ACT is not D or C w/LNA =D and the 2nd character of the TOS =E, C, T, then error FTRLSR327 ACTIVITY PROHIBITED



DATE	FIELD	REVISION NUMBER	CHANGE
04/05/2023	ACT – 031	June 2023 Release	Document Changes Only: Change Rule From: 22.If REQTYP=QB and the 2nd Character of the TOS =H and the ACT is not equal to D or (ACT C with LNA=D), return error: FTRLSR265 ACTIVITY PROHIBITED To: 22. If REQTYP=QB and the 2nd Character of the TOS =H and ((the ACT is not equal to D) or (ACT = C and LNA=D)), return error: FTRLSR265 ACTIVITY PROHIBITED Change Rule From: 23. If REQTYP=LB and the ACT is not equal to D or (ACT C with LNA=D), then error FTRLSR311 ACTIVITY PROHIBITED To: 23. If REQTYP=LB and ((the ACT is not equal to D) or (ACT = C and LNA=D)), then error FTRLSR311 ACTIVITY PROHIBITED
04/05/2023	NC – 062	June 2023 Release	Document Changes Only: Change Rule From: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S), or 4 of TOS does not =V, return error FTRLSR534 NC IS REQUIRED To: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S, V), return error FTRLSR534 NC IS REQUIRED
11/20/2023	NC-062	February 2024 Release	Add new rule: 21. If populated and vv = LX-N, HF-6, HF-D and the NCI vv = 04QB6.33 and the ACT is not D, return error FTRLSR336 PRODUCT NOT AVAILABLE
11/20/2023	ACT-031	February 2024 Release	Delete Rule: 21.If populated and vv = V and REQTYP = DB and position 3 of TOS = B and position 4 of TOS = S, return error FTRLSR278 ACTIVITY PROHIBITED Re-numbered remaining usage edits
07/12/2024	All	October 2024 Release	Update Version to 9.30.28



DATE	FIELD	REVISION NUMBER	CHANGE
7/29/2024	TOS-059	October 2024 Release	Update Header – Add Value ‘B’ and “O” in position 4 – B=Pots in a Box, O= SIP over the top Voice Changed rule from: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L, Change rule to: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,B,O, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B,O - (hyphen), 1, 2, S, L, Added rule: 46. If populated and position 4 of vv = B,O and REQ TYP does not = EB, return error: FTRLSR038 REQ TYPE MUST EQUAL EB IF TOS POS 4 = B,O
11/18/2024	All	February 2025 Release	Update Version to 9.30.29
12/4/2024	ACT-31	February 2025 Release	Added rule: 24. If populated and vv = W and REQ TYP = EB and 4th Character of TOS=B return error FTRLSR089 ACT PROHIBITED WITH REQ TYP AND TOS COMBINATION
12/4/2024	IMPCON 101	February 2025 Release	Change Rule from: 6. If not populated and position 1 of REQ TYP = E and RS.LNA = N, T, or if RS.LNA=V and the 4 th character of the TOS=B then return error: FTRLSR389 IMPCON IS REQUIRED Changed Rule to: 6. If not populated and position 1 of REQ TYP = E and RS.LNA = N, T, or if RS.LNA=V and the 4 th character of the TOS=B then return error: FTRLSR389 IMPCON IS REQUIRED



DATE	FIELD	REVISION NUMBER	CHANGE
12/4/2024	TOS-059	February 2025 Release	<p>Update Header – Changed Value ‘B’ and Removed “O” in position 4 – B=Pots Connect, O= SIP over the top Voice</p> <p>Changed Rule from: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,B,O, - (hyphen), 1, 2, S, L, return error: FTRLR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B,O - (hyphen), 1, 2, S, L, Changed rule to: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,B - (hyphen), 1, 2, S, L, return error: FTRLR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B - (hyphen), 1, 2, S, L,</p> <p>Changed Rule from: 46. If populated and position 4 of vv = B,0 and REQ TYP does not = EB, return error: FTRLR038 REQ TYPE MUST EQUAL EB IF TOS POS 4 = B,0 Changed Rule to: 46. If populated and position 4 of vv = B and REQ TYP does not = EB, return error: FTRLR038 REQ TYPE MUST EQUAL EB IF TOS POS 4 = B</p> <p>Add New Rules: 47. populated and (POS 4= B and POS 3 does not = M) and REQ TYP= is EB, return error FTRLR216 TOS POS 3 MUST EQUAL “M” 48. If populated and (POS 4 = B and POS 1 does not = 1) and REQ TYP = EB, return error FTRLR222 TOS POS 1 MUST EQUAL ‘1’</p>