



## **Version 9.30.30**

### **EU FORM**

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

© 2025 Frontier Communications Parent, Inc. All rights reserved.

**Contents**

Section: ADMINISTRATIVE.....	5
Section: LOCATION and ACCESS.....	5
LOCNUM - Location Number .....	5
EUA - End User Activity.....	5
NAME - End User Name .....	5
AFT - Address Format Type .....	6
ROUTE - Route .....	6
BOX - Box Number .....	7
SAPR - Service Address Number Prefix .....	7
SANO - Service Address Number .....	7
SASF – Service Address Number Suffix .....	7
SASD – Service Address Street Directional Prefix .....	8
SASN – Service Address Street Name .....	8
SATH – Service Address Street Type .....	9
SASS – Service Address Street Directional Suffix .....	9
LD1 – Service Address Location Designator 1 .....	9
LV1 – Service Address Location Value 1 .....	9
LD2 – Service Address Location Designator 2 .....	10
LV2 – Service Address Location Value 2 .....	10
LD3 – Service Address Location Designator 3 .....	10
LV3 – Service Address Location Value 3 .....	11
AAI – Service Address Additional Address Information .....	11
CITY – City .....	12
STATE – State.....	12
ZIP – Zip/Postal Code .....	13
LCON – Local Contact.....	13
TEL NO – Local Contact Telephone Number .....	14
EUMI – End User Moving Indicator .....	15
ACC – Access Information .....	15
WSOP – Working Service on Premises .....	15
ELT – End User Listing Treatment .....	16



MLTN – Migrating Listing Telephone Number(s) .....	17
MLBTN – Migrating Listing Billing Telephone Number .....	17
PLBO .....	18
Section: INSIDE WIRE .....	18
IWO – Inside Wiring Options .....	18
IWCON – Inside Wire Contact.....	18
TEL NO – Inside Wire Contact Telephone Number .....	18
Section : BILL.....	18
EATN – Existing Account Telephone Number .....	18
FBI – Final Bill Indicator.....	19
BILLNM – Bill Name .....	20
SBILLNM – Secondary Bill Name .....	20
STREET – Bill Street Address.....	20
FLOOR – Bill Floor .....	21
ROOM – Bill Room/Mail Stop.....	21
CITY – Bill City .....	21
STATE – Bill State/Province.....	21
ZIP – Bill ZIP/Postal Code .....	21
Section: DISCONNECT INFORMATION.....	22
DNUM – Disconnect Line Number .....	22
DISC NBR – Disconnect Telephone Number .....	22
TC OPT – Transfer of Calls Options .....	23
TC TO PRI – Transfer of Calls To Primary Number.....	23
TC TO SEC – Transfer of Calls To Secondary Number .....	24
TCID – Transfer of Calls To Identifier.....	24
TC NAME – Transfer of Calls To Name .....	24
TC PER – Transfer of Calls Period .....	24
TCID 2 – Transfer of Calls To Identifier 2.....	25
TCNAME 2 – Transfer of Calls To Name 2 .....	25
Section: DELIVERY CONTACT INFORMATION .....	25
DCFN – Delivery Contact First Name .....	25
DCLN – Delivery Contact Last Name.....	26



DCADDRESS1 – Delivery Contact Address 1 .....	26
DCADDRESS2 – Delivery Contact Address 2 .....	26
DCUNIT – Delivery Contact Unit Type .....	26
DCUNITVALUE – Delivery Contact Unit Value .....	27
CITY – City .....	27
STATE – State/Province.....	27
ZIP – ZIP/Postal Code.....	27
EMAIL – Electronic Mail Address .....	28
TEL NO – Telephone Contact Number .....	28
EXT – Extension.....	28
APPENDIX A: ERROR MESSAGE TABLE.....	30
APPENDIX B – CHANGE CONTROL LOG .....	37



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
<b>Section: ADMINISTRATIVE</b>							
001	PON					FRONTIER DOES NOT SUPPORT	P
002	VER					FRONTIER DOES NOT SUPPORT	P
003	AN					FRONTIER DOES NOT SUPPORT	P
004	ATN					FRONTIER DOES NOT SUPPORT	P
005	PG_of_					FRONTIER DOES NOT SUPPORT	P
<b>Section: LOCATION and ACCESS</b>							
006	LOCNUM - Location Number	Identifies this service location number for the service requested	N	1-3		<p>1. If not populated and REQ TYP not = CB and ACT does not equal V, then return error: FTREU001 LOCNUM - LOCATION NUMBER REQUIRED</p> <p>2. If populated and dl &gt;3, then return error: FTREU002 LOCNUM MAY NOT EXCEED 3 NUMERIC CHARACTERS</p> <p>3. If populated and dc not = numeric, then return error: FTREU097 LOCNUM LOCATION NUMBER MUST BE NUMERIC</p>	C
007	EUA - End User Activity	Identifies the activity at a location when multiple end user locations exist for a service.	A	1	<p>A=Add new location C=Changes at existing location D=Remove existing location</p>	<p>1.If populated and vv does not = A, C, D, then return error FTREU271 EUA VALID VALUE = A, C OR D</p> <p>2.If populated and LOCQTY is not populated, return error FTREU273 EUA PROHIBITED IF LOCQTY IS NOT POPULATED</p> <p>Note: When multiple end user locations are involved, multiple end users forms must be submitted</p>	O
008	NAME - End User Name	Identifies the name of the end user.	AN & ' * : , \$ - # ( ) . + " ; space	1-25		<p>1. If not populated, and NOT (REQ TYP = C and ACT = V) and character position 2 of LSR.TOS not = Y, then return error: FTREU003 END USER NAME IS REQUIRED</p> <p>2. If populated and dl &gt; 25, then return error: FTREU004 END USER NAME MAY NOT EXCEED 25 CHARACTERS</p> <p>3. If populated, and NOT (REQ TYP = C and ACT = V) and special character not = Ampersand, Apostrophe, , Asterisk Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Period, Plus Sign, Quotation Marks, Semicolon, or Space then, then return error: FTREU005 NOT A VALID SPECIAL CHARACTER</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>4.If populated and dc includes a comma and position 1 of TOS does not = 2, return error FTREU275 COMMA NOT ALLOWED IN BUSINESS NAME</p> <p><b>Note:</b>  1.The name in this field is not intended to be used for directory services  2. This is your End User's Name, and the information which will be used to populate Caller ID Name</p> <p><b>Residential: required format: last name (comma)(space)first name, EXAMPLE 1: Frank and Mary Brown would be populated as Brown, Frank and Mary EXAMPLE 2: Bob White would be populated as White, Bob</b>  <b>Business: Name cannot contain adjacent spaces</b></p>	
009	NCON					<b>FRONTIER DOES NOT SUPPORT</b>	P
010	AFT - Address Format Type	Identifies the format of the address being supplied.	A	1-1	<p>C = (Provider Assigned House Number)</p> <p>N = Normal (Not an Assigned House Number)</p>	<p>1. If populated and vv not = C, N, then return error: FTREU008 AFT – ADDRESS FORMAT TYPE MAY ONLY BE C OR N</p> <p>2. If populated and vv not = N and LSR.ACT = R, then return error: FTREU006 AFT VALID VALUE = N WHEN ACT = R</p> <p>3. If populated and position 1 of LSR.REQTYP = C and LSR.ACT = V then return error: FTREU070 ADDRESS FORMAT TYPE IS PROHIBITED FOR REQ TYP CB ACT V</p> <p>4.If not populated and REQ TYP does not =CB and (ACT does not = D except when LSR.REQTYP = AB, KB, LB, NB, QB), return error FTREU145 AFT REQUIRED</p> <p>5.If not populated and REQ TYP = DB and any occurrence of PS.RL = Y, return error FTREU013 AFT IS REQUIRED</p> <p><b>Note:</b>  A value of "C" indicates a valid address where no house number exists; therefore, the provider has assigned an internal house number to facilitate provisioning.</p>	O
010a	ROUTE - Route	Identifies the service address route of the end user.	AN & ' * - # ( ) space	1-6		<p>1. If not populated and SASN is not populated and AFT = C, then return error: FTREU009 ROUTE – ROUTE REQUIRED</p> <p>2. If populated and AFT not = C and SASN is populated, then return error: FTREU010 ROUTE IS PROHIBITED</p> <p>3. If populated and dl &gt; 6, then return error: FTREU011 ROUTE MAY NOT EXCEED 6 CHARACTERS</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						4. If populated and special character not = Ampersand, Apostrophe, Asterisk Hyphen, Space, Number Sign, Parentheses, then return error: FTREU012 NOT A VALID SPECIAL CHARACTER	
010b	BOX - Box Number	Identifies the service address box of the end user.	AN & ' * - # ( ) space	1-9		1. If populated and ROUTE is not populated, then return error: FTREU014 BOX NOT ALLOWED WITHOUT ROUTE  2. If populated and dl > 9, then return error: FTREU015 BOX MAY NOT EXCEED 9 CHARACTERS  3. If populated and special character not = Ampersand, Apostrophe, Asterisk, Hyphen, Space, Number Sign, Parentheses, then return error: FTREU016 NOT A VALID SPECIAL CHARACTER  4. If not populated and ROUTE is populated, then return error: FTREU148 BOX REQUIRED WHEN ROUTE IS POPULATED	O
011	SAPR - Service Address Number Prefix	Identifies the prefix for the address number of the service address	AN	1-6		1.If populated and SASN is not populated, return error FTREU276 SAPR PROHIBITED WHEN SASN IS NOT POPULATED.  2.If populated and dl >6, return error FTREU277 SAPR MUST BE 1-6 ALPHA NUMERIC  Note: Where 25W is the address number prefix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Building 2, Floor 12, Suite 23A	O
012	SANO - Service Address Number	Identifies the number of the service address	AN hyphen, space	1-10		1. If populated and AFT not = C, N and LSR.REQTYP does not equal CB and ACT does not equal V, then return error: FTREU017 SANO IS PROHIBITED  2. If populated and dl > 10, then return error: FTREU019 SANO MAY NOT EXCEED 10 CHARACTERS  3. If populated and special character not = Hyphen, Space, then return error: FTREU120 NOT A VALID SPECIAL CHARACTER  Note: Where 450 is the address number for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Building 2, Floor 12, Suite 23A	O
013	SASF – Service Address Number Suffix	Identifies the suffix for the address number of the service address	AN hyphen, space, Virgule	1-4		1.If populated and SANO is not populated, then return error: FTREU021 SASF IS PROHIBITED	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>2. If populated and dl &gt; 4, then return error: FTREU022 SASF – MAY NOT EXCEED 4 CHARACTERS</p> <p>3. If populated and special character not = Hyphen, Space, Virgule, then return error: FTREU121 NOT A VALID SPECIAL CHARACTER</p> <p>4. If populated and special character = hyphen, virgule and not preceded and followed by numeric, then return error: FTREU149 WHEN HYPHEN OR VIRGULE USED IT MUST BE PRECEDED AND FOLLOWED BY NUMERIC CHARACTER</p> <p>Note: Where 1/2 is the address number suffix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Building 2, Floor 12, Suite 23A</p>	
014	SASD – Service Address Street Directional Prefix	Identifies the street directional prefix for the service address.	A	1-2	<p>E = East W = West N = North S = South NE = Northeast NW = Northwest SE = Southeast SW = Southwest</p>	<p>1.If populated and SASN is not populated, then return error: FTREU020 SASD IS PROHIBITED</p> <p>2. If populated and vv not = E, W, N, S, NE, NW, SE, SW, then return error: FTREU023 NOT A VALID SASD ENTRY</p> <p>Note: Where SW is the street directional prefix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Building 2, Floor 12, Suite 23A</p>	O
015	SASN – Service Address Street Name	Identifies the street name of the service address	AN & ' * - # ( ) space	1-50		<p>1.If not populated and AFT = N and LSR.REQTYP does not equal CB and ACT does not equal V, then return error: FTREU024 SASN IS REQUIRED</p> <p>2. If not populated and AFT = C and ROUTE is not populated and REQTP does not equal CB and ACT does not equal V, then return error: FTREU107 SASN IS REQUIRED</p> <p>3. If populated and AFT is not populated and LSR.REQTYP does not equal CB and ACT does not equal V, then return error: FTREU025 SASN IS PROHIBITED</p> <p>4. If populated and dl &gt; 50, then return error: FTREU026 SASN MAY NOT EXCEED 50 CHARACTERS</p> <p>5. If populated and special character not = Ampersand, Apostrophe, Asterisk, Hyphen, Space, Number Sign, Parentheses, then return error: FTREU122 NOT A VALID SPECIAL CHARACTER</p>	O





Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>Note: Where Camino Ramon is the street name in the following address example. EXAMPLE 1: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23 EXAMPLE 2: P.O. Box 111, (when there is no street name)</p>	
016	SATH – Service Address Street Type	Identifies the thoroughfare portion of the street name of the service address	AN	2-7	See Separate Table for SATH Values (that are State specific in some cases)	<p>1.If populated and SASN is not populated, then return error: FTREU095 SATH PROHIBITED</p> <p>2. If populated and vv not = entry in attached table, then return error: FTREU027 SERVICE ADDRESS STREET TYPE IS INVALID</p> <p>Note: Where LN is the address street name type for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	O
017	SASS – Service Address Street Directional Suffix	Identifies the street directional suffix for the service address.	A	1-2	<p>E = East W = West N = North S = South NE = Northeast NW = Northwest SE = Southeast SW = Southwest</p>	<p>1.If populated and SASN is not populated, then return error: FTREU028 SASS IS PROHIBITED</p> <p>2. If populated and vv not = E, W, N, S, NE, NW, SE, SW, then return error: FTREU029 NOT A VALID SASS ENTRY</p> <p>Note: Where NW is the street directional suffix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	O
018	LD1 – Service Address Location Designator 1	Identifies additional specific information related to the address	A	4-4	<p>Valid LD1 Values: BLDG (Building)</p> <p>PIER (Pier)</p> <p>WNG (Wing)</p>	<p>1.If populated and SASN is not populated, then return error: FTREU030 LD1 IS PROHIBITED</p> <p>2. If populated and vv not = BLDG, WNG, PIER, then return error: FTREU031 NOT A VALID LD1 ENTRY</p> <p>Note: Where BLDG is the first location designator for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	O
019	LV1 – Service Address Location Value 1	Identifies the value associated with the first location designator of the address	AN space hyphen	1-10		<p>1.If populated and LD1 is not populated, then return error: FTREU033 LV1 PROHIBITED</p> <p>2. If populated and special character not = Apostrophe, Hyphen, Space and LD1 = BLDG, then return error: FTREU034 LV1 HAS INVALID CHARACTERS</p> <p>3. If populated and dl &gt; 10, then return error: FTREU035 LV1 MAY NOT EXCEED 10 CHARACTERS</p> <p>4. If populated and special character not = Hyphen, Space and LD1 = WNG, PIER, then return error FTREU108 LV1 HAS INVALID CHARACTERS</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>5. If not populated and LD1 is populated, then return error FTREU101 LV1 IS REQUIRED</p> <p>Note: Where 2 is the first location value for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	
020	LD2 – Service Address Location Designator 2	Identifies additional specific information related to the address	A	2-2	Valid LD2 Values:  FL (Floor)	<p>1.If populated and SASN is not populated, then return error: FTREU036 LD2 IS PROHIBITED</p> <p>2. If populated and vv not = FL, then return error: FTREU037 LD2 MAY ONLY BE FL</p> <p>Note: Where FL is the second location designation for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	O
021	LV2 – Service Address Location Value 2	Identifies the value associated with the second location designator of the address	AN	1-10	Main, Attic, Penthouse, Townhouse, Ground, Basement, Upper Level, Lower Level, Mezzanine, Terrace, Bottom, Rear Left, Rear Right, Front Left, Front Right, Middle, Left Rear, Right Rear, Left Front, Right Front, Garden, Garage, Superinten, Store, Walk-In, Lobby, (1-999), LBBY, FRONT, SIDE, STOP	<p>1.If populated and LD2 is not populated, then return error: FTREU039 LV2 IS PROHIBITED</p> <p>2. If populated and dl &gt; 10, then return error: FTREU040 LV2 MAY NOT EXCEED 10 CHARACTERS</p> <p>3. If not populated and LD2 is populated, then return error FTREU038 LV2 IS REQUIRED</p> <p>4. If populated and vv not = Main, Attic, Penthouse, Townhouse, Ground, Basement, Upper Level, Lower Level, Mezzanine, Terrace, Bottom, Rear Left, Rear Right, Front Left, Front Right, Middle, Left Rear, Right Rear, Left Front, Right Front, Garden, Garage, Superinten, Store, Walk-In, Lobby, (1-999), LBBY, FRONT, SIDE, STOP then return error: FTREU100 INVALID LV2</p> <p>Note: Where 12 is the second location value for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	O
022	LD3 – Service Address Location Designator 3	Identifies additional specific information related to the address	A	2-4	Valid LD3 Values:  APT, SUIT, RM, LOT, UNIT, SLIP, SPC, OFC, DEPT, STE, PH	<p>1.If populated and SASN is not populated, then return error: FTREU041 LD3 IS PROHIBITED</p> <p>2. If populated and vv not = APT, SUIT, RM, LOT, SLIP, UNIT, SPC, OFC, DEPT, STE, PH then return error: FTREU042 LD3 MAY ONLY BE APT, SUIT, RM, LOT, SLIP, UNIT, SPC, OFC, DEPT, STE, PH</p> <p>Note:</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						Where STE is the third location designator for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A	
023	LV3 – Service Address Location Value 3	Identifies the value associated with the third location designator of the address	AN Hyphen space	1-10		<p>1.If populated and LD3 is not populated, then return error: FTREU044 LV3 IS PROHIBITED</p> <p>2. If populated and dl &gt; 10, then return error: FTREU045 LV3 MAY NOT EXCEED 10 CHARACTERS</p> <p>3. If populated and special character not = Hyphen, Space, then return error: FTREU046 LV3 HAS INVALID CHARACTERS</p> <p>4. If not populated and LD3 is populated, then return error: FTREU043 LV3 IS REQUIRED</p> <p>Note: Where 23A is the third location value for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW , Building 2, Floor 12, Suite 23A</p>	O
024	AAI – Service Address Additional Address Information	Identifies additional location information about the address	AN & ' * : - ( ) # . " / space , \$ % + ;	1-100	<p>Re-Instate TN (see field note)</p> <p>NEW ADDR (see field note)</p> <p>Driving Directions (see field note)</p>	<p>1.If populated and SASN is not populated, then return error: FTREU047 AAI IS PROHIBITED</p> <p>2. If populated and dl &gt; 100, then return error: FTREU048 AAI MAY NOT EXCEED 100 CHARACTERS</p> <p>3. If populated and special character not = Ampersand, Apostrophe, Asterisk Colon, Comma, Dollar Sign, Hyphen, Space, Number Sign, Parentheses, Percent sign, Period, Plus sign, Quote, Semicolon, Space, Virgule, then return error: FTREU123 NOT A VALID SPECIAL CHARACTER</p> <p>4.If populated and vv = NEW ADDR and vv is not all upper case, then return error FTREU106 AAI = NEW ADDR MUST BE UPPER CASE</p> <p>Note: <b>Re-Instate TN:</b> If request is to re-instate a TN that was disconnected within past 90 days, populate field as 'Re-Instate TN'. <b>NEW ADDR:</b> If request is for a new address please populate: <b>NEW ADDR</b> in this field. This will allow the use of 'N' in the TNS field on the service specific form. <b>NEW ADDR must be in all upper case alpha.</b></p> <p>Note: <b>Driving Directions**:</b> It is recommended that all orders requiring a possible field visit be submitted with appropriate driving directions to aid the Frontier technician in locating the customer premise and help eliminate missed due dates and jeopardy conditions. To standardize the submission of driving directions, it is</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>strongly recommended that standard key words of "Directions" or "Direction" be used. This will aid in the processing of orders both manually and mechanically by ensuring this information is added to the service order.</p> <p><b>**If Re-Instate TN or NEW ADDR</b> is populated in the AAI field, The keyword "Directions" should be used in the Remarks Section of the LSR, and/or the population of the AAI Field on the EU Form will aid in processing orders with 'Driving Directions'</p> <p>When <b>NEW ADDR</b> is populated to identify location as new address, DDD is not guaranteed. CDD will be provided when FOC is returned.</p>	
025	CITY – City	Identifies the city, village, township, etc	AN & ' * - # ( ) space	1-32		<p>1.If not populated and AFT is populated and REQTP does not equal CB and ACT does not equal V, then return error: FTREU049 CITY IS REQUIRED</p> <p>2. If populated and AFT is not populated and REQTP does not equal CB and ACT does not equal V, then return error: FTREU050 CITY IS PROHIBITED</p> <p>3. If populated and dl &gt; 32, then return error: FTREU051 CITY MAY NOT EXCEED 32 CHARACTERS</p> <p>4. If populated and special character not = Apostrophe, Asterisk, Hyphen, Space Number Sign, Parentheses, then return error: FTREU124 NOT A VALID SPECIAL CHARACTER</p>	O
026	STATE – State	Identifies the abbreviation for the state or province	A	2-2	AL, AZ, CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV	<p>1. If populated and vv not = AL, AZ, CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV, return error: FTREU052 NOT A VALID STATE FOR FRONTIER</p> <p>2. If not populated, and NOT (REQTP = CB and ACT = V) then return error: FTREU053 STATE IS REQUIRED</p> <p>3.If populated and vv not = capital letters, then return error: FTREU155 STATE FIELD MUST BE CAPITAL LETTERS</p> <p>4.If populated and vv = AL, AZ, CA, FL, GA, IA, IL, IN, MI, MN, MS, NE, NM, NV, OH, NY, PA, TN, UT, WI and NPA NXX is Legacy, and REQTP = JB, and CCNA=Batch File Listing CLEC, return error FTREU270 LISTING PROHIBITED VIA LSR FOR CCNA AND STATE</p> <p>5.If populated and vv = AL, AZ, CA, FL, GA, IA, IL, IN, MI, MN, MS, NE, NM, NV, OH, NY, PA, TN, UT, WI and NPA NXX is Legacy, and REQTP = CB, AB or BB, and ELT field = A, E or P,</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>or the DL form is present and CCNA=Batch File Listing CLEC, return error FTREU278 LISTING PROHIBITED VIA LSR FOR CCNA AND STATE</p> <p>6.If not populated and LSR.DFDT is populated, return error FTREU065 STATE IS REQUIRED</p>	
027	ZIP – Zip/Postal Code	Identifies the ZIP code, ZIP code + extension or postal code	AN	3-12		<p>1.If not populated and AFT is populated or (LSR.REQTYP = C and LSR.ACT = V) , then return error: FTREU054 ZIP IS REQUIRED</p> <p>2. If populated and NOT (LSR.REQTYP = C and LSR.ACT = V) and AFT is not populated, then return error: FTREU055 ZIP IS PROHIBITED</p> <p>3. If populated and NOT (LSR.REQTYP = CB and LSR.ACT = V) and (dl &lt; 5 or &gt; 12), then return error: FTREU056 ZIP MAY ONLY BE 5-12 CHARACTERS</p> <p>4. If populated and dc not = hyphen, then return error: FTREU098 ONLY SPECIAL CHARACTER ALLOWED IN ZIP IS HYPHEN</p> <p>5. If populated and (LSR.REQTYP = CB and LSR.ACT = V) and (dl &lt; 3 or &gt; 12), then return error: FTREU260 ZIP MAY ONLY BE 3-12 CHARACTERS</p> <p>Note: This field may be validated for simple port service requests as mandated in FCC Order 07-188</p>	O
028	LCON – Local Contact	Identifies the local contact name for access.	AN , - . space	2-15		<p>1.If populated and special character not = Apostrophe, Comma, Hyphen, Period, Space, then return error: FTREU125 NOT A VALID SPECIAL CHARACTER</p> <p>2. If populated and (dl &lt; 2 or &gt; 15), then return error: FTREU058 LCON MAY ONLY BE 2 TO 15 CHARACTERS</p> <p>3. If not populated and position 1 of LSR.REQTYP = A and (LSR.ACT = C, D, N or LS.LNA = C, N) and (position 2 of LSR.TOS = P, W, X or position 3 of LSR.TOS = 1, 2, 3, 4, 5, 6, 9), then return error: FTREU132 LCON IS REQUIRED</p> <p>4. If not populated and position 1 of LSR.REQTYP = A and LSR.ACT = V and ((position 2 of LSR.TOS = W, X) or (position 3</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>of LSR.TOS = 1, 2, 3, 4, 5, 6, 9) or (LSR.SLI = B)), then return error: FTREU133 LCON IS REQUIRED</p> <p>5. If not populated and position 1 of LSR.REQTYP = D and LSR.ACT = C, N, T, V and PS.IWJK is populated, then return error: FTREU075 LCON IS REQUIRED</p> <p>6. If not populated and LSR.REQTYP = E and LSR.ACT = N, T, V, C and RS.IWJK is populated or the 4th Character of the TOS =B return error: FTREU156 LCON IS REQUIRED</p> <p>7. If not populated and position 1 of LSR.REQTYP = N and LSR.ACT = C, N, T, V and DDPS.IWJK is populated return error message FTREU251 LCON IS REQUIRED</p> <p>8. If not populated and position 1 of LSR.REQTYP is P and LSR.ACT is C, N, T, V and CRS.IWJK is populated return error message FTREU252 LCON IS REQUIRED</p> <p>9. If not populated and position 1 of LSR.REQTYP is Q and LSR.ACT is N, T, V, C and IS.IWJK is populated return error message FTREU253 LCON IS REQUIRED</p> <p>10.If not populated and REQ TYP not = JB, and ACT = N, C and any occurrence of LNA = N, return error FTREU064 LCON FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED</p> <p>11.If not populated and REQ TYP = BB, and ACT = V, return error FTREU057 LCON FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED</p> <p>12.If not populated and REQ TYP = NB, and ACT = N, C and any occurrence of TNA = N, return error FTREU066 LCON FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED</p> <p>Note: LCON requires valid contact name for access to location.</p>	
029	ORDN					<b>FRONTIER DOES NOT SUPPORT</b>	P
030	TEL NO – Local Contact Telephone Number	Identifies the telephone number of the local contact for	AN -	10-12		1.If populated and LCON is not populated, then return error: FTREU060 TEL NO IS PROHIBITED	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
		the service location				<p>2. If populated and dl &lt; 10 or &gt; 12, then return error: FTREU061 TEL NO MUST BE 10 OR 12 CHARACTERS</p> <p>3. If not populated and LCON is populated, then return error: FTREU059 TEL NO FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED</p> <p>4. If populated and (vv = PS.TNS or RS.TNS) and position 1 of LSR.REQTYP = D, E and LSR.ACT = N, T, then return error: FTREU076 TEL NO VALUE MUST NOT EQUAL TNS ON PS OR RS FORM</p> <p>5. If populated and special character not = Hyphen, then return error: FTREU261 NOT A VALID SPECIAL CHARACTER</p> <p><b>Note:</b>            1)This appearance of TEL NO is for the local contact for the service location            2)TEL NO Field requires valid dialable number of LCON for access to location.</p>	
031	EUMI – End User Moving Indicator	Identifies when the end user location is changing			<p>N=End user is not moving</p> <p>Y=End user is moving</p>	<p>1.If not populated and LSR.REQTYP= BB,CB and ( LSNP.NPT or NP.NPT = D ) and LSR.NPDI = D, then return error: FTREU266 EUMI IS REQUIRED</p> <p>2. If populated and LSR.REQTYP not = BB,CB or ( LSNP.NPT and NP.NPT not = D) or LSR.NPDI not = D, then return error: FTREU267 EUMI IS PROHIBITED</p> <p>3. If populated and vv not = N, Y, then return error: FTREU268 EUMI VALID VALUE = N, Y</p> <p><b>Note:</b>            1.End user address information may be required to ensure the telephone number is eligible for portability            2.If processing order requests for LNP, REQTP = BB or CB this field must be thoroughly reviewed for action. If valid value = Y, then we will remove E911 record and allow new feed to be sent to PSAP. If valid value = N, then Frontier will send unlock to E911 record, pursuant to Frontier internal processes.</p>	
032	ACC – Access Information	Identifies the access instructions at the end user location	AN & ' : , \$ - # ( ) . « / space	1-115		<p>1.If populated and dl &gt; 115, then return error : FTREU062 ACC CANNOT BE GREATER THAN 115 CHARACTERS</p> <p>2. If populated and special character not = Ampersand, Apostrophe, Colon, Comma, Dollar Sign Hyphen, Number Sign, Parentheses, Period, Quotation Marks, Space, Virgule, then return error: FTREU126 NOT A VALID SPECIAL CHARACTER</p>	O
033	WSOP – Working	Indicates if there is working	A	1-1	A=Additional line request	1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU063 WSOP NOT VALID FOR REQTP	O





Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
	Service on Premises	service at the end user location			V=Validate status of existing service  C=Cut through exists  Z=Valid address	2. If not populated and position 1 of LSR.REQTYP = D, E and (LSR.ACT = N, T, or (PS.LNA or RS.LNA = T)) and position 1 of LSR.TOS = 2, then return error: FTREU099 WSOP IS REQUIRED  3. If populated and position 1 of LSR.REQTYP not = D, E or (LSR.ACT not = N, T and (PS.LNA or RS.LNA not = T)) or (position 1 of LSR.TOS not = 2), then return error: FTREU102 WSOP IS PROHIBITED  4. If populated and vv not = A, V, C, Z, then return error: FTREU105 WSOP VALID VALUE = A, V, C, Z	
034	CPE MFR					<b>FRONTIER DOES NOT SUPPORT</b>	P
035	CPE MOD					<b>FRONTIER DOES NOT SUPPORT</b>	P
036	ELT – End User Listing Treatment	Identifies the listing activity desired by the end user when changing local service providers.	A	1-1	A= Identifies that all listings associated with the migrating telephone number(s) are to be migrated in their entirety. DL Form is prohibited  B= Identifies that all listings associated with the migrated telephone number(s) are to be deleted at migration. DL Form is prohibited  E= Identifies that only those listings supported by a DL form are to be established with the migrated telephone number(s). Valid entries on the DL form can include the LACT values of: N, Z, I. The service order should reflect the YPH value from the LSR. Any other listing associated with the migrated telephone number(s) that is not supported by a DL form is to be deleted at migration. DL Form is required.  P= Requires the CLEC to identify the treatment of each existing listing associated with the migrated telephone number(s). Valid entries on the DL form can include the	1.If populated and vv = A, B and DL form is populated, then return error : FTREU067 DL FORM NOT ALLOWED IF ELT IS A OR B  2. If populated and vv = E, P and DL form is not populated, then return error : FTREU068 DL FORM IS REQUIRED IF ELT IS E OR P  3. If populated and vv not = A, B, E, P, then return error : FTREU071 ELT MAY ONLY BE A, B, E OR P  4.If populated and LSR.ACT does not = V, then return error : FTREU104 ELT PROHIBITED WHEN ACT NOT EQUAL TO V  5. If populated and vv = B and (LSR.BI1 or LSR.BI2 = D), then return error: FTREU170 ELT CANNOT BE B WHEN BI1 OR BI2 IS D  6. If populated and vv = A and LSR.REQTYP = JB and LSR.ACT = N, then return error : FTREU157 INVALID VALUE FOR ELT  7. If populated and vv = B and position 1 of LSR.REQTYP = D, E, then return error : FTREU165 ELT VALID VALUE = B IS PROHIBITED WHEN REQ TYP = D, E  8. If populated and vv = A, B and position 1 of LSR.REQTYP = D, E and LSR.ACT = V and position 4 of LSR.TOS = R, then return	O





Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
					LACT values of: N, D, Z, I. The service order should reflect the YPH value from the LSR. The CLEC is to be queried if a DL form is not provided for each existing listing associated with the migrated telephone number(s). DL Form is required.	<p>error : FTREU166 IF REQ TYP = DB OR EB AND ACT IS V AND THE 4<sup>TH</sup> CHARACTER OF TOS IS R THEN ELT MAY NOT BE A OR B</p> <p>9. If populated and vv = A, B and position 1 of LSR.REQTYP = D, E and LSR.ACT = V and LSR.AC = B, C, then return error : FTREU167 ELT VALID VALUE = A, B IS PROHIBITED</p> <p>10.If populated and LSR.REQTYP = LB, return error FTREU158 ELT NOT ALLOWED FOR THIS REQ TYP</p> <p>11. If not populated and ((LSR.REQTYP = BB, EB, FB, JB, NB, PB, QB) or (LSR.REQTYP = D and EATN is populated)) and LSR.ACT is V return error message FTREU069 ELT IS REQUIRED</p> <p>Note: For additional assistance with the ELT field on Conversion or Migration As Specified requests, please visit our website at: <a href="http://frontier.com">Directory References (frontier.com)</a></p>	
036a	MLTN – Migrating Listing Telephone Number(s)	Identifies the Listed Telephone Number(s) that are being migrated on an End User Listing Account.	AN	10-10		<p>1.If not populated and LSR.REQTYP = AB, JB and LSR.ACT = V and ELT = E, A, P, then return error: FTREU072 MLTN IS REQUIRED</p> <p>2. If populated and (( dl = 1 and vv not = A) or (dl = 10 and dc not = alpha numeric)), then return error: FTREU074 MLTN MUST HAVE VALUE A OR 10 ALPHA NUMERIC CHARACTERS</p> <p>3. If populated and ((LSR.REQTYP not = AB, JB) or (LSR.ACT not = V) or (ELT not = E, A, P)), then return error: FTREU103 MLTN IS PROHIBITED</p> <p>4. If populated and dl not = 1,10 then return error: FTREU265 MLTN VALID LENGTH CAN ONLY BE 1 OR 10.</p>	O
036b	MLBTN – Migrating Listing Billing Telephone Number	Identifies multiple Billing Telephone Number(s) that listings are being migrated from.	N	10-10		<p>1.If not populated and position 1 of LSR.REQTYP = D and ELT is populated and EATN is not populated, then return error: FTREU169 MLBTN IS REQUIRED</p> <p>2. If populated and (((position 1 of LSR.REQTYP not = D) and (ELT is not populated) or (EATN is populated))), then return error: FTREU183 MLBTN IS PROHIBITED</p> <p>3. If populated and vv not = LSR.ATN and ELT = A, then return error: FTREU184 MLBTN MUST EQUAL ATN WHEN ELT = A</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						4. If populated and (dl > 10 or dc not = numeric), then return error: FTREU185 MLBTN VALID VALUE = 10 NUMERIC  5.If not populated and REQTP = JB, ACT=V and ELT = A, E, P, return error FTREU262 MLBTN REQUIRED	
037	PLBO					<b>FRONTIER DOES NOT SUPPORT</b> (FTREU259)	P
<b>Section: INSIDE WIRE</b>							
038	IWO – Inside Wiring Options	Identifies the requirement for inside wire services.	A	1	R= Referral for inside wiring (provider will negotiate with the end user) S= Provide inside wire repair plan and bill the customer U= Provide inside wiring and repair plan and bill the customer W= Provide inside wiring and bill the customer	1.If populated and vv does not = R, S, U or W, return error FTREU111 IWO VALID VALUE = R, S, U OR W  2.If populated and the first position of LSR.REQTP=C, return error FTREU112 IWO IS PROHIBITED WHEN FIRST POSITION OF REQTP=C	O
039	IWBAN					<b>FRONTIER DOES NOT SUPPORT</b>	P
040	IWCON – Inside Wire Contact	Identifies the name of the person to be contacted for inside wire	AN	1-25		1.If populated and dl >25, return error FTREU113 IWCON CANNOT EXCEED 25 CHARACTERS  2.If not populated and IWO is populated, return error FTREU115 IWCON REQUIRED WHEN IWO IS POPULATED  3.If populated and IWO is not populated, return error FTREU119 IWCON PROHIBITED WHEN IWO NOT POPULATED	O
041	TEL NO – Inside Wire Contact Telephone Number	Identifies the telephone number of the inside wire contact.	N	10-14		1.If populated and dc is not numeric or dl >14, return error FTREU162 TEL NO MUST NOT EXCEED 14 NUMERIC  2.If not populated and IWO is populated, return error FTREU163 REQUIRED WHEN IWO IS POPULATED  3.If populated and IWO is not populated, return error FTREU164 PROHIBITED WHEN IWO NOT POPULATED	O
<b>Section : BILL</b>							
042	EAN					<b>FRONTIER DOES NOT SUPPORT</b>	P
043	EATN – Existing Account Telephone Number	Identifies the end user's existing account telephone number assigned by the current NSP	N	10-10		1.If not populated and LSR.REQTP = AB and LSR.ACT = V and position 2 of LSR.TOS = R, then return error: FTREU077 EATN IS REQUIRED	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>2. If not populated and LSR.REQTYP = AB and LSR.ACT = V and LS.LNA (no occurrence) = W and position 2 of LSR.TOS not = R, then return error: FTREU116 EATN IS REQUIRED</p> <p>3. If not populated and LSR.REQTYP = BB , then return error: FTREU117 EATN IS REQUIRED</p> <p>4. If not populated and LSR.REQTYP = AB and LSR.ACT = C, N and position 2 of LSR.TOS = F, P, R, then return error: FTREU118 EATN IS REQUIRED</p> <p>5. If populated and LSR.REQTYP = JB, then return error: FTREU078 EATN IS PROHIBITED</p> <p>6. If populated and dl not = 10 characters, then return error: FTREU079 EATN MUST BE 10 CHARACTERS</p> <p>7. If populated and LSR.REQTYP = DB and LSR.ACT = V and PS.RL is populated, then return error: FTREU254 EATN IS PROHIBITED WHEN RL IS POPULATED</p> <p>8. If not populated and LSR.REQTYP = DB and ((LSR.ACT not = N) or (LSR.ACT = V and PS.RL is not populated)), then return error: FTREU255 EATN IS REQUIRED</p> <p>9.If not populated and LSR.REQTYP = EB, FB, KB, LB, NB, PB, QB, and LSR.ACT does not = N, return error FTREU256 EATN IS REQUIRED</p> <p>10. If not populated and LSR.ACT = R, then return error: FTREU257 EATN IS REQUIRED</p> <p>11. If not populated and LSR.REQTYP=AB and LSR.ACT=D and LS.ECCKT is not populated, return error FTREU258 EATN IS REQUIRED</p> <p>Note:  1.The EATN as assigned by either the current LSP or NSP.  2.If a number is used, it may or may not be the same as the working telephone number</p>	
044	FBI – Final Bill Indicator	Identifies whether a final bill should be sent to either the existing	A	1-1	D=Different E=Existing	<p>1.If populated and vv = D and STREET, CITY, STATE, ZIP are not populated, then return error : FTREU096 FBI OF D REQUIRES STREET, CITY, STATE, AND ZIP</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
		billing address or a different address				<p>2. If populated and vv not = D, E, then return error : FTREU080 NOT A VALID FBI VALUE</p> <p>3. If populated and position 1 of LSR.REQTYP = E, K, L, N, P, Q then return error: FTREU186 FBI IS PROHIBITED</p> <p>Note: When the valid entry is 'D', the final bill BILLNM, STREET, CITY, STATE and ZIP fields must be populated</p>	
045	BILLNM – Bill Name	Identifies the name of the person, office or company to whom the customer has designated that the bill be sent	AN	1-25		<p>1.If not populated and FBI = D, then return error: FTREU159 BILLNM REQUIRED</p> <p>2. If populated and dl &gt; 25, then return error: FTREU160 BILLNM CANNOT BE GREATER THAN 25 CHARACTERS</p>	O
046	SBILLNM – Secondary Bill Name	Identifies the name of a department or group within the designated BILLNM field entry.	AN & ' \$ - # ( ) % . « space	1-25		<p>1.If populated and dl &gt; 25, then return error : FTREU081 SBILLNM CANNOT BE GREATER THAN 25 CHARACTERS</p> <p>2. If populated and special character not = Ampersand, Apostrophe, Dollar Sign, Hyphen, Number Sign, Double Parentheses, Percent Sign, Period, Quotation Marks, Space, then return error: FTREU127 NOT A VALID SPECIAL CHARACTER</p> <p>3. If populated and BILLNM is not populated, then return error: FTREU161 SBILLNM PROHIBITED WHEN BILLNM IS NOT POPULATED</p> <p>Note : May also be used to specify the end user as identified in the SAN field on the LSR Form, used by the customer in conjunction with billing its end user.</p>	O
047	STREET – Bill Street Address	Identifies the street address	AN & ' , - / space	1-25		<p>1.If populated and FBI not = D, then return error : FTREU082 STREET PROHIBITED</p> <p>2. If populated and dl &gt; 25, then return error : FTREU083 STREET MAY NOT EXCEED 25 CHARACTERS</p> <p>3. If populated and special character not = Ampersand, Apostrophe, Comma, Hyphen, Space, Virgule, then return error: FTREU128 NOT A VALID SPECIAL CHARACTER</p> <p>4. If not populated and FBI =D, then return error : FTREU150 STREET REQUIRED</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						Note: This instance of the STREET field is used for the final billing address	
048	FLOOR – Bill Floor	This instance of the FLOOR field is used for the final billing address	AN comma, space	1-10		1.If populated and FBI not = D, then return error : FTREU084 FLOOR PROHIBITED  2. If populated and special character not = Comma, Space, then return error: FTREU129 NOT A VALID SPECIAL CHARACTER  3. If populated and dl > 10, then return error: FTREU085 FLOOR MAY NOT EXCEED 10 CHARACTERS	O
049	ROOM – Bill Room/Mail Stop	Identifies the room or mail stop	AN hyphen, comma, space	1-10		1.If populated and FBI not = D, then return error : FTREU086 ROOM IS PROHIBITED  2. If populated and special character not = Hyphen, Comma, Space, then return error: FTREU130 NOT A VALID SPECIAL CHARACTER  3. If populated and dl > 10, then return error: FTREU087 ROOM MAY NOT EXCEED 10 CHARACTERS	O
050	CITY – Bill City	Identifies the city, village, township, etc	AN	1-32		1.If populated and FBI not = D, then return error : FTREU088 CITY IS PROHIBITED  2. If populated and (dl < 2 or > 32), then return error : FTREU089 CITY MUST BE 2-32 CHARACTERS  3. If not populated and FBI = D, then return error : FTREU151 CITY IS REQUIRED	O
051	STATE – Bill State/Province	Identifies the abbreviation for the state or province	A	2-2		1.If populated and FBI not = D, then return error : FTREU090 STATE PROHIBITED  2. If populated and (dl not = 2 or dc not = alpha), then return error: FTREU091 STATE MUST BE 2 ALPHA CHARACTERS  3. If not populated and FBI = D, then return error : FTREU152 STATE REQUIRED	O
052	ZIP – Bill ZIP/Postal Code	Identifies the ZIP code, ZIP code + extension or postal code	AN ' - , space	5-12		1.If populated and FBI not = D, then return error : FTREU092 ZIP PROHIBITED  2. If populated and special character not = Apostrophe, Hyphen, Comma, Space, then return error: FTREU131 NOT A VALID SPECIAL CHARACTER	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						3. If populated and (dl < 5 or > 12), then return error: FTREU093 ZIP MUST BE 5-12 CHARACTERS  4. If not populated and FBI = D, then return error : FTREU153 ZIP REQUIRED	
053	BILLCON					<b>FRONTIER DOES NOT SUPPORT</b>	P
054	TEL NO					<b>FRONTIER DOES NOT SUPPORT</b>	P
<b>Section: DISCONNECT INFORMATION</b>							
055	DNUM – Disconnect Line Number	Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.	N	1-5		1.If populated and LSR.REQTYP = BB, CB, JB, or (LSR.REQTYP = AB and ACT = V and 2nd Position of TOS not = F), then return error: FTREU094 DNUM FIELD PROHIBITED  2. If populated and DISC NBR is not populated, then return error: FTREU187 DNUM IS PROHIBITED  3. If not populated and DISC NBR is populated, then return error: FTREU188 DNUM IS REQUIRED  4. If populated and (dl > 5 or dc not = numeric), then return error: FTREU189 DNUM VALID VALUE = 1-5 NUMERIC  <b>Note:</b> 1.The DNUM is customer assigned and is returned on the Local Response to the ordering customer 2.Once DNUM is generated it cannot be changed and is retained through completion of the request 3.The values are to be assigned sequentially and must be unique throughout the request at the PON level	O
056	DISC NBR – Disconnect Telephone Number	Identifies the end user telephone number to be disconnected	N	10-10		1.If populated and LSR.REQTYP = BB, CB, JB, or (LSR.REQTYP = AB and ACT = V and 2nd Position of TOS not = F), then return error: FTREU134 DISCNBR FIELD PROHIBITED  2. If not populated and position 1 of LSR.REQTYP = E and LSR.ACT = D, T, then return error: FTREU190 DISC NBR IS REQUIRED  3. If not populated and position 1 of LSR.REQTYP = D and LSR.ACT = T, then return error: FTREU191 DISC NBR IS REQUIRED  4. If populated and vv not = EATN for first occurrence and position 1 of LSR.REQTYP = D, E and LSR.ACT = T, then return	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>error: FTREU192 DISC NBR MUST EQUAL EATN FOR FIRST ITERATION</p> <p>5. If populated and position 1 of LSR.REQTYP = D, E and (LSR.ACT not = D, T)) and (PS.LNA and RS.LNA not = T), then return error: FTREU193 DISC NBR IS PROHIBITED</p> <p>6.If not populated and LSR.REQTYP does not = CB, DNUM is populated and LSR.ACT=C,D,M,T,V, return error FTREU292 DISC NBR IS REQUIRED</p> <p>7.If not populated and LSR.REQTYP=AB, LSR.ACT=V and position 2 of LSR.TOS=F, return error FTREU294 DISC NBR REQUIRED</p>	
057	DISC ECCKT					<b>FRONTIER DOES NOT SUPPORT</b>	P
058	TERS					<b>FRONTIER DOES NOT SUPPORT</b>	P
059	TC OPT – Transfer of Calls Options	Identifies the type of transfer of call option the end user has requested.	A	1	N=None S=Standard T=Split Transfer of Calls	<p>1.If populated and LSR.REQTYP = AB, BB, CB, JB, or (LSR.REQTYP = AB and ACT = V and 2nd Position of TOS not = F), then return error: FTREU135 TC OPT FIELD PROHIBITED</p> <p>2. If not populated and DISC NBR is populated, then return error: FTREU194 TC OPT IS REQUIRED</p> <p>3. If populated and DISC NBR is not populated, then return error: FTREU195 TC OPT IS PROHIBITED</p> <p>4.If populated and vv does not = N,S,T, return error FTREU196 TC OPT VALUE VALUE = N, S, T</p> <p>5. If populated and vv does not = N and the EU State = TX return error FTREU007 TC OPT VALID VALUE =N FOR THE STATE OF TX</p>	O
060	TC TO PRI – Transfer of Calls To Primary Number	Identifies the primary telephone number to which calls are to be referred.	N	10-10		<p>1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU136 FIELD NOT VALID FOR REQTYTYP</p> <p>2. If populated and TC OPT not = S, T, then return error: FTREU198 TC TO PRI IS PROHIBITED</p> <p>3. If populated and (dl not = 10 or dc not = numeric), then return error: FTREU199 TC TO PRI VALID VALUE = 10 NUMERIC</p>	O

**FRONTIER BUSINESS RULES****Version: 9.30.30****EU FORM****Effective: 10/19/2025**

Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						4.If not populated and TC OPT = S, T, return error FTREU197 TC TO PRI IS REQUIRED	
061	TC TO SEC – Transfer of Calls To Secondary Number	Identifies the secondary telephone number to which calls are to be referred.	N	10-10		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU139 FIELD NOT VALID FOR REQTYT  2.If populated and TC OPT does not = T, return error FTREU207 TC TO SEC IS PROHIBITED  3. If populated and (dl not = 10 or dc not = numeric), then return error: FTREU208 TC TO SEC VALID VALUE = 10 NUMERIC  4.If not populated and TC OPT = T, return error FTREU206 TC TO SEC IS REQUIRED	O
062	TCID – Transfer of Calls To Identifier	Identifies the sequence of telephone numbers and names associated with the Primary Number (TC TO PRI) of split transfer of calls.	N	1-2		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU137 FIELD NOT VALID FOR REQTYT  2.If populated and TC OPT does not = T, return error FTREU201 TCID IS PROHIBITED  3. If populated and vv not = 1, then return error: FTREU202 TCID VALID VALUE = 1  4.If not populated and TC OPT = T, return error FTREU200 TCID IS REQUIRED	O
063	TC NAME – Transfer of Calls To Name	Identifies the name(s) associated with TC TO PRI field to which calls are referred when split transfer of calls is requested.	AN , = ' . space	1-35		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU138 FIELD NOT VALID FOR REQTYT  2.If populated and TC OPT does not = T, return error FTREU204 TC NAME IS PROHIBITED  3. If populated and (dl > 35 or dc not = alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: FTREU205 TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE  4.If not populated and TC OPT = T, return error FTREU203 TC NAME IS REQUIRED	O
064	TC PER – Transfer of Calls Period	Indicates the requested date that the transfer of calls, specified in the TC TO PRI field, is to be removed and	N	8-8	CCYYMMDD  CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU142 FIELD NOT VALID FOR REQTYT  2. If populated and TC TO PRI is not populated, then return error: FTREU216 TC PER IS PROHIBITED	O





Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
		the standard recorded announcement is to be provided.				3. If populated and vv (< or =) LSR.DDD, then return error: FTREU217 TC PER MUST BE GREATER THAN DDD  4. If populated and valid format not = CCYYMMDD, then return error: FTREU218 TC PER VALID FORMAT = CCYYMMDD	
064a	TCID 2 – Transfer of Calls To Identifier 2	Identifies the sequence of telephone numbers and name associated with the Secondary Number (TC TO SEC) of split transfer of calls.	N	1-2	1-99	1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU140 FIELD NOT VALID FOR REQTY  2.If populated and TC OPT does not = T, return error FTREU210 TCID 2 IS PROHIBITED  3. If populated and all occurrences of data are not sequential, then return error: FTREU211 TCID 2 MUST BE SEQUENTIAL  4. If populated and vv not = 1-99, then return error: FTREU212 TCID 2 VALID VALUE = 1-99  5.If not populated and TC OPT = T, return error FTREU209 TCID 2 IS REQUIRED	O
064b	TCNAME 2 – Transfer of Calls To Name 2	Identifies the name or special instructions associated with the TC TO SEC field to which calls are to be referred when split transfer of calls is requested.	AN , - . space	1-35		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU141 FIELD NOT VALID FOR REQTY  2.If populated and TC OPT does not = T, return error FTREU214 TCNAME 2 IS PROHIBITED  3. If populated and (dl > 35 or dc not = alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: FTREU215 TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE  4.If not populated and TC OPT = T, return error FTREU213 TCNAME 2 IS REQUIRED	O
<b>Section: DELIVERY CONTACT INFORMATION</b>							
065a	DCFN – Delivery Contact First Name	Identifies the first name of the delivery contact for Wholesale Advantage DSL	AN	1-64		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU171 FIELD NOT VALID FOR REQTY  2. If not populated and PS.SDP = F, then return error: FTREU219 DCFN IS REQUIRED  3. If populated and PS.SDP is not populated then return error: FTREU220 DCFN IS PROHIBITED	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						4. If populated and dl > 64, then return error: FTREU221 DCFN VALID LENGTH = 1-64	
065b	DCLN – Delivery Contact Last Name	Identifies the last name of the delivery contact for Wholesale Advantage DSL	AN	1-64		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU172 FIELD NOT VALID FOR REQTYT  2. If not populated and PS.SDP = F, then return error: FTREU222 DCLN IS REQUIRED  3. If populated and PS.SDP is not populated then return error: FTREU223 DCLN IS PROHIBITED  4. If populated and dl > 64, then return error: FTREU224 DCLN VALID VALUE = 1-64	O
065c	DCADDRESS 1 – Delivery Contact Address 1	Identifies the address number and street name for the delivery contact name	AN	1-63		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU173 FIELD NOT VALID FOR REQTYT  2. If populated and PS.SDP is not populated then return error: FTREU225 DCADDRESS1 IS PROHIBITED  3. If populated and dl > 63, then return error: FTREU226 DCADDRESS1 VALID LENGTH = 1-63  4.If not populated and DCFN is populated, then return error FTREU073 DCADDRESS1 REQUIRED	O
065d	DCADDRESS 2 – Delivery Contact Address 2	Identifies the additional address information for the delivery contact name	AN	1-75		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU174 FIELD NOT VALID FOR REQTYT  2. If populated and DCADDRESS1 is not populated, then return error: FTREU227 DCADDRESS2 IS PROHIBITED  3. If populated and dl > 75, then return error: FTREU228 DCADDRESS2 VALID LENGTH = 1-75	O
065e	DCUNIT – Delivery Contact Unit Type	Identifies additional specific information related to the delivery contact address	AN	1-4	FL, BSMT, APT, LOT, BLDG, LBBY, PIER, DEPT, FRNT, HNGR, LOWR, OFC, PH, REAR, RM, SIDE, SLIP, SPC, STOP STE, TRLR, UNIT, UPPR, #	1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU175 FIELD NOT VALID FOR REQTYT  2. If populated and DCADDRESS1 is not populated, then return error: FTREU229 DCUNIT IS PROHIBITED  3. If populated and vv not = FL, BSMT, APT, LOT, BLDG, LBBY, PIER, DEPT, FRNT, HNGR, LOWR, OFC, PH, REAR, RM, SIDE, SLIP, SPC, STOP STE, TRLR, UNIT, UPPR, # then return error: FTREU230 DCUNIT VALID VALUE = FL, BSMT, APT, LOT, BLDG, LBBY, PIER, DEPT, FRNT, HNGR, LOWR, OFC, PH,	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						REAR, RM, SIDE, SLIP, SPC, STOP STE, TRLR, UNIT, UPPR, #	
065f	DCUNITVALUE – Delivery Contact Unit Value	Identifies the value associated with the delivery unit type	AN	1-8		<p>1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU176 FIELD NOT VALID FOR REQTYT</p> <p>2. If not populated and DCUNIT not = BSMT, LBBY, LOWR, OFC, PH, REAR, SIDE, UPPR, then return error: FTREU231 DCUNITVALUE IS REQUIRED</p> <p>3. If populated and DCUNIT is not populated, then return error: FTREU232 DCUNITVALUE IS PROHIBITED</p> <p>4. If populated and dl &gt; 8, then return error: FTREU233 DCUNITVALUE VALID LENGTH = 1-8</p>	O
065g	CITY – City	Identifies the city, village, township, etc. of the delivery address	A	1-35		<p>1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU177 FIELD NOT VALID FOR REQTYT</p> <p>2. If not populated and DCADDRESS1 is populated, then return error: FTREU234 DELIVERY CONTACT CITY IS REQUIRED</p> <p>3. If populated and DCADDRESS1 is not populated, then return error: FTREU235 DELIVERY CONTACT CITY IS PROHIBITED</p> <p>4. If populated and dl &gt; 35, then return error: FTREU236 DELIVERY CONTACT CITY VALID LENGTH = 1-35</p>	O
065h	STATE – State/Province	Identifies the abbreviation of the state or province of the delivery contact address	A	2-2		<p>1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU178 FIELD NOT VALID FOR REQTYT</p> <p>2. If not populated and DCADDRESS1 is populated, then return error: FTREU237 DELIVERY CONTACT STATE IS REQUIRED</p> <p>3. If populated and DCADDRESS1 is not populated, then return error: FTREU238 DELIVERY CONTACT STATE IS PROHIBITED</p> <p>4. If populated and (dl not = 2 or dc not = alpha), then return error: FTREU239 DELIVERY CONTACT STATE VALID VALUE = 2 ALPHA</p>	O
065i	ZIP – ZIP/Postal Code	Identifies the zip code or zip code + extension for delivery contact address	N -	5-10		<p>1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU179 FIELD NOT VALID FOR REQTYT</p> <p>2. If not populated and DCADDRESS1 is populated, then return error: FTREU240 DELIVERY CONTACT ZIP IS REQUIRED</p>	O



Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						3. If populated and DCADDRESS1 is not populated, then return error: FTREU241 DELIVERY CONTACT ZIP IS PROHIBITED  4. If populated and ((dl < 5 or > 10) or dc not = numeric, hyphen), then return error: FTREU242 DELIVERY CONTACT ZIP VALID VALUE = 5-10 NUMERIC, HYPHEN	
065j	EMAIL – Electronic Mail Address	Identifies the electronic mail address	AN & - _ . @	1-60		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU180 FIELD NOT VALID FOR REQTYT  2. If not populated and PS.SDP = F, then return error: FTREU243 DELIVERY CONTACT EMAIL IS REQUIRED  3. If populated and PS.SDP is not populated then return error: FTREU244 DELIVERY CONTACT EMAIL IS PROHIBITED  4. If populated and (dl > 60 or dc not = alpha, numeric, ampersand, hyphen, underscore, dot), then return error: FTREU245 DELIVERY CONTACT EMAIL VALID VALUE = 1-60 ALPHA, NUMERIC, AMPERSAND, HYPHEN, UNDERSCORE, DOT, AT SIGN (@)	O
065k	TEL NO – Telephone Contact Number	Identifies the telephone number	N	10-10		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU181 FIELD NOT VALID FOR REQTYT  2. If not populated and PS.SDP = C, D, E, F, G, M, then return error: FTREU246 DELIVERY CONTACT TEL NO IS REQUIRED  3. If populated and PS.SDP not = C, D, E, F, G, M, or PS.SDP is not populated then return error: FTREU247 DELIVERY CONTACT TEL NO IS PROHIBITED  4. If populated and (dl not = 10 or dc not = numeric), then return error: FTREU248 DELIVERY CONTACT TEL NO VALID VALUE = 10 NUMERIC	O
065l	EXT – Extension	Identifies the extension associated with the TEL NO for the delivery contact	N	10-10		1.If populated and LSR.REQTYP = AB, BB, CB, JB, then return error: FTREU182 FIELD NOT VALID FOR REQTYT  2. If populated and DELIVERY CONTACT SECTION TEL NO is not populated, then return error: FTREU249 EXT IS PROHIBITED  3. If populated and (dl not = 10 or dc not = numeric), then return error: FTREU250 EXT VALID VALUE = 10 NUMERIC	O



# FRONTIER BUSINESS RULES

Version: 9.30.30

EU FORM

Effective: 10/19/2025

Field Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
066	REMARKS					FRONTIER DOES NOT SUPPORT	P

**APPENDIX A: ERROR MESSAGE TABLE**

Error Message Number	Error Message Text
FTREU001	LOCNUM – LOCATION NUMBER REQUIRED
FTREU002	LOCNUM MAY NOT EXCEED 3 NUMERIC CHARACTERS
FTREU003	END USER NAME IS REQUIRED
FTREU004	END USER NAME MAY NOT EXCEED 25 CHARACTERS
FTREU005	NOT A VALID SPECIAL CHARACTER
FTREU006	AFT VALID VALUE = N WHEN ACT = R
FTREU007	TC OPT VALID VALUE =N FOR THE STATE OF TX
FTREU008	AFT – ADDRESS FORMAT TYPE MAY ONLY BE C OR N
FTREU009	ROUTE – ROUTE REQUIRED
FTREU010	ROUTE IS PROHIBITED
FTREU011	ROUTE MAY NOT EXCEED 6 CHARACTERS
FTREU012	NOT A VALID SPECIAL CHARACTER
FTREU013	AFT IS REQUIRED
FTREU014	BOX NOT ALLOWED WITHOUT ROUTE
FTREU015	BOX MAY NOT EXCEED 9 CHARACTERS
FTREU016	NOT A VALID SPECIAL CHARACTER
FTREU017	SANO IS PROHIBITED
FTREU018	
FTREU019	SANO MAY NOT EXCEED 10 CHARACTERS
FTREU020	SASD IS PROHIBITED
FTREU021	SASF IS PROHIBITED
FTREU022	SASF- MAY NOT EXCEED 4 CHARACTERS
FTREU023	NOT A VALID SASD ENTRY
FTREU024	SASN IS REQUIRED
FTREU025	SASN IS PROHIBITED
FTREU026	SASN MAY NOT EXCEED 50 CHARACTERS
FTREU027	SERVICE ADDRESS STREET TYPE IS INVALID
FTREU028	SASS IS PROHIBITED
FTREU029	NOT A VALID SASS ENTRY
FTREU030	LD1 IS PROHIBITED
FTREU031	NOT A VALID LD1 ENTRY
FTREU032	
FTREU033	LV1 PROHIBITED
FTREU034	LV1 HAS INVALID CHARACTERS
FTREU035	LV1 1 MAY NOT EXCEED 10 CHARACTERS
FTREU036	LD2 IS PROHIBITED
FTREU037	LD2 MAY ONLY BE FL
FTREU038	LV2 IS REQUIRED
FTREU039	LV2 IS PROHIBITED
FTREU040	LV2 MAY NOT EXCEED 10 CHARACTERS
FTREU041	LD3 IS PROHIBITED



Error Message Number	Error Message Text
FTREU042	LD3 MAY ONLY BE APT, SUIT, RM, LOT, SLIP, UNIT, SPC, OFC, DEPT, STE, PH
FTREU043	LV3 IS REQUIRED
FTREU044	LV3 IS PROHIBITED
FTREU045	LV3 MAY NOT EXCEED 10 CHARACTERS
FTREU046	LV3 HAS INVALID CHARACTERS
FTREU047	AAI IS PROHIBITED
FTREU048	AAI MAY NOT EXCEED 100 CHARACTERS
FTREU049	CITY IS REQUIRED
FTREU050	CITY IS PROHIBITED
FTREU051	CITY MAY NOT EXCEED 32 CHARACTERS
FTREU052	NOT A VALID STATE FOR FRONTIER
FTREU053	STATE IS REQUIRED
FTREU054	ZIP IS REQUIRED
FTREU055	ZIP IS PROHIBITED
FTREU056	ZIP MAY ONLY BE 5-12 CHARACTERS
FTREU057	LCON FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED
FTREU058	LCON MAY ONLY BE 2 TO 15 CHARACTERS
FTREU059	TEL NO FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED
FTREU060	TEL NO IS PROHIBITED
FTREU061	TEL NO MUST BE 10 OR 12 CHARACTERS
FTREU062	ACC CANNOT BE GREATER THAN 115 CHARACTERS
FTREU063	WSOP NOT VALID FOR REQ TYP
FTREU064	LCON FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED
FTREU065	STATE IS REQUIRED
FTREU066	LCON FIELD IN LOCATION AND ACCESS SECTION OF END USER FORM IS REQUIRED
FTREU067	DL FORM NOT ALLOWED IF ELT IS A OR B
FTREU068	DL FORM IS REQUIRED IF ELT IS E OR P
FTREU069	ELT IS REQUIRED
FTREU070	ADDRESS FORMAT TYPE IS PROHIBITED FOR REQ TYP CB ACT V
FTREU071	ELT MAY ONLY BE A, B, E OR P
FTREU072	MLTN IS REQUIRED
FTREU073	DCADDRESS1 REQUIRED
FTREU074	MLTN MUST HAVE VALUE A OR 10 ALPHA NUMERIC CHARACTERS
FTREU075	LCON IS REQUIRED
FTREU076	TEL NO VALUE MUST EQUAL TNS ON PS OR RS FORM
FTREU077	EATN IS REQUIRED
FTREU078	EATN IS PROHIBITED
FTREU079	EATN MUST BE 10 CHARACTERS
FTREU080	NOT A VALID FBI VALUE
FTREU081	SBILLNM CANNOT BE GREATER THAN 25 CHARACTERS
FTREU082	STREET PROHIBITED
FTREU083	STREET MAY NOT EXCEED 25 CHARACTERS



Error Message Number	Error Message Text
FTREU084	FLOOR PROHIBITED
FTREU085	FLOOR MAY NOT EXCEED 10 CHARACTERS
FTREU086	ROOM IS PROHIBITED
FTREU087	ROOM MAY NOT EXCEED 10 CHARACTERS
FTREU088	CITY IS PROHIBITED
FTREU089	CITY MUST BE 2-32 CHARACTERS
FTREU090	STATE PROHIBITED
FTREU091	STATE MUST BE 2 ALPHA CHARACTERS
FTREU092	ZIP PROHIBITED
FTREU093	ZIP MUST BE 5-12 CHARACTERS
FTREU094	DNUM FIELD PROHIBITED
FTREU095	SATH PROHIBITED
FTREU096	FBI OF D REQUIRES STREET, CITY, STATE, AND ZIP
FTREU097	LOCNUM LOCATION NUMBER MUST BE NUMERIC
FTREU098	ONLY SPECIAL CHARACTER ALLOWED IN ZIP IS HYPHEN
FTREU099	WSOP IS REQUIRED
FTREU100	INVALID LV2
FTREU101	LV1 IS REQUIRED
FTREU102	WSOP IS PROHIBITED
FTREU103	MLTN IS PROHIBITED
FTREU104	ELT PROHIBITED WHEN ACT NOT EQUAL TO V.
FTREU105	WSOP VALID VALUE = A, V, C, Z
FTREU106	AAI = NEW ADDR MUST BE UPPER CASE
FTREU107	SASN IS REQUIRED
FTREU108	LV1 HAS INVALID CHARACTERS
FTREU109	
FTREU110	
FTREU111	IWO VALID VALUE = R, S, U OR W
FTREU112	IWO IS PROHIBITED WHEN FIRST POSITION OF REQTP=C
FTREU113	IWCON CANNOT EXCEED 25 CHARACTERS
FTREU114	
FTREU115	IWCON REQUIRED WHEN IWO IS POPULATED
FTREU116	EATN IS REQUIRED
FTREU117	EATN IS REQUIRED
FTREU118	EATN IS REQUIRED
FTREU119	IWCON PROHIBITED WHEN IWO NOT POPULATED
FTREU120	NOT A VALID SPECIAL CHARACTER
FTREU121	NOT A VALID SPECIAL CHARACTER
FTREU122	NOT A VALID SPECIAL CHARACTER
FTREU123	NOT A VALID SPECIAL CHARACTER
FTREU124	NOT A VALID SPECIAL CHARACTER
FTREU125	NOT A VALID SPECIAL CHARACTER





Error Message Number	Error Message Text
FTREU126	NOT A VALID SPECIAL CHARACTER
FTREU127	NOT A VALID SPECIAL CHARACTER
FTREU128	NOT A VALID SPECIAL CHARACTER
FTREU129	NOT A VALID SPECIAL CHARACTER
FTREU130	NOT A VALID SPECIAL CHARACTER
FTREU131	NOT A VALID SPECIAL CHARACTER
FTREU132	LCON IS REQUIRED
FTREU133	LCON IS REQUIRED
FTREU134	DISCNBR FIELD PROHIBITED
FTREU135	TC OPT FIELD PROHIBITED
FTREU136	FIELD NOT VALID FOR REQ TYP
FTREU137	FIELD NOT VALID FOR REQ TYP
FTREU138	FIELD NOT VALID FOR REQ TYP
FTREU139	FIELD NOT VALID FOR REQ TYP
FTREU140	FIELD NOT VALID FOR REQ TYP
FTREU141	FIELD NOT VALID FOR REQ TYP
FTREU142	FIELD NOT VALID FOR REQ TYP
FTREU143	
FTREU144	
FTREU145	AFT REQUIRED
FTREU146	
FTREU147	
FTREU148	BOX REQUIRED WHEN ROUTE IS POPULATED
FTREU149	WHEN HYPHEN OR VIRGULE USED IT MUST BE PRECEDED AND FOLLOWED BY NUMERIC CHARACTER
FTREU150	STREET REQUIRED
FTREU151	CITY IS REQUIRED
FTREU152	STATE REQUIRED
FTREU153	ZIP REQUIRED
FTREU154	
FTREU155	STATE FIELD MUST BE CAPITAL LETTERS
FTREU156	LCON IS REQUIRED
FTREU157	INVALID VALUE FOR ELT
FTREU158	ELT NOT ALLOWED FOR THIS REQ TYP
FTREU159	BILLNM REQUIRED
FTREU160	BILLNM CANNOT BE GREATER THAN 25 CHARACTERS
FTREU161	SBILLNM PROHIBITED WHEN BILLNM IS NOT POPULATED
FTREU162	TEL NO MUST NOT EXCEED 14 NUMERIC
FTREU163	REQUIRED WHEN IWO IS POPULATED
FTREU164	PROHIBITED WHEN IWO NOT POPULATED
FTREU165	ELT VALID VALUE = B IS PROHIBITED WHEN REQ TYP = D, E
FTREU166	ELT VALID VALUE = A, B IS PROHIBITED
FTREU167	ELT VALID VALUE = A, B IS PROHIBITED



Error Message Number	Error Message Text
FTREU168	
FTREU169	MLBTN IS REQUIRED
FTREU170	ELT CANNOT BE B WHEN BI1 OR BI2 IS D
FTREU171	FIELD NOT VALID FOR REQ TYP
FTREU172	FIELD NOT VALID FOR REQ TYP
FTREU173	FIELD NOT VALID FOR REQ TYP
FTREU174	FIELD NOT VALID FOR REQ TYP
FTREU175	FIELD NOT VALID FOR REQ TYP
FTREU176	FIELD NOT VALID FOR REQ TYP
FTREU177	FIELD NOT VALID FOR REQ TYP
FTREU178	FIELD NOT VALID FOR REQ TYP
FTREU179	FIELD NOT VALID FOR REQ TYP
FTREU180	FIELD NOT VALID FOR REQ TYP
FTREU181	FIELD NOT VALID FOR REQ TYP
FTREU182	FIELD NOT VALID FOR REQ TYP
FTREU183	MLBTN IS PROHIBITED
FTREU184	MLBTN MUST EQUAL ATN WHEN ELT = A
FTREU185	MLBTN VALID VALUE = 10 NUMERIC
FTREU186	FBI IS PROHIBITED
FTREU187	DNUM IS PROHIBITED
FTREU188	DNUM IS REQUIRED
FTREU189	DNUM VALID VALUE = 1-5 NUMERIC
FTREU190	DISC NBR IS REQUIRED
FTREU191	DISC NBR IS REQUIRED
FTREU192	DISC NBR MUST EQUAL EATN FOR FIRST ITERATION
FTREU193	DISC NBR IS PROHIBITED
FTREU194	TC OPT IS REQUIRED
FTREU195	TC OPT IS PROHIBITED
FTREU196	TC OPT VALID VALUE = N, S, T
FTREU197	TC TO PRI IS REQUIRED
FTREU198	TC TO PRI IS PROHIBITED
FTREU199	TC TO PRI VALID VALUE = 10 NUMERIC
FTREU200	TCID IS REQUIRED
FTREU201	TCID IS PROHIBITED
FTREU202	TCID VALID VALUE = 1
FTREU203	TC NAME IS REQUIRED
FTREU204	TC NAME IS PROHIBITED
FTREU205	TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTREU206	TC TO SEC IS REQUIRED
FTREU207	TC TO SEC IS PROHIBITED
FTREU208	TC TO SEC VALID VALUE = 10 NUMERIC
FTREU209	TCID 2 IS REQUIRED



Error Message Number	Error Message Text
FTREU210	TCID 2 IS PROHIBITED
FTREU211	TCID 2 MUST BE SEQUENTIAL
FTREU212	TCID 2 VALID VALUE = 1-99
FTREU213	TCNAME 2 IS REQUIRED
FTREU214	TCNAME 2 IS PROHIBITED
FTREU215	TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTREU216	TC PER IS PROHIBITED
FTREU217	TC PER MUST BE GREATER THAN DDD
FTREU218	TC PER VALID FORMAT = CCYYMMDD
FTREU219	DCFN IS REQUIRED
FTREU220	DCFN IS PROHIBITED
FTREU221	DCFN VALID LENGTH = 1-64
FTREU222	DCLN IS REQUIRED
FTREU223	DCLN IS PROHIBITED
FTREU224	DCLN VALID LENGTH = 1-64
FTREU225	DCADDRESS1 IS PROHIBITED
FTREU226	DCADDRESS1 VALID LENGTH = 1-63
FTREU227	DCADDRESS2 IS PROHIBITED
FTREU228	DCADDRESS2 VALID LENGTH = 1-75
FTREU229	DCUNIT IS PROHIBITED
FTREU230	DCUNIT VALID VALUE = FL, BSMT, APT, LOT, BLDG, LBBY, PIER
FTREU231	DCUNITVALUE IS REQUIRED
FTREU232	DCUNITVALUE IS PROHIBITED
FTREU233	DCUNITVALUE VALID LENGTH = 1-8
FTREU234	DELIVERY CONTACT CITY IS REQUIRED
FTREU235	DELIVERY CONTACT CITY IS PROHIBITED
FTREU236	DELIVERY CONTACT CITY VALID LENGTH = 1-35
FTREU237	DELIVERY CONTACT STATE IS REQUIRED
FTREU238	DELIVERY CONTACT STATE IS PROHIBITED
FTREU239	DELIVERY CONTACT STATE VALID VALUE = 2 ALPHA
FTREU240	DELIVERY CONTACT ZIP IS REQUIRED
FTREU241	DELIVERY CONTACT ZIP IS PROHIBITED
FTREU241	DELIVERY CONTACT ZIP VALID VALUE = 5-10 NUMERIC, HYPHEN
FTREU243	DELIVERY CONTACT EMAIL IS REQUIRED
FTREU244	DELIVERY CONTACT EMAIL IS PROHIBITED
FTREU245	DELIVERY CONTACT EMAIL VALID VALUE = 1-60 ALPHA, NUMERIC, AMPERSAND, HYPHEN, UNDERSCORE, DOT, AT SIGN (@)
FTREU246	DELIVERY CONTACT TEL NO IS REQUIRED
FTREU247	DELIVERY CONTACT TEL NO IS PROHIBITED
FTREU248	DELIVERY CONTACT TEL NO VALID VALUE = 10 NUMERIC
FTREU249	EXT IS PROHIBITED
FTREU250	EXT VALID VALUE = 10 NUMERIC



Error Message Number	Error Message Text
FTREU251	LCON IS REQUIRED
FTREU252	LCON IS REQUIRED
FTREU253	LCON IS REQUIRED
FTREU254	EATN IS PROHIBITED WHEN RL IS POPULATED
FTREU255	EATN IS REQUIRED
FTREU256	EATN IS REQUIRED
FTREU257	EATN IS REQUIRED
FTREU258	EATN IS REQUIRED
FTREU259	PLBO IS PROHIBITED
FTREU260	ZIP MAY ONLY BE 3-12 CHARACTERS
FTREU261	NOT A VALID SPECIAL CHARACTER
FTREU262	MLBTN REQUIRED
FTREU263	
FTREU264	
FTREU265	MLTN VALID LENGTH CAN ONLY BE 1 OR 10.
FTREU266	EUMI IS REQUIRED
FTREU267	EUMI IS PROHIBITED
FTREU268	EUMI VALID VALUE = N, Y
FTREU269	
FTREU270	LISTING PROHIBITED VIA LSR FOR CCNA AND STATE
FTREU271	EUA VALID VALUE = A, C OR D
FTREU272	
FTREU273	EUA PROHIBITED IF LOCQTY IS NOT POPULATED
FTREU274	
FTREU275	COMMA NOT ALLOWED IN BUSINESS NAME
FTREU276	SAPR PROHIBITED WHEN SASN IS NOT POPULATED.
FTREU277	SAPR MUST BE 1-6 ALPHA NUMERIC
FTREU278	LISTING PROHIBITED VIA LSR FOR CCNA AND STATE
FTREU279	
FTREU280	
FTREU290	
FTREU291	
FTREU292	DISC NBR IS REQUIRED
FTREU293	
FTREU294	DISC NBR REQUIRED
FTREU295	



## APPENDIX B – CHANGE CONTROL LOG

DATE	FIELD	REVISION NUMBER	CHANGE
03/17/2023	All	June 2023 Release	Update version to 9.30.26
7/12/2024	All	October 2024 Release	Update version to 9.30.28
7/29/2024	TC OPT-059	October 2024 Release	Added rule: 5. If populated and vv does not = N and the EU State = TX return error FTREU007 TC OPT VALID VALUE =N FOR THE STATE OF TX
11/18/2024	All	February 2025 Release	Update version to 9.30.29
12/4/2024	LCON-28	February 2025 Release	Change Rule from: 6. If not populated and LSR.REQTYP = E and LSR.ACT = N, T, V, C and RS.IWJK is populated, then return error: FTREU156 LCON IS REQUIRED Rule Changed to: 6. If not populated and LSR.REQTYP = E and LSR.ACT = N, T, V, C and RS.IWJK is populated or the 4th Character of the TOS =B return error: FTREU156 LCON IS REQUIRED
12/5/2024	State-26	February 2025 Release	Changed Rule from: 1.If populated and vv not = AL, AZ, CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV, return error: FTREU052 NOT A VALID STATE FOR FRONTIER Changed Rule too: 1. If populated and vv does not = AL,AZ,CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV or (vv = AR, CO, DC, DE, ID, KS, LA, MA, MD, ME, MO, MT, ND, NH, NJ, OK, OR, RI, SD, VA, VT, WA, WY and TOS POS 4 does not = B), return error FTREU052 NOT A VALID STATE FOR FRONTIER
07/18/2025	All	October 2025 Release	Update version to 9.30.30
07/30/2025	State-26	October 2025 Release	Removed from Valid Values: <b>POTS Connect Only:</b> AR, CO, DC, DE, ID, KS, LA, MA, MD, ME, MO, MT, ND, NH, NJ, OK, OR, RI, SD, VA, VT, WA, WY  Changed Rule from: 1.If populated and vv does not = AL,AZ,CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV or (vv = AR, CO, DC, DE, ID, KS, <b>KY</b> , LA, MA, MD, ME, MO, MT, ND, NH, NJ, OK, OR, RI, SD, VA, VT, WA, WY and TOS POS 4 does not = B), return error FTREU052 NOT A VALID STATE FOR FRONTIER  Changed Rule too: 1. If populated and vv not = AL, AZ, CA, CT, FL, GA, IA, IL, IN, MI, MN, MS, NC, NE, NM, NV, NY, OH, PA, SC, TN, TX, UT, WI, WV, return error: FTREU052 NOT A VALID STATE FOR FRONTIER