

# Version 9.30.30 Product & Service Availability (TXTYP - C) PRE-ORDER RESPONSE


DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBLITY OF SUCH DAMAGES.

© 2025 Frontier Communications Parent, Inc. All rights reserved.

Revised: 07/30/2025

### Response Fields:

TXNUM	4
D/TSENT	4
TX TYP	4
CC	4
STATE	4
PICDETAILS	4
LPICDETAILS	4
MLT	5
CALL	5
CIS	5
CP	5
CAS	5
MPG	5
DIRDET	5
NPA/NXX	5
CCALL	5
DR	5
CFII	5
BK	5
CAC	5
PS	6
ID	6
VM	6
VMAN	6
SC	6




TELE	6
PRESPC	6
PRESPD	6
Appendix A – Change Log	7

Field	Field Name	Field Usage	Field Length	Char	Valid Entries	Edits Usage Notes	NOTES
TXNUM	Transaction Number	R	16	AN			Identifies the customer provided tracking number to link the inquiry with the response.
							The TXNUM may be reused after one week.
D/TSENT	Date and Time Sent	R	17	AN -	Metric Format Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31) Two Digit Hour (00-23) Two Digit Minute (00-59) Two Digit Second (00-59)	Required for all TXTYP/TXACT combinations.	Including 3 hyphens.  Date includes century: CCYYMMDD Time is military time: HHMM[SS]
TX TYP	Transaction Type	0	1	Α	C - Feature/Service Availability	This field will be returned when populated on inquiry.	
CC	Company Code	R	4	AN		Required for all TXTYP/TXACT combinations.	Identifies the exchange carrier initiating the transaction.  This field matches or maps to the RSID for Reseller or AECN for CLEC.
STATE	State/Province	R	2	Α			Identifies the two character postal code for the state or province.
PICDETAI LS	PIC Details	0	52	AN & * , - ()./ space		Not all PIC providers returned may be available in all Central Offices	Identifies PIC details.
LPICDET AILS	LPIC Details	0	52	A/N & * , - ()./ space			Identifies LPIC details.

Field	Field Name	Field Usage	Field Length	Char	Valid Entries	Edits Usage Notes	NOTES
MLT	Multi-Line Text	0	81	AN & '*:, \$ - #( ) % . + ";/ space			Up to 10,000 rows can occur within this field. Each row is 81 characters across. For this transaction, this field identifies the split line range, the Frontier switch description and the switch CLLI code associated with the range.
CALL	Callability	0	78	AN			Indicates callability.
CIS	Call Mover	0	78	AN			Indicates CIS -Call Mover.
СР	Calling Plans	0	78	AN -			Identifies calling plans.
CAS	Calling Area Structure	0	147	AN			Indicates the calling area structure.
MPG	Miscellaneous Product Groupings	0	78	AN , -			Identifies Miscellaneous Product Groupings.
DIRDET	Directory Details	0	34	AN space			Indicates directory details.
NPA/NXX	NPA/NXX	R	6	AN			Identifies a specific NPA/NXX within the local serving office.
CCALL	Custom Calling	0	78	AN ()			Indicates custom calling.
DR	Distinctive Ring	0	78	ÀŃ			Indicates distinctive ring.
CFII	Call Forward II	0	78	AN /			Indicates Call Forward II.
BK	Blocking	0	78	AN ()-			Indicates blocking.
CAC	Curb-A-Charge	0	78	AN & #			Identifies the Curb-A-Charge.

Field	Field Name	Field Usage	Field Length	Char	Valid Entries	Edits Usage Notes	NOTES
PS	Phone Smart	0	78	AN /*-			Indicates Phone Smart.
ID	Intellidial	0	78	AN -			Identifies the intellidial.
VM	Voice Messaging	0	78	AN /-			Indicates voice messaging.
VMAN	Voice Messaging Access Numbers	С	10	N		Required when Voice Messaging (VM) field is populated, otherwise prohibited.	Indicates voice messaging access telephone numbers.  When EXKEY is populated with NPA/NXX/LINE, the VMAN returned will be for the EXKEY.
SC	Selective Calling	0	149	AN , - / space			Identifies the Provider's Service Center.
TELE	Telesure	0	78	AN			Indicates Telesure.
PRESPC	Provider Response Code	С	14	AN :	See Pre-Order Error Code Matrix	Required if error condition exists, otherwise prohibited.	Identifies a provider specific code on the response transaction that represents what occurred on the associated inquiry transaction.  The occurrence of error fields overrides the return of other fields stated in the response.
PRESPD	Provider Response Description	С	264	AN & '*:, \$ - # ( ) % . + ";/ space		Optional if PRESPC field is populated, otherwise prohibited.	Identifies the provider's text used to clarify the response for the associated inquiry transaction.  This is not a standalone field and may be used in combination with the PRESPC field to further clarify the condition encountered.  Returned with error explanation or non-error related supplemental data.  The occurrence of error fields overrides the return of other fields stated in the response.

Revised: 07/30/2025



Form Note: Frontier does not pass edits on Response Fields.

# Appendix A – Change Log

Date	Release	Field Name	Change Description
03/22/2023	June 2023 Release	All	Update version to 9.30.26
11/24/2023	February 2024 Release	All	Update version to 9.30.27
07/15/2024	October 2024 Release	All	Update version to 9.30.28
11/27/2025	February 2025 Release	All	Update version to 9.30.29
07/30/2025	October 2025 Release	All	Update version to 9.30.30